
AMPHIPOD NEWSLETTER 19



Produced at the Australian Museum, 6 College Street, Sydney NSW 2000 September 1993

Editors

Jim Lowry (Sydney) Wim Vader (Tromsø)

Regional Editors

Canada Diana Laubitz (Ottawa) USA east John Holsinger (Norfolk) USA west vacant - volunteers most welcome C. & S. America vacant - volunteers most welcome Wim Vader (Tromsø) - temporarily Scandinavia, Baltic Mike Thurston (Wormley) Oliver Coleman (Bielefeld) Benelux, C. Europe SW Europe Denise Bellan-Santini (Marseille) SE Europe, Middle East Anastasias Eleftheriou (Crete) E Europe, Russia Georgy Vinogradov (Moscow) Ichiro Takeuchi (Akahama) Japan Australia, New Zealand Jim Lowry (Sydney)

Hiroshi Morino and Jason Weeks were unable to continue as regional editors - both have done a very good job.

Wim has been in Sydney for a year (1993), but will be back in Tromsø from January 1994.

ABOUT THE COVER

This issue is dedicated to the memory of Jerry Barnard. The cover shows examples of genera and species named in his honour by appreciative colleagues. Clockwise from the bottom: Eucallisoma barnardi Lowry & Stoddart, Jerbarnia mecochira Croker, Pseudomegamphopus barnardi Myers, Echiniphimedia barnardi Coleman & Andres, Dulichiopsis barnardi Laubitz.

SUBSCRIPTIONS

Enough subscriptions have come in to print AN 19, but the financial situation is still unsatisfactory and Wim has not got his money back. We therefore urge the regional editors to once more collect subscriptions; especially disappointing is the low payment rate of US-subscribers.

WHAT YOU THINK OF THE AMPHIPOD NEWSLETTER

More than 100 subscribers filled out and sent in the questionnaire in AN 17, and most seem to be generally content with the Amphipod Newsletter.

Many of you want more "News from Colleagues". The editors concur, but this is one type of copy that they can't generate themselves! So please write us about your plans, problems, triumphs and frustrations.

Other suggestions were to add authors' addresses to the bibliography, something Wim does not feel it possible to provide as long as he compiles this bibliography in the old-fashioned way. Also, of course, very many addresses are in the list in this issue.

The idea to supplement the address list with fax and E-mail numbers is a good one and maybe the regional editors could coordinate this at the same time as collecting the subscriptions.

In AN 20, we'll have a debate on how "best to describe amphipods" (descriptions and/or illustrations) after an initiative of Oliver Coleman. Diana Laubitz has proposed to ask some young amphipod workers from different countries and disciplines to tell about their dreams and problems, and that seems to be a very attractive idea. Once more, the regional editors are asked to help find likely prospects.

NEXT AMPHIPOD CONFERENCE

During the Jerry Barnard Memorial in Washington in March 1992 various suggestion were bandied about as to where and when the next amphipod meeting is to be held. Many exotic and amphipodologically tempting venues, such as Chile and Yucatan, were proposed, but nothing seems to have come of them.

On the other hand, there is a concrete offer by Prof. Krzysztof Jazdzewski to organize the next amphipod meeting in autumn 1994 in Lodz, Poland. Some of you will have fond memories of earlier visits to Poland, either in 1980 where the amphipod meeting was first planned, or from 1981 when it actually took place, and Krzysztof assured us that it now will be considerably easier to organize a meeting than in those troubled times.

He needs, however, to decide the issue at the latest ultimo October this year, as such meetings need a lot of preparation and fund applications. We urge therefore all colleagues who are interested in participating in the next amphipod meeting, to write to Krzysztof directly, at the latest by 15 October 1993, and let him know what they think of his suggestion of holding the meeting once more in Poland, and whether they have plans to participate.

His address is:

Prof. Krzysztof Jazdzewski Dept. of Invertebrate Zoology and Hydrobiology University of Lodz 12-16 Banacha Str. 90-237 Lodz, Poland

A BRONZE AMPHIPOD

William H. Turner is an American sculpter specializing in animal sculptures. Wim and Jim have seen examples of his work and it is of the highest quality. He is willing to sculpt and cast in bronze an amphipod, maybe *Eurythenes gryllus*. The sculpture would be about 10 cm long. The amphipod would appear to be swimming past a trap or some benthic object. Turner would cast 100 copies. Each one would cost about US\$300 provided that at least 30 people order. Expressions of interest to Jim Lowry by 31 October 1993.

J.L. BARNARD & G.S. KARAMAN 1991. 'THE FAMILIES AND GENERA OF MARINE GAMMARIDEAN AMPHIPODA (EXCEPT MARINE GAMMAROIDS).' RECORDS OF THE AUSTRALIAN MUSEUM SUPPLEMENT 13, 2 Vols, 866 pp.

by

Wim Vader

Review

This monumental monograph is Jerry Barnard's legacy to his colleagues (for with all due respect for Gordon Karaman's important contribution in the early stages, this is very much Jerry's book, in both style and contents). Nothing can of course replace Jerry Barnard the man, and he will be sadly missed as expert, mentor, generous helper and friend for many years to come, but we are very fortunate to have this state-of-the-art overview of the taxonomy and relationships of the gammaridean Amphipoda, as Jerry Barnard saw them. Thanks to the generous assistance of Jim Lowry and his amphipod and publishing team at the Australian Museum, the two - volume monograph has got a very clear design and lay-out, and before his untimely death Jerry had the satisfaction to know that the handbook was in the press.

While the reviewer almost automatically uses the words 'this monumental monograph', the authors themselves with characteristic modesty write in the introduction: 'The present compilation remains at best a stopgap!' (Jerry Barnard was also heard to grumble that 'this book' kept him away from real science for years.) Both viewpoints are right! As the authors themselves were the first to acknowledge, the taxonomy and phylogeny of the gammaridean amphipods, especially at the suprageneric level, are very much in a state of flux. Vast amounts of data are being collected and processed annually, new characters are evaluated, and much more stringent and objective taxonomic methods are being taken into use. Further more, the handbook is for a large part, and necessarily, based upon study of the literature, not the actual type-specimens (what Barnard and Karaman themselves have dubbed 'armchair-revisions'), and in some cases faulty or incomplete observations by earlier authors have therefore found their way into this book. The data on geographic distribution, unchecked by regional workers, suffer especially in this respect. So in a way this handbook, if surely not a stopgap, will probably and hopefully become out-of-date in some respects before long.

But on the other hand the two volumes definitely do constitute a monumental monograph! They represent a tour de force that only a specialist with vast and varied experience and both the wide overview and detailed insight of the world's entire amphipod fauna, such as Jerry Barnard uniquely had, could hope to embark on with any chance of success. Moreover, only someone with his tenacity and altruistic work-ethos could bring the task to fruition.

Compared with Barnard's earlier 1969-handbook, itself deservedly a classic in amphipod taxonomy, this is definitely the deluxe model! Not only have a further 25 years of active amphipod studies and not least the authors' ever growing insights been incorporated, but the present handbook also contains lists of all described species (with references to original and later descriptions) and their geographic distribution. The generic diagnoses have been greatly expanded, and most useful sections have been added on sexual and intrageneric variations, and on differences from related genera. There are many keys to families and genera (unfortunately not all run smoothly because of minor inconsistencies or misprints).

The handbook specifically excludes the marine gammaroids, and for many prominent marine genera such as Gammarus, Melita, Maera, or Bathyporeia the reader is referred to the earlier monographs of Barnard & Barnard (1983). This was no doubt unavoidable, but still rather much a pity.

There is, as is the case in most taxonomic monographs, little here about the biology of the amphipods and what there is, e.g. in the introductory chapters, is often clearly deductions from the morphology of limbs and mouthparts rather than the results of actual field or aquarium observations or even in-depth coverage of the relevant literature. Data on symbiotic associations, my own hobby-horse, for example, are presented very unevenly and somewhat haphazardly. These comments are maybe somewhat unfair, as the handbook clearly never aimed at covering biological data at any depth. Instead it was published 'to aid in the identification of gammaridean genera' and 'to present chapters on morphology, evolutionary trends, geographic distribution and prospecti that are the direct outgrowth of our studies'. In these aims the handbook succeeds magnificently.

How incredibly important and almost indispensable a handbook such as this is for the practising taxonomist in large parts of the world, has first been brought home to me by my present stay in Australia. In Norway - the country of G.O. Sars - regional coverage is so good that it almost seems excessive to use 'a handbook of the entire world' in your daily work. But in Australia the situation is still very different: every amphipod species that I find among my hermit-crabs is strange and unknown to me, and the only sensible way to proceed is to use 'the green Barnard & Karaman'. With the help of this book I can identify the right genera (or find that no existing genus fits), and then go on and see which species have been described from the general area, and where I can find description and illustrations of them. There also are large numbers of very clear detailed illustrations to further assist the identification process.

For many amphipod workers the appearance of this handbook therefore signifies the start of a new era, and Jerry Barnard could not have given us a better legacy than this.

Taxonomic changes in Barnard & Karaman 1991

These changes have been incorporated in the indexes in AN 18 and 19. They are listed here by family, without page references. The many changes that had already been published elsewhere are omitted, where noted, but many will have been overlooked.

Haploops securiger (transferred) to Byblis (The word transferred will be omitted). Ampeliscidae:

Amphilochidae: Gitanogeiton tropica to Amphilochus.

Plumithoe n. gen. for Ampithoe plumicornis (type) and A. hirsuta. Ampithoidae:

Melanesius reduced to subgeneric rank sub Examphithoe.

Ampithoe brasiliensis to Cymadusa. Paradusa pilipes to Cymadusa.

Bateidae: Carinobatea junior synonym of Batea.

Otagia n. gen. (incertae sedis) for the insufficiently well known Platyischnopus ? Condukiidae:

neozelanicus.

Corophioidea: Arctolembos raised to generic status with type Lembos arcticus; Autonoe Bruzelius revived, type Gammarus longipes, 11 further spp.; Rudilemboides Barnard revived.

Neomicrodeutopus and Bigrandidierella junior synonyms of Grandidierella.

Gammaropsis alaskensis to Cheirimedeia, G. lina to Audulla, Lemboides crenatipalma

to Aorchoides, Lembos chelatus to Varohios, L. leptocheirus to Xenocheira, L. longipalpus to Columbaora, Leptocheirus aberrans to Goesia, Microdeutopus kraemmeri to Globosolembos, M. tridens to Lembos, Photis digitata and Ph. distinguenda to

Dodophotis, Ph. geniculata to Cheiriphotis.

Dexaminidae: Lepechinellopsis inaequicaudata to Melita.

Relictomoera n. gen. for Paramoera relicta (type) and P. tsushimana. Sternomoera n. Eusiridae:

gen. for Paramoera yezoensis (type), P. hayamanensis and P. japonica.

Rozinante junior syn. of Apherusa; Harpinioidella junior syn. of Harpinioides; Pontogeneiella junior syn. of Prostebbingia; Atyloides and Dolobrotus junior syn. of

Schraderia.

Apherusa translucens to Whangarusa, Halirages bungei to Paracalliopiella, H. batei, H.

huxleyanus and H. regis all to Austroregia, Pontogeneia barnardi to Abdia,

Prostebbingia maneroo to Manerogeneia.

Exoedicerotidae: Warreyus junior syn. of Exoediceroides.

Paracanthonotozoma junior syn. of Acanthonotozomella; Pseudepimeria and Subepimeria Iphimediidae: junior syn. of Epimeria; Cypsiphimedia junior syn. of Iphimedia; Maoriphimedia junior

syn, of Labriphimedia.

Iphimedia joubini to Stegopanoploea, Iphimediella discoveryi to Gnathiphimedia

macrops.

Leucothoidae: Leucothoella (valid subgenus) and Leucothopsis junior syn. of Leucothoe. Liljeborgiidae: Lilljeborgiella junior syn. of Liljeborgia; Ronconoides junior syn. of Listriella.

Lijeborgia epistomata to Isipingus.

Bonassa n. gen. for Lysianassa bonairensis. Caeconyx n. gen. for Tmetonyx caeculus. Lysianassidae:

Concarnes n. gen. for Socarnes concavus. Coximedon n. gen. for Cheirimedon latimanus (type) and C. pectinipalma. Dartenassa n. gen. for Lysianassa dartevellei. Dissiminassa n. gen. for Aruga dissimilis. Falcanassa n. gen. for Lysianassa falcata. Gronella n. gen. for Anonyx groenlandicus. Lysianassina Costa revived for Lysianax longicornis. Macronassa n. gen. for Aruga macromerus (type) and Lysianassa pariter. Martensia n. gen. for Lysianassa martensi. Septcarnes n. gen. for Socarnes septimus.

Tetronychia junior syn. of Hirondellea. Ambasiopsis fomes to Cedrosella, Anonyx kurilicus to Psammonyx, Aruga subantarctica to Lysianopsis, Hippomedon brevicaudatus to Elimedon, H. whero, possibly also H. manene and H. matikuku, to Paracentromedon, Nannonyx integricauda to Kakanui, Fresnillo fimbriatus to Ocosingo borlus, Orchomene abyssalis to Uristes, O.

groenlandicus to Gronella, O. morbihanensis to Socarnes, O. reducta to Falklandia, O. takoradia to Adeliella, Pachychelium mediterraneum to Prachynella, P. oculatum to Ekelofia, Pseudokoroga rima to Rimakoroga, Schisturella galatheae to Galathella, S. parachelata to Aristiopsis, Socarnes allecto, S. dissimulantia, S. filicornis and S. obesus

all to Socarnopsis, S. concavus to Concarnes, S. illudens and S. unidentatus to Socarnoides, S. septimus to Septcarnes, Tryphosites capadarei to Parschisturella carinata, Uristes induratus to Procyphocaris, U. lepidus to Lepiduristes, U. martensi to

Martensia, U. murrayi to Tryphosella, and Valettiopsis anacanthus to Valettietta.

Oedicerotidae: Cornudilla n. gen. for Westwoodilla cornuta.

Gulbarentsia larseni to Oediceroides lahillei, Oediceroides forensia to Lopiceros, O. brevirostris and O. cystifera to Paraperioculodes, O. pirloti to Paroediceros, O. sinuata to Paroediceroides, Oediceropsis morosa and O. trepadora to Oediceroides, and O. sinuata to Paroediceroides.

Paracalliopiidae: Paracalliope fernandoi Wignarajah, 1951 is a talitrid. Pardaliscidae: Eperopeus Mills is consistently misspelled Epereopsis.

Phoxocephalidae: Ringaringa n. gen. for Metaphoxus littoralis.

Metaphoxus fultoni to Parametaphoxus, M. littoralis to Ringaringa, Parharpinia

fuegiensis to Fuegiphoxus.

Platyischnopidae: Platyischnopus neozelanicus to Otago.

Pleustidae: Pleustoides junior syn. of Pleusymtes. Parapleustes barnardi and P. honomu to

Tepidopleustes.

Podoceridae: Styloxenodice junior syn. of Parunciola.

Stegocephalidae: Andaniotes simplex to Stegosoladidas, Stegocephaloides katalia and S. vanhoffeni to

Stegocephalopsis, Stegocephalopsis wagini to Stegocephaloides, Stegocephalus latus to

Stegocephalopsis.

Stenothoidae: Hardametopa n. gen. for Metopa nasuta (type) and M. carinata.

Metopoides aurora to Aurometopa, M. aequalis, M. compacta, M. crassicornis and M.

parallelocheir all to Torometopa, Proboloides antarcticus, P. carinatus, P. crenatipalmatus, P. dentimanus, P. palmatus, P. perlatus, P. porcellanus and P.

stephenseni also all to Torometopa.

Stilipedidae: Parastyra junior syn. of Astyra.

Bathypanoploea australis to Alexandrella.

Synopiidae: Pseudotiron brevidactylus to Metatiron.

Errata

Only those that can cause difficulties in identification have been mentioned here. I am very grateful to Anna Murray and Roger Springthorpe of the Australian Museum for bringing the bulk of the errata to my attention.

- Coxa 1 small or absent, much smaller than coxa 2 (less than half surface area p. 64 Couplet 3 should read: of coxa 2) and/or mostly hidden by following coxa. Some of following coxae

> - Coxa 1 usually subequal to coxa 2 or never hidden by following coxae (Occasionally coxa 1 partly hidden, but all following coxae wider than long (Gnathopod 1 always fully developed)).

> longer than wide. (Occasionally gnathopod 1 absent or vestigial). Section E.

p. 729

p. 64 Couplet 7b refers to 11, not 1. Couplet 38a refers to Fig. 21 p. 68 p. 69 Couplet 46b refers to 47, not 31 p. 70 Couplet 3b reads antenna 1 4, not antenna 14 p. 74 Couplet 3a Article 4 of antenna 2 strongly expanded. Anamixis Figs. 27, 83, 84, not 85 p. 113 p. 149 Couplet 8b refers to 14, not 15 p. 368 Allorchestes plumicornis is G p. 395 Geographical distribution of *Iphimedia discreta* is area 781, not 681. p. 576 The genus name Eperopeus Mills, 1967 is consistently misspelled Epereopus p. 585 Fig. 105 I = Pereionotus (= Palinnotus)Fig. 106 Taxon- lettering missing on plate. Upper row from left: Heterophlias, Pereionotus, p. 586 Iphinotus, Iphiplateia, Quasimodia, Heterophlias, Iphinotus, Heterophlias. Lower row, Heterophlias, Heterophlias, ?, Heterophlias, Heterophlias, Pereionotus, Heterophlias.

If other users of the book have noticed further errata, that may lead to confusion, please let me know.

BIBLIOGRAPHY

Cuban platform). AARSET, A.V. & T. AUNAAS, 1990. Influence of environmental salinity on oxygen consumption and ammonia excretion of the Arctic under-ice amphipod important prey). Onisimus glacialis. ____ Marine Biology 107, 9-15.

AARSET, A.V. & T. AUNAAS, 1990. Metabolic responses of the sympagic amphipods Gammarus wilkitzkii and Onisimus glacialis to arctic temperature variations. Marine Biology 107, 433-438.

Urothoides mammarta, not mammaria

AARSET, A.V. & T. AUNAAS, 1990. Effects of osmotic stress on oxygen consumption and ammonia secretion of the Arctic sympagic amphipod Gammarus wilkitzkii. ____ Marine Ecology - Progress Series 58, 217-224.

ABRAMS, P.A., C. HILL & R. ELMGREN, 1990. The functional response of the predatory polychaete, Harmothoe sarsi, to the amphipod, Pontoporeia affinis. ___ Oikos 59, 261-269.

ADAMS, J., 1989. Natural selection of parental ability to vary resource partitioning among offspring. Oikos 56, 135-137.

AFTON, A.D., R.H. HIER & S.L. PAULUS, 1991. Lesser Scaup diets during migration and winter in the Mississippi flyway. ____ Canadian Journal of Zoology 69, 328-333 (Amphipods important in diet in Manitoba in fall).

AGUILAR BETANCOURT, C. & G. GONZALEZ SANSON, 1990. (Feeding habitats of juveniles of Bairdiella ronchus (Cuvier) in an area of the northwestern

Revista de Investigaciones marinas 11, 35-40 (In Spanish, not seen. Amph. most

AHSANULLAH, M. & A.R. WILLIAMS, 1991. Sublethal effects and bioaccumulation of cadmium, chromium, copper and zinc in the marine amphipod Allorchestes compressa. ____ Marine Biology 108, 59-65.

ALEXEEV, R.P., 1991. Amphipods from hydrotechnic structures in the north-west part of the Black Sea. Hydrobiologia 223, 79-80.

ALEKSEEV, V.R., 1990. (Diapause in crustaceans. Ecologophysiological aspects). __ NAUKA, Moskva, 144 pp., (In Russian, not seen).

AL-HABBIB, O.A.M., F. S. HANNA & R.M.K. AL-JAMMAS, 1989. Biochemical acclimation to temperature in the stenothermal gammarid Rivulogammarus syriacus (Chevreux). Biological Science Research 20, 55-64. (Not seen).

ALIEV, R.A., 1990. (The ecology and biology of Gammarus matienus (Crustacea Amphipoda) in waterbodies of Azerbaijan). ____ Zoologicheskii Zhurnal 69, 51-54 (In Russian).

ALIEV, R.I., 1990. (Seasonal changes in macrozoobenthos in Malyi Kyzylagachskii Zaliv, Azerbaijan SSR, USSR). Izvestija Akademija Nauk Azerbaijan: SSR, Ser. Biol. 6 (1989), 61-65 (In Russian, not seen).

ALIEV, R.I., 1991. Ecology and biology of Gammarus

matienus (Crustacea, Amphipoda) in the waters of Azerbaijan. ____ Hydrobiological Journal 27 (11), 91-94 (translated from Russian).

ALLAN, J.O. & B. MALMQVIST, 1989. Diel activity of *Gammarus pulex* (Crustacea) in a south Swedish stream: Comparison of drift catches vs baited traps. _____ Hydrobiologia 179, 73-80.

ALONSO, G.M., 1986. (Two new species of the genus *Gondogeneia* Barnard (Amphipoda, Eusiridae). — Physis (B.A.) A 44, 1-7. (In Spanish. *G. patagonica* n.sp. and *G. dentata* n.sp., both from Puerto Deseado (Santa Cruz prov., Argentina)).

AMBROSE, W.G. & H.P. LEINAAS, 1990. Size-specific distribution and abundance of amphipods (*Gammarus setosus*) on an arctic shore: effects of shorebird predation? ____ Proceedings 24th European Marine Biological Symposium, Aberdeen 239-249.

ANDERSIN, A-B. & H. SANDLER, 1991. Macrobenthic fauna and oxygen deficiency in the Gulf of Finland.

Memoranda Societas Fauna et Flora Fennica 67, 3-10.

ANDERWALD, P.H., M. KONOR & U.H. HUMPESCH, 1991. Continuous drift samples of macro-invertebrates in a large river, the Danube in Austria. ____ Freshwater Biology 25,461-476.

ANDRES, H.G. & M. RAUSCHERT, 1990. Paradyopedos, eine neue Gattung der Podoceridae aus der Antarktis (Crustacea: Amphipoda: Gammaridae).

____ Mitteilungen aus dem Hamburgischen Zoologischen Museum und Institut 87, 171-179 (Paradyopedos antarcticus n.gen. n.sp. from 61S, 54W).

ANSARI, Z.A., P. ROMANI, C.H. RIVANKER & A.H. PARULEKAS, 1990. Macrofaunal and meiofaunal abundance in six sandy beaches of Lakshadweep Islands, India. ____ Indian Journal of Marine Science 19, 159-164 (Not seen. Amph.?).

AOKI, M., 1989. Reproductive implications of maternal care in *Sargassum* bed caprellids (Crustacea: Amphipoda).

_____ Abstr. 5 int. Conf. Invertebr. Reprod., Nagoya,?

AOKI, M., 1991. A new species of caprellid associated with hydroids from southern Japan (Crustacea: Amphipoda: Caprellidae). _____ Proceedings of the Biological Society of Washington 104, 91-95 (Caprella glabra n.sp. from Amakusa, W. Kyushu, on erect branching hydroids).

AOKI, M., 1991. (A new sampling method and a new in situ rearing method for caprellid amphipods inhabiting *Sargassum* beds). _____ Benthos Research 41, 9-14 (In Japanese).

AOKI, M. & T. KIKUCHI, 1990. Caprella bidentata Utinomi, 1947 (Amphipoda: Caprellidae), a synonym of Caprella monoceros Mayer, 1890, supported by experimental evidence. _____ Journal of Crustacean Biology 10, 537-543.

AOKI, M. & T. KIKUCHI, 1991. Two types of maternal care for juveniles observed in *Caprella monoceros* Mayer, 1890 and *Caprella decipiens* Mayer, 1890 (Amphipoda: Caprellidae). _____ Hydrobiologia 223, 229-237.

ARSUFFI, T-L. & K. SUBERKROPP, 1989. Selective feeding by shredders on leaf-colonizing stream fungi: Comparison of macroinvertebrate taxa. _____ Oecologia 79, 30-37.

ASCHAN, M., 1990. Changes in soft bottom macrofauna communities along environmental gradients.

Annales Zoologici Fennici 27, 329-336.

AURA, R-L., E.T. VALTONEN & A-B. ANDERSIN, 1990. On the acanthocephalan infection in some glacial relict crustaceans in Finland. _____ Annales Zoologici Fennici 27, 245 (*Pontoporeia*).

AVDEEV, V.V., 1989. Parasitic amphipods of the family Cyamidae and the problem of the origin of the Cetacea. ____ Soviet Journal of Marine Biology 15, 245-250 (Translated from Biol. Morya 4, 27-33, 1989).

BACHELET, G., 1990. The choice of a sieving mesh size in the quantitative assessment of marine macrobenthos: a necessary compromise between aims and constraints. ____ Marine Environmental Research 30, 21-35.

BADEN, S. Pihl, 1990. The cryptofauna of *Zostera marina* (L.): abundance, biomass and population dynamics. _____ Netherlands Journal of Sea Research 27, 81-92.

BALBUENA, J.A. & J.A. RAGA, 1991. Ecology and host relationships of the whale-louse *Isocyamus delphini* (Amphipoda: Cyamidae) parasitizing Long-finned pilot whales (*Globicephala melas*) off the Faroes (Northeast Atlantic). ____ Canadian Journal of Zoology 69, 141-145.

BARLOCHER, F. & J.H. MURDOCH, 1989. Hyporheic biofilms - a potential food source for interstitial animals.

Hydrobiologia 184, 61-67.

BARNARD, J.L. & C.M. BARNARD, 1990. Index to marine Gammaridea (Amphipoda) (except section Gammarids). ____ Published by Division of Invertebrate Zoology, National Museum of Natural History Washington DC, 221 pp.

BARNARD, J.L. & C.M. BARNARD, 1990. Geographic index to marine Gammaridea (Amphipoda).

Published by Division of Invertebrate Zoology, National Museum of Natural History Washington, DC, 139 pp.

BARNARD, J.L. & C.M. BARNARD, 1990. Index to freshwater Gammaridea (Amphipoda) (Including marine species of section Gammarida). ____ Published by Division of Invertebrate Zoology, National Museum of Natural History, Washington DC, 108 pp.

BARNARD, J.L. & C. INGRAM, 1990. Lysianassoid

Amphipoda (Crustacea) from deep-sea thermal vents. Smithson. Contr. Zool. 499, 1 - 80. (Deals with Euonyx mytilus n. sp. (Galapagos Vents), with key to Euonyx s.l., Hirondellea gigas, H. glutonis n.sp. (13N rift), H. guyoti n.sp. (Hess Guyot), H. brevicaudata, with key to Hirondellea, Orchomene (Abyssorchomene) distinctus (transf. from Orchomenella), O. (A.) abyssorum, Ventiella n.gen., V. sulfuris n.sp. (type, Rift vent), with key to Ventiella and Schisturella, and the Valettiopsis- group (several keys), with Valettiopsis, Apotectonia n.gen. with type A. heterostegos n.sp. (Galapagos Vents), Diatectonia n. gen. with type D. typhodes n.sp. (Hamilton Guyot), Tectovalopsis n. gen. with type T. wegeneri n. sp. (12°48'N, 103°56'W), T. regelatus n.sp. (Hess Guyot), T. nebulosus n.sp. (Jasper Seamount), T. diabolus n. sp. (12º48'N, 103º56'W) and T. fusilus n.sp. (off Punto S. Telmo, W. Mexico), and Transtectonia n.gen. with type T. torrentis n.sp. (12°48'N, 103°56'W). All species are from deep-sea vent areas).

BARNARD, J.L. & G.S. KARAMAN, 1991. The families and genera of marine gammaridean Amphipoda (except marine gammaroides). _____ Records of the Australian Musueum, Supplement 13, 1-417, 419-866 (This, the new amphipod bible, is Jerry Barnard's farewell present to his colleagues. It is reviewed elsewhere in this issue).

BARNARD, J.L., K. SANDVED & J.D. THOMAS, 1991. Tube-building behavior in *Grandidierella*, and two species of *Cerapus*. ____ Hydrobiologia 223, 2399-254.

BARRERA-ORO, E.R. & R.J. CASAUX, 1990. Feeding selectivity in *Notothenia neglecta* Nybelin, from Potter Cave, South Shetland Island, Antarctica. _____ Antarctic Science 2, 207-213.

BASFORD, D., A. ELEFTHERIOU & D. RAFFAELLI, 1990. The infauna and epifauna of the northern North Sea. _____ Netherlands Journal of Sea Research 25, 165-173.

BAUDIN, J.P., A.F. FRITSCH & J. GEORGES, 1990. Influence of labelled food type on the accumulation and retention of 60 Co by a freshwater fish, *Cyprinus carpio* L.* ____ Water Air Soil Poll. 51, 261-270 (Not seen. *Gammarus pulex* used as food).

BEAUMONT, A.R., P.B. NEWMAN, D.K. MILLS, M.J. WALDOCK, D. MILLER & M.E. WAITE, 1989. Sandy-substrate microcosm studies on tributyltin (TBT) toxicity to marine organisms. ____ Scientia Marina 53, 737-743 (i.a. Corophium volutator)

BECKER, D.S., G. R. BILYARD & T.C. GINN, 1990. Comparisons between sediment bioassays and alterations of benthic macroinvertebrate assemblages at a marine superfund site: Commencement Bay, Washington.

Environmental Toxicology and Chemistry 9, 669-686. (i.a. mortality tests on *Rhepoxynius abronius*).

BELL, S.S., 1991. Amphipods as insect equivalents? An alternative view. ____ Ecology 73, 350-354.

BELLAN-SANTINI, D., 1990. Nouvelles espèces d' *Orchomene* s.l. (Crustacea- Amphipoda) des fonds abyssaux. Affinités avec les autres *Orchomene* profonds.

____ Beaufortia 41, 15-23. (*O. kaikai* n.sp. (35°N, 142°E, inside the bivalve *Calyptogena phaseoliformis*), and *O. stocki* n.sp. (13°N, 59°W, in sponge washings). A list of deepwater *Orchomene* s.l. is provided).

BELLAN-SANTINI, D., 1990. Mediterranean deep-sea amphipods: Composition, structure and affinities of the fauna. _____ Progress in Oceanography 24, 275-287 (Not seen).

BERGERSEN, R. & A. KLEMETSEN, 1989. Freshwater eel *Anguilla anguilla* (L.) from North Norway, with emphasis on occurrence, food, age and downstream migration. _____ Nordic Journal of Freshwater Research 64 (1988), 54-66. (*Gammarus lacustris* important prey).

BERMAN, D.I., A.V. ALFIMOV & A.N. LEIRIKH, 1990. (Wintering conditions and cold-resistance of the amphipod, *Traskorchestia ditmari* on the coast of the Sea of Okhotsk.) ____ Biologiya Morya (Vladivostok) 1990-5,31-36 (In Russian, not seen).

BERNINI, F. & P.A. NARDI, 1990. (Observations on the diet of *Acipenser naccarii* Bp. (Osteichthyes, Acipenseridae) in the Pavia stretch of the Po and Ticino rivers). ____ Museo Regionale de Science Naturale Bolletino (Torino) 8, 429-440 (In Italian, not seen. Gammarids dominant prey).

BERTRAN, C.E., 1989. (Zonation and temporal dynamics of the intertidal macroinfauna in the Lingue river estuary (Valdivia, Chile)). _____ Revista Chilense de Historia Naturale 62, 19-32 (In Spanish, not seen).

BERESLOVSKIJ, E.G., 1989. (The feeding of skates, *Raja radiata* and *R. fyllae*, in the Barents and Norwegian Seas). _____ Vopr. Ikhtiol. 29, 994-1002 (In Russian, not seen. Young skates eat many amphipods).

BEUKEMA, J.J., 1991. Changes in composition of bottom fauna of a tidal-flat area during a period of eutrophication. ____ Marine Biology 111, 293-301.

BIERNBAUM, C.K., 1989. Distribution and seasonality of branchiopod and malacostracan crustaceans of the Santee National Wildlife Refuge, South Carolina. _____ Brimleyana 5, 7-30 (i.a. *Hyalella azteca* and *Crangonyx richmondensis*).

BIKUNA, B. de & N. PRAT, 1991. Factors affecting the distribution of gammarids in chalk-streams of Bizkaia (Basque Country Northern Spain). ____ Archiv für Hydrobiologie 122, 463-478.

BLINN, D.W. & R.W. DAVIES, 1990. Concomitant diel vertical migration of a predatory leech and its amphipod prey. _____ Freshwater Biology 24, 401-408 (*Hyalella montezuma*).

BLOMQUIST, S., 1990. Sampling performance of Ekman grab - in situ observations and design

improvements Hydrobiologia 206, 245-250.
BLOMQUIST, S., 1991. Quantitative sampling of soft- bottom sediments: problems and solutions Marine Ecology Progress Series 72, 295-304.
BOGATOV, V.V., 1991. (Growth and production of amphipods in rivers of southern Primorski Krai (Russian SFSR, USSR)) Gidrobiologyesko Zhurnal 27 (1), 39-46 (In Russian, not seen. <i>Gammarus lacustris</i> ?).
BOROWSKY, B., 1989. The effects of residential tubes on reproductive behaviors in <i>Microdeutopus gryllotalpa</i> (Costa) (Crustacea: Amphipoda) Journal of Experimental Marine Biology and Ecology 128, 117-125.
BOROWSKY, B., 1991. Patterns of reproduction of some amphipod crustaceans and insights into the nature of their stimuli Pp 33-49 in R.T. Bauer & J.W. Martin (eds). Crustacean sexual biology. Columbia Univ. Press, N.York.
BOROWSKY, B. & P. AITKEN-ANDERS, 1991. Sexually dimorphic free-swimming behavior in the amphipod crustacean <i>Ampelisca abdita</i> Journal of Marine Biology Association UK 71, 655-664.
BOROWSKY, R. & B. BOROWSKY, 1990. Feeding inhibition of the salt-marsh amphipod <i>Gammarus palustris</i> Bousfield, 1969 by heat-labile substances in <i>Ulva lactuca</i> L Crustaceana 59, 299-301.
BOTOSANEANU, L. & J.R. HOLSINGER, 1991. Some aspects concerning colonization of the subterranean realm - especially of subterranean waters: a response to Rouch & Danielopol, 1987 Stygologia 6, 11-39.
BOTTUM, D.L. & K.I. JONES, 1990. Species composition, distribution, and invertebrate prey of fish assemblages in the Columbia River Estuary. Progress in Oceanography 25, 243-270 (Not seen).
BOUDRIAS, M.A., 1991. Methods for the study of amphipod swimming: behavior, morphology, and fluid dynamics Hydrobiologia 223, 11-25.
BOUSFIELD, E.L., 1990. A new genus and species of hadzioidean amphipod crustacean from anchialine pools in Hawaii Beaufortia 41, 25-30 (Carinomelita

ELD, E.L., 1990. A new genus and species of an amphipod crustacean from anchialine pools Beaufortia 41, 25-30 (Carinomelita janstocki n. gen. n. sp., a large predatory melitid).

BOUSFIELD, E.W., 1991. New sandhoppers (Crustacea: Amphipoda) from the Gulf Coast of the United States. Gulf Research Reports 8, 271-283 (Deals with Americorchestia n.gen. (type: Orchestia longicornis), A. salomani n.sp. (W. Florida), A. barbarae n.sp. (Texas), and A. heardi n.sp. (Mississippi). With key to all US talitrid genera and to all Americorchestia spp).

BOUTIN, C. & B. IDBENNACER, 1989. Faune stygobie de Sud de l'Anti-Atlas marocain: Premiers résultats. Revue des Sciences de l'Eau 2, 891-904 (Not seen).

BOWLBY, M.R., E.A. WIDDER & J.F. CASE, 1991. Disparate forms of bioluminescence from the amphipods Cyphocaris faurei, Scina crassicornis and S. borealis. ____ Marine Biology 108, 247-253.

BRATTEGAARD, T. & J.H. FOSSÅ, 1991. Replicability of an epibenthic sampler. ____ Journal of Marine Biology Association U.K. 71, 153-166.

BRITTON, J.E. & T.J. EIKELAND, 1988. Invertebrate drift. A review. ____ Hydrobiologia 166, 77-93.

BRODEUR, R.D. & W.G. PEARCY, 1990. Trophic relations of juvenile Pacific salmon off the Oregon and Washington coast. ____ Fisheries Bulletin 88, 617-636.

BROWN, A.C. & A. McLACHLAN, 1990. Ecology of sandy shores. ____ Elsevier, Amsterdam, 328 pp (Not seen. Will someone please review this book for AN?)

BRUSCA, R.C. & M.H. THURSTON, 1990. Comments on the proposed designation of Lysianax cubensis Stebbing, 1897 as the type species of Shoemakerella Pirlot, 1936 (Crustacea, Amphipoda). ____ Bulletin of Zoological Nomenclature 47, 213 (Independent supportive comments by the 2 authors).

BUHL-JENSEN, L. & J.H. FOSSÅ, 1991. Hyperbenthic crustacean fauna of the Gullmarfjord area (western Sweden): species richness, seasonal variation and longterm changes. ____ Marine Biology 109, 245-258.

BURGER, A.E. & D.W. POWELL, 1990. Diving depths Cassin's Auklet at Reef Island, British and diet of __ Canadian Journal of Zoology 68, 1572-Columbia. _ 1577 (Amph. quite important prey).

BUSCHMANN, A.H., 1991. Amphipod food preference and Iridaea spp. (Rhodophyta) spore release and Journal of Marine Biology Association dispersal. UK 71, 891-897.

BUSCHMANN, A.H. & A. BRAVO, 1990. Intertidal amphipods as potential dispersal agents of carpospores of Iridaea laminarioides (Gigartinales, Rhodophyta). Journal of Phycology 26, 417-420.

CAHOON, L.B. & C.R. TRONZO, 1988. A comparison of demersal zooplankton collected at Alligator Reef, Florida, using emergence and reentry traps. Fisheries Bulletin 86, 838-845.

CAHOON, L.B. & C.R. TRONZO, 1990. New records of amphipods and cumaceans in demersal zooplankton collections from Onslow Bay, North Carolina. Journal of the Elisha Mitchell Scientific Society 106, 78-84 (Four amphipods new to N. Carolina waters, viz. Ericthonius difformis, Megaluropus agilis, Orchomenella pinguis and Tiron spiniferum.)

CAINE, E.A., 1989. Caprellid amphipod behavior and predatory strikes by fish. ____ Journal of Experimental Marine Biology and Ecology 126, 173-180.

CAINE, E.A., 1991. Reproductive behavior and sexual dimorphism of a caprellid amphipod. _____ Journal of Crustacean Biology 11, 56-63 (Caprella laeviuscula).

CAINE, E.A., 1991. Caprellid amphipods: fast food for the reproductively active. ____ Journal of Experimental Marine Biology and Ecology 148, 27-33.

CAMACHO, A.I. & C. PUCH, 1990. Une methode pour la réalisation de dissection et de préparations provisoires de petits crustacés aquatiques souterrains et interstitiels.

_____ Crustaceana 59, 1-8.

CAMMEN, L.M., S. CORWIN & J.P. CHRISTENSEN, 1990. Electron transport system (ETS) activity as a measure of benthic macrofaunal metabolism.

Marine Ecology - Progress Series 65, 171-182 (i.a. Corophium volutator)

CASADEVALL, M. & J. MATALLONAS, 1990. Feeding habits of *Gnathophis mystax* (Delaroche, 1809) (Anguilliformes, Congridae) in the western Mediterranean.

_____ Journal of Fish Biology 37, 827-829 (Amph. p. 828)

CASAUX, R.J., A.S. MAZZOTTA & E.R. BARRERA-ORO, 1990. Seasonal aspects of the biology and diet of nearshore nototheniid fish at Potter Cove, South Shetland Islands, Antarctica. _____ Polar Biology 11, 63-72 (Gammarid amphipods main food).

CEDERWALL, H., 1990. Diurnal pelagic swimming activity of *Pontoporeia* ____ a waste of energy? ___ Annales Zoologici Fennici 27, 307 (Abstract only).

CHAMIER, A-C., 1991. Cellulose digestion and metabolism in the freshwater amphipod *Gammarus pseudolimnaeus* Bousfield. ____ Freshwater Biology 25, 33-40.

CHARVAT, D.L., W.G. NELSON & T.A. ALLENBOUGH, 1990. Composition and seasonality of sand-beach amphipod assemblages off the East coast of Florida. ____ Journal of Crustacean Biology 10, 446-454.

CHERNYSHEVA, I.V., 1990. Effect of pollution on the benthic fauna of the Lower Don. ____ Gidrobiologyesky Zhurnal 26 (1), 65-70 (Russian translated into English)

CHESSA, L.A., G. BIONDA, M.C. BUIA, M.C. GAMBI, M. LORENTI, R. MAJ, R. MANCONI, M. MARTINELLI, M.G. PINTUS, G.F. RUSSO, M.B. SCIPIONE & E. TARAMELLI, 1989. (A *Posidonia oceanica* bed in North-western Sardinia) ____ Oebalia 15, 99-107. (In Italian).

CHEVRIER, A., P. BRUNEL & D.J. WILDISH, 1991. Structure of a suprabenthic shelf sub-community of gammaridean Amphipoda in the Bay of Fundy compared with similar sub-communities in the Gulf of St. Lawrence.

Hydrobiologia 223, 81-104.

CHILTON, E.W., 1990. Macroinvertebrate communities associated with three aquatic macrophytes

(Ceratophyllum demersum, Myriophyllum spicatum, and Vallisneria americana) in Lake Onalaska, Wisconsin.

____ Journal of Freshwater Ecology 5, 455-466 (Hyalella azteca most abundant).

CHILTON, E.W. & F.J. MARGRAF, 1990. Effects of fish predation on invertebrates associated with a macrophyte in Lake Onalaska, Wisconsin. ____ Journal of Freshwater Ecology 5, 289-296 (i.a. *Hyalella azteca*)

CHRISTIANSEN, B., O. PFANNKUCHE & H. THIEL, 1990. Vertical distribution and population structure of the necrophagous amphipod *Eurythenes gryllus* in the West-European basin. ____ Marine Ecology - Progress Series 66, 35-45.

CIAVATTI, G., 1989. (Talitrids (Crustacea, Amphipoda) on the beaches of La Guadeloupe; Description of two new species). ____ Ann. Inst. océanogr. 65, 127-146 (In French, not seen. Deals with Floresorchestia guadalupensis n.sp., Tethorchestia karukarae n.sp., Platorchestia platensis, Talorchestia sulensonii and Tethorchestia antillensis).

COLEMAN, C.O., 1989. On the nutrition of two antarctic Acanthonotozomatidae (Crustacea: Amphipoda). Gut contents and functional morphology of mouthparts. _____ Polar Biology 9, 287-294 (Echiniphimedia hodgsoni and Maxilliphimedia longipes).

COLEMAN, C.O., 1990. Two new Antarctic species of the genus *Epimeria* (Crustacea: Amphipoda: Paramphithoidae), with description of juveniles. ______ Journal of the Royal Society of New Zealand 20, 151-178 (Deals with *E. grandirostris*, *E. oxicarinata* n. sp. (61°10'S, 55°58'W), and *E. pulchra* n.sp. (60°43'S, 45°31'W). Also the much smoother juveniles of both new spp are described and illustrated.)

COLEMAN, C.O., 1990. *Bathypanoploea schellenbergi* Holman & Watling, 1983, an antarctic amphipod (Crustacea) feeding on Holothuroidea. ____ Ophelia 31, 197-205.

COLEMAN, C.O., 1990. Anatomy of the alimentary canal of *Parandania boecki* (Stebbing, 1888) (Crustacea, Amphipoda, Stegocephalidae) from the Antarctic Ocean.

_____ Journal of Natural History 24, 1573-1585 (A Cnidarian feeder).

COLEMAN, C.O., 1991. Comparative fore-gut morphology of Antarctic Amphipoda (Crustacea) adapted to different food sources. ____ Hydrobiologia 223, 1-9.

COLEMAN, C.O. & J.L. BARNARD, 1991. A review of the genus *Pariphimedia* (Crustacea: Amphipoda: Iphimediidae), with redescription of two species from the Southern Ocean. ____ Invertebrate Taxonomy 5, 527-539 (With diagnosis, key to spp. and complete redescription of *P. integricauda* and *P. normani*.)

COLEMAN, C.O. & J.L. BARNARD, 1991. Redescription of two species of *Pseudiphimediella* from the Southern Ocean (Amphipoda: Iphimediidae). Proceedings of the Biological Society of Washington 104, 76-90 (*P. nodosa* and *P. glabra*).

COLEMAN, C.O. & J.L. BARNARD, 1991. Revision of Iphimediidae and similar families (Amphipoda: ____ Proceedings of the Biological Gammaridea). Society of Washington 104, 253-268 (Deals with the following families, with keys and diagnoses: Amathillopsidae revived (monotypic), Epimeriidae (=Paramphithoidae auct.) with the genera Paramphithoe (type), Actinacanthus, Epimeria, Epimeriella, Metepimeria and Uschakoviella; Acanthonotozomellidae n. fam., with the genera Acanthonotozomella (type), Acanthonotozomoides, Acanthonotozomopsis and Amatiguakius; Acanthonotozomatidae (now monotypic); Ochlesidae, with the genera Ochlesis (type), Curidia, Meraldia and Ochlesodius; Dikwidae n.fam. (monotypic); Iphimediidae, with the genera Iphimedia (type), Anisoiphimedia, Anchiphimedia, Coboldus, Echiniphimedia, Gnathiphimedia, Iphimediella, Labriphimedia, Maxilliphimedia, Nodotergum, Paranchiphimedia, Pariphimedia, Pseudiphimediella and Stegopanoploea; Odiidae n.fam., with the genera Odius (type) and Postodius; Astyridae (in paper consistently misspelled Astryidae), with the genera Astyra (type) and Eclysis; Stilipedidae, with the genera Stilipes (type), Bathypanoploea, Alexandrella and Astyroides; Lafystiidae (monotypic here, since *Paralafystius* and *Protolafystius*, both Bousfield, 1987 apparently have been overlooked. WV) and Laphystiopsidae (also monotypic, since Prolaphystiopsis here is tentatively synonymized with Laphystiopsis). Otherwise, Epimeriella victoria is removed to Epimeria, Bathypanoploea is transferred to the Stilipedidae, and Epimeriella returned to the Epimeriidae).

COLEMAN, C.O. & J.L. BARNARD, 1991. Curidia magellanica, new species, from Magellan Strait (Crustacea: Amphipoda: Ochlesidae). _____ Proceedings of the Biological Society of Washington 104, 269-278 (With a review of the Ochlesidae, its genera and species, and a key to all species).

COLEMAN, C.O. & J.L. BARNARD, 1991. Amatiguakius forsberghii, a new genus and species from Alaska (Marine Amphipoda: Epimeriidae).

Proceedings of the Biological Society of Washington 104, 279-287 (In spite of the title, this new taxon from Amatiguchi, Aleutian Isl., is not classified in the Epimeriidae, but in the recently erected family Acanthonotozomellidae).

CONLAN, K.E. 1983 (strangely omitted in A.N. earlier). The amphipod superfamily Corophioidea in the northeastern Pacific region 3. Family Isaeidae: systematics and distributional ecology. ______ National Museum of Natural Sciences, Ottawa, Publications in Natural Sciences 4, 1-75 (A further issue in the series of W. Canadian and Alaskan amphipods. Thirty- one species are described, of which the following are new: Gammaropsis ellisi (Br. Col.). G. shoemakeri (= Eurystheus tenuicornis var. lobata Shoemaker) (Vancouver Isl., B.C.), Paraeurystheus tzvetkovae (Aleutian Isl.), Podoceropsis amchitkensis

(Al. Isl.), P. angustimana (Vancouver Isl., B.C.), P. chionoecetophila (Oregon, from the Tanner Crab, Ch. tanneri), P. setosa (Al. Isl.), Cheirimedeia macrocarpa americana n.ssp. (B.C.), C. macrodactyla (St. Lawrence Isl., Alaska), C. similicarpa (Vancouver Isl., B.C.), Photis macinerineyi Victoria, B.C.), P. oligochaeta (B.C.), P. pachydactyla (Vancouver Isl. B.C.), and P. parvidous (Vancouver Isl. B.C.). As the result of a numerical analysis, the genera Paraeurystheus and Podoceropsis are kept apart from Gammaropsis, G. dentatus is transferred to Paraeurystheus, P. gurvitzi to Gammaropsis and Protomedeia dulkeiti, P. gurjanovae, P. palmata and P. macrocarpa to the rediagnosed genus Cheirimedeia).

CONLAN, K.E., 1990. Revision of the crustacean amphipod genus Jassa Leach (Corophioidea: Ischyroceridae). ____ Canadian Journal of Zoology 68, 2031-2075 (A long awaited and much needed revision of this difficult genus. Deals with J. fenwicki n.sp. (Snares, N.Z.), J. justi n.sp. (Macquarie Isl. subantarctic), J. alonsoae n.sp. (S. Georgia), J. hartmannae n. sp. (Snares, N.Z.), J. gruneri n. sp. (Tasmania), J. staudei n.sp. (Br. Columbia, Canada), J. marmorata, J. oclairi n.sp.(Amchitka Isl., Alaska), J. morinoi n. sp. (Tababe Bay, Japan), J. slatteryi n.sp. (California), J. carltoni n.sp. (California), J. borowskyae n.sp. (Br. Columbia, Canada), J. myersi n.sp. (California), J. ingens, J. shawi n.sp. (Br. Columbia, Canada), J. thurstoni n.sp. (S. Orkney Isl., subantarctic), J. pusilla, J. falcata and J. herdmanni. A key to all spp. is also provided).

CONLAN, K.E., 1991. Precopulatory mating behavior and sexual dimorphism in the amphipod Crustacea. _____ Hydrobiologia 223, 255-282.

COREY, S.6, 1990. Distributional patterns of Amphipoda in the Bay of Fundy region, Canada. ____ Crustaceana 58, 291-308.

CORREA CRUZ, M., 1990. (Estimation of the caloric content of *Talorchestia margaritae* (Talitridae: Amphipoda). ____ Boletim dell Instituto Oceanographico de Venezuela, Universidad Oriente 24 (1985), 11-14 (In Spanish, not seen.)

COSTELLO, M.J., J.M.C. HOLMES, D. McGRATH & A.A.MYERS, 1990. A review and catalogue of the Amphipoda (Crustacea) in Ireland. _____ Irish Fisheries Investigations Series B. (Marine) 33 (1989), 1-70 (Lists Irish records of spp recorded in and around Ireland, down to 200 m depth. An additional 47 spp are mentioned from deeper water off the Irish West coast. All you ever wanted to know about Ireland's amphipods).

CRIPPS, G.C. & J. PRIDDLE, 1991. Hydrocarbons in the Antarctic marine environment. Antarctic Science 3, 233-250 (A review paper.)

CRISP, D.J. & B. MWAISEJE, 1989. Diversity in intertidal communities with special reference to the *Corallina officinalis* community. ____ Scientia Marina 53. 365-372.

CROY, M.I. & R.N. HUGHES, 1991. The role of

learning and memory in the feeding behavior of the fifteen-spined stickleback, *Spinachia spinachia*. ____ Animal Behaviour 41, 149-159 (*Gammarus locusta* as prey).

CROY, M.I. & R.N. HUGHES, 1991. The influence of hunger on feeding behaviour and on the acquisition of learned foraging skills by the fifteen-spined stickleback, *Spinachia spinachia*. ____ Animal Behaviour 41, 161-170 (*Gammarus locusta* as prey).

CULVER, D.C., T.C. KANE, D.W. FONG, R. JONES, M.A. TAYLOR & S.C. SAUEREISEN, 1990. Morphology of cave organisms - is it adaptive? _____ Memoires de Biospéologie 17, 13-26.

CURRAS, A. & J. MORA, 1991. (Benthic communities of the Ria del Eo (Galicia- Asturias, N.W. Spain).) _____ Cahiers de Biologie Marine 32, 57-81 (In Spanish)

CYRUS, D.P. & T.J. MARTIN, 1988. Distribution and abundance of the benthos in the sediments of Lake Cubhu: A freshwater coastal lake in Zululand, South Africa. ____ Journal of the Limnological Society of South Africa 14, 93-101 (Grandidierella lignorum and Corophium triaenonyx numerically dominant.)

DAILEY, M.D. & W.K. VOGELBEIN, 1991. Parasite fauna of three species of Antarctic whales with reference to their use as potential stock indicators. ____ Fisheries Bulletin 89, 355-365 (Cyamus balaenopterae on Balaenoptera acutorostrata, no cyamids on B. borealis or Physeter.)

DANIEL, P.A. & A.I. ROBERTSON, 1990. Epibenthos of mangrove waterways and open embayments: Community structure and the relationship between exported mangrove detritus and epifaunal standing stock.

____ Estuarine Coastal and Shelf Science 31, 599-619.

DANIELOPOL, D.L., 1990. The origin of the anchialine cave fauna-the 'deep sea' versus the 'shallow water' hypothesis tested against the empirical evidence of the Thaumatocyprididae (Ostracoda). _____ Bijdragen tot de Dierkunde 60, 137-143. (The author prefers the 'shallow water' hypothesis.)

DAUVIN, J-C., 1988. Rôle du macrobenthos dans l'alimentation des poissons demersaux vivant sur les fonds de sediments fins de la Manche Occidentale. ____ Cahiers de Biologie Marine 29, 445-467.

DAUVIN, J-CL. & D. BELLAN-SANTINI, 1990. An overview of the amphipod genus *Haploops* (Ampeliscidae). _____ Journal of Marine Biology Association UK 70, 887-903 (Comprises 15 valid spp. A key to females is provided, as well as data on ecology and distribution.)

DAUVIN, J.Cl., A. IGLESIAS & F. GENTIL, 1991. Nouvelles espèces pour l'Inventaire de la Faune Marine de Roscoff-Crustacés Amphipodes, Cumacés et Decapodes, Mollusques Gastropodes et Ascidies. _____ Cahiers de Biologie Marine 32, 121-128 (Adds *Iphimedia*

nexa, I. perplexa, I. spatula, Gitana sarsi, Peltocoxa brevirostris, Calliopius laeviusculus, Leucothoe procera, Normanion chevreuxi, Socarnes filicornis, Tryphosella horingi, T. minima, Cheirocratus assimilis & Stenopleustes nodifer.)

DAY, K.E. & I.M. SCOTT, 1990. Use of acetylcholinesterase activity to detect sublethal toxicity in stream invertebrates exposed to low concentration of organophosphate insecticides. ____ Aquatic Toxicology 18, 101-113 (i.o. *Hyalella azteca*)

DeBLOIS, E.M. & W.C. LEGGETT, 1991. Functional responses and potential impact of invertebrate predators on benthic fish eggs: analysis of the *Calliopius laeviusculus* - capelin (*Mallotus villosus*) predator-prey system. ____ Marine Ecology - Progress Series 69, 205-216.

DE BROYER, C & M. KLAGES, 1990. Studies on amphipod biology. _____ Berichte zu Polar-forschung 68, 113-115.

DE BROYER, C. & M. KLAGES, 1990. The role of the gammaridean amphipods in the eastern Weddell Sea benthic communities. _____ Belgian Journal of Zoology 120, Supplement 1, ? (Abstract only).

DE BROYER, C. & M. KLAGES, 1991. A new *Epimeria* (Crustacea, Amphipoda, Paramphithoidae) from the Weddell Sea. ____ Antarctic Science 3, 159-166 (*E. rubrieques* n.sp., with data on its biology. A key to adult antarctic *Epimeria* is given.)

DE BROYER, C. & W. VADER, 1990. Revision and notes on the biology of *Orchomenella recondita* (Stasek, 1958) (Amphipoda, Lysianassoidea), an associate of sea anemones. ____ Beaufortia 41, 31-38 ('Allogaussia' recondita, an obligate endosymbiont of the sea anemone Anthopleura elegantissima, is here transferred to Orchomenella (Orchomenella), as the most apomorphic species in this genus.)

DEHDASHTI,B. & D.W. BLINN, 1991. Population dynamics and production of the pelagic amphipod *Hyalella montezuma* in a thermally constant system. _____ Freshwater Biology 25, 131-141.

DEHDASHTI, B & D.V. LIGHTNER, 1991. Observations on the biology of *Hyalella azteca* (Amphipoda) in a closed system. A study of a model system in microgravity.

Crustaceana 61, 233-340.

DENTON, A.B. & A.R.D. CHAPMAN, 1991. Feeding preferences of gammarid amphipods among four species of *Fucus*. ____ Marine Biology 109, 503-506.

DEZFULI, B.S., P.FRANZOI, P.TRISOLINI & R. ROSSI, 1989. On the crustacean hosts of the larval acanthocephalan parasites of fishes from a coastal lagoon of the Po River. _____ Parassitologia (Roma) 31, 51-58 (Not seen. Larvae of *Telosentis exiguus* found in 6 out of 2806 Gammarus insensibilis, but not in any G. aequicauda).

DIAZ-CASTANEDA, V., A. RICHARD & S. FRONTIER, 1989. Preliminary results on colonization, recovery and succession in a polluted area of the southern North Sea (Dunkerque's harbour, France). _____ Scientia Marina 53, 705-716.

DICK, J.T.A. & R.W. ELWOOD, 1989. The causal and functional organization of mating behaviour in *Gammarus pulex* (Amphipoda). ____ Behavioural Processes 20, 111-123.

DICK, J.T.A. & R.W. ELWOOD, 1990. Symmetrical assessment of female quality by male *Gammarus pulex* (Amphipods) during struggles over precopula females.

_____ Animal Behaviour 40, 877-883.

DICK, J.T.A., R.W. ELWOOD & D.E. IRVINE, 1990. Displacement of the native Irish freshwater amphipod *Gammarus duebeni* by the introduced *Gammarus pulex*.

_____ Irish Naturalists Journal 23, 313-316.

DITSWORTH, G.R., D.W. SCHULTS & J.K.P. JONES, 1990. Preparation of benthic substrates for sediment toxicity testing. _____ Environmental Toxicology and Chemistry 9, 1523-1529 (*Rhepoxynius abronius* - bioassay).

DITTRICH, B., 1991. Biochemical composition of the parasitic amphipod *Hyperia galba* in relation to age and starvation. _____ Journal of Comparative Physiology B 161, 441-449.

DODDS, W.K., 1990. Hydrodynamic constraints on evolution of chemically mediated interactions between aquatic organisms in unidirectional flows. ____ Journal of Chemical Ecology 16, 1417-1430.

DONN, Th. E. & A.C. COCKCROFT, 1989. Macrofaunal community structure and zonation of two sandy beaches on the central Namib coast, South West Africa/Namibia.

_____ Madoqua 16, 129-136 (Not seen).

DUFFY, J.E., 1990. Amphipods on seaweeds: Partners or pests? _____ Oecologia 83, 267-276.

DUFFY, J.E. & M.E. HAY, 1991. Amphipods are not all created equal: a reply to Bell. ____ Ecology 72, 354-358.

DUFFY, J.E. & M.E. HAY, 1991. Food and shelter as determinants of food choice by a herbivorous marine amphipod. ____ Ecology 72, 1286-1298 (Ampithoe longimana).

DUNHAM, P.J. & A. HURSHMAN, 1990. Precopulatory mate guarding in the amphipod *Gammarus lawrencianus*: Effects of social stimulation during the post-copulation interval. ____ Animal Behaviour 39, 976-979.

DUNHAM, P.J. & A.M. HURSHMAN, 1991. Precopulatory mate guarding in aquatic Crustacea: *Gammarus lawrencianus* as a model system. ____ Pp. 50-66 in R.T. Bauer & J.W. Martin (ed.). Crustacean sexual biology. Columbia Univ. Press. N. York.

DUNN, A.M., J. ADAMS & J.E. SMITH, 1990. Intersexes in a shrimp: a possible disadvantage of environmental sex determination. _____ Evolution 44, 1875-1878 (The 'shrimp' is *Gammarus duebeni*).

EASTON, M.D.L. & R.K. MISRA, 1988. Mathematical representation of crustacean growth. _____ J. du Conseil CIEM 45, 61-72.

EDGAR, G.J., 1990. The use of the size structure of benthic macrofaunal communities to estimate faunal biomass and secondary production. _____ Journal of Experimental Marine Biology and Ecology 137, 195-214.

EDGAR, G.J., 1990. The influence of plant structure on the species richness, biomass and secondary production of macrofaunal assemblages associated with Western Australian seagrass beds. _____ Journal of Experimental Marine Biology and Ecology 137, 215-240.

EDGAR, G.J., 1990. Population regulation, population dynamics and competition amongst mobile epifauna associated with seagrass. _____ Journal of Experimental Marine Biology and Ecology 144, 205-234.

ELMGREN, R., S. ANKAR & G. EJDUNG, 1990. Amphipods of the genus *Pontoporeia* as key elements in the Baltic benthic. ____ Annales Zoologici Fennici 27, 303-304.

ELWOOD, R.W. & J.T.A. DICK, 1989. The amorous *Gammarus*: The relationship between precopula duration and size- assortative mating in *G. pulex*. _____ Animal Behaviour 39, 828-833.

ERNST, W., K. DOE, P. JONAH, J. YOUNG, G. JULIEN & P. HENNIGER, 1991. The toxicity of chlorothalonil to aquatic fauna and the impact of its operational use on a pond ecosystem. ____ Archive of Environmental Contamination and Toxicology 21 ,1-9 (Not seen).

ERNST, W. & M. KLAGES, 1991. Bioconcentration and biotransformation of 14 C— hexachloro-cyclohexane and 14 C - hexachlorobenzene in the Antarctic amphipod *Orchomene plebs* (Hurley, 1965). _____ Polar Biology 11, 249-252.

ESSAFI, K., J. MATHIEU & J.M. LEGAY, 1991. Asymmetries and locomotion behavior for *Niphargus* (stygobiont Amphipoda). _____ Stygologia 6, 77-89 (Not seen).

EVANS, M-S., G.O. NOGUCHI & C.P. RICE, 1991. The biomagnification of polychlorinated biphenyls, toxaphene and DDT compounds in a Lake Michigan offshore food web. ____ Archive of Environmental Contamination and Toxicology 20, 87-93 (i.a. *Pontoporeia hoyi*).

???

EVANS, M.S., M.A. QUIGLEY & J.A. WOJCIK, 1990. Comparative ecology of *Pontoporeia hoyi* populations in southern Lake Michigan (USA): The profundal region versus the slope and shelf region. _____ Journal of Great Lakes Research 16, 27-40 (Not seen).

FAIN, A. & M.J.COLLOFF, 1990. A new genus and two new species of mites (Acari, Histiostomatidae) phoretic on *Traskorchestia traskiana* (Stimpson, 1857) (Crustacea, Amphipoda). _____ Journal of Natural History 24, 667-672. (*Traskorchestianoetus spiceri* n.gen. n.sp. and *T. brevipes* n.sp., both from Vancouver Isl., Brit. Columbia).

FELL, P.E., K.A. MURPHY, M.A. PECK & M.L. RECCHIA, 1991. Re-establishment of *Melampus bidentatus* (Say) and other macroinvertebrates on a restored impounded tidal marsh: Comparison of populations above and below the impoundment-dike.

____ Journal of Experimental Marine Biology and Ecology 152, 33-48 (A Connecticut study, i.a. *Orchestia grillus* and *O. uhleri*.)

FIGUEIREDO-ALBUQUERQUE, E., & C. de OLIVEIRA CASTRO GUERON, 1989. (Seasonal variation of the vagile fauna of *Sargassum stenophyllum* (Martens) at two stations with different intensity of wave exposure in Ibicui, Rio de Janeiro State, Brazil). ____ Memorias Istituto Oswaldo Cruz, Rio de Janeiro 84, Supplement 4, 9-18 (In Portuguese, not seen).

FOSTER, J.M. & S.E. LECROY, 1991. *Haustorius jayneae*, a new species of haustoriid amphipod from the northern Gulf of Mexico, with notes on its ecology at Panama City beach, Florida, USA. ____ Gulf Research Reports 8, 259-270.

FRANCE, R.L., E.T. HOWELL, M.J. PATERSON & P.M. WELBOURN, 1991. Relationship between littoral grazers and metaphytic algae in five softwater lakes.

Hydrobiologia 220, 9-27 (Ontario, Canada).

FREDETTE, T.J., R.J. DIAZ, J.v. MONTFRANS & R.J. ORTH, 1990. Secondary production within a seagrass bed (Zostera marina and Ruppia maritima) in Lower Chesapeake Bay. ____ Estuaries 13, 431-440 (i.a. Gammarus mucronatus).

GABLE, M. & E.A. LAZO-WASEM, 1990. Lysianassidae (Amphipoda: Lysianassoidea) of Bermuda. _____ Journal of Crustacean Biology 10,721-734 (Deals with *Ensayara entrichoma* n.sp. and *Shoemakerella lowryi* n.sp. (= Lysianassa punctata s. Kunkel.)

GAGE,J.D. & P-A. TYLER, 1991. Deep-sea biology: A natural history of organisms at the deep-sea floor.

Cambridge University Press, 504 pp.

GAUVIN, J.M., W.S. GARDNER & M.A. QUIGLEY, 1989. Effects of food removal on nutrient release rates and lipid content of Lake Michigan *Pontoporeia hoyi*.

Canadian Journal of Fisheries and Aquatic Science 46, 1125-1130.

GEISEL, T. & U. MESZNER, 1989. Flora und Fauna des Bodens im Greifswalder Bodden. Meer und Museum 5, 44-51.

GEORGE, J.D. & A.A. FINCHAM, 1989. Macroinvertebrate communities of chalk shores in Southeastern England. ____ Scientia Marina 53, 373-385 (Amph. p. 379).

GINET, R., 1987. Le peuplement animal des karsts de France, l-ère partie; la faune aquatique. ____ Karstologia 10, 43-51 (Not seen).

GINET, R., 1990. Répartition en France de l'amphipode hypogé *Niphargopsis casparyi* (Pratz) (Crustacea). _____ Bulletin Mensuel du Societé Linnéenne de Lyon 59, 350-356. (Not seen).

GINET, R., 1991. Crustacés Amphipodes Gammarides Niphargidae. Bilan systematique du genre *Niphargus* en France. _____ (Not seen. Illustrated key to all species, published by Laboratoire d'Hydrobiologie et Ecologie souterraines, Univ. Claude-Bernard Lyon 1, Villeurbanne, France.)

GINSBURGER-VOGEL, T., 1989. Determinisme des anomalies de sex ratio à heredité paternelle chez le crustacé amphipode *Orchestia gammarellus* Pallas.

_____ Invertebrate Reproduction and Development 16, 183-194.

GIOVANNI, M.V. di & E. GORETTI, 1990. (Note on the knowledge of Lake Piediluco, Italy: The benthos).

____ Rivista di Idrobiologia 27 (1988), 697-714 (In Italian, not seen).

GOLIKOV, A.A., 1990. (Amphipods of the Laptev Sea and adjacent waters). ____ Issledonye Fauna Morej SSSR 37 (4). 235-257 (In Russian. Deals with 178 spp of Gammaroidea. Data on zoogeography.)

GONZALEZ, E., 1991. Actual state of gammaridean amphipods taxonomy and catalogue of species from Chile. ____ Hydrobiologia 223, 47-68 (Extremely useful checklist.)

GONZALEZ, E., 1991. The genus *Hyale* in Chile (Crustacea, Amphipoda). ____ Spixiana 14, 125-142 (Deals with *H. rubra*, *H. maroubrae*, *H. hirtipalma*, *H. media*, and *H. grandicornis*.)

GOOCH, J.L., 1990. Spatial genetic patterns in relation to regional history and structure: *Gammarus minus* (Amphipoda) in Appalachian watersheds. ____ American Midland Naturalist 124, 93-104.

GOPALAN, U.K., P.P. MEENAKSHIKUNJAMMA & D.T. VENGAYIL, 1987? Macrobenthos of Vembanad estuary in relation to the deposition of degraded water fern *Salvinia* and other macrophytes. ____ Pp. 410-418 in N.B. Nair (ed.). Proc. natn Seminar estuar. Manage., Trivandrum 1987. (Not seen. Amph. +)

GRIFFITHS, C.L.,1989. The Ingolfiellidae (Crustacea:

Amphipoda) of southern Africa, with descriptions of two new species. ____ Cimbebasia 11, 59-70 (*I.* (*Trogloleleupia*) dracospiritis n.sp. from Dragon's Breath Cave and *I.* (*T.*) gobabis n.sp. from Arnhem Cave, both in Namibia. A key to S. African ingolfiellids is provided and new illustrations provided of *I.* (*T.*) eggerti and *I.* (*T.*) leleupi).

GRIZZLE, R.E. & C.A. PENNIMAN, 1991. Effects of organic enrichment on estuarine macrofaunal benthos: a comparison of sediment profile imaging and traditional methods. ____ Marine Ecology 74, 249-262 (N. Jersey USA).

GROSSE, D.J. & G.S. PAULEY, 1989. Species profiles: Life histories and environmental requirements of coastal fishes and invertebrates (Pacific Southwest): Amphipods. _____ Biological Reports US Fish Wildlife Service NTIS. Order No. AD-A 20613115/GAR, 28 pp (Not seen).

GROSSE, D.J., G.B. PAULEY & D. MORAN, 1986. Species profiles: Life histories and environmental requirements of coastal fishes and invertebrates (Pacific Northwest) Amphipoda. _____ Biological Reports US Fish Wildlife Service NTIS No. PB 87-126918/GAR, 24 pp (Not seen).

GROSSO, L.E. & H.R. FERNANDEZ, 1985. (A new hyporheic *Bogidiella* (Amphipoda Bogidiellidae) from Tucuman province (Argentina).) _____ Neotropica 31, 201-209 (In Spanish, not seen. *Bogidiella* (*Mesochtongidiella* n. subgen.) tucumanensis n. sp.)

GULLIKSEN, B. & O.J. LÖNNE, 1991. Sea ice macrofauna in the Antarctic and the Arctic. _____ Journal of Marine Systems 2, 53-61.

GUSEINOV, M.K., 1989. (Seasonal features in the reproductive ecology of *Pontogammarus maeoticus* in the Caspian Sea). ____ Ekologiya (Sverdlovsk) 1989-6, 72-75 (In Russian, not seen).

HACKER, S.D. & R.S. STENECK, 1990. Habitat architecture and the abundance and body-size-dependent habitat selection of a phytal amphipod. _____ Ecology 71, 2269-2285 (Gammarellus angulosus in Maine).

HALCROW, K., 1990. Cuticle deposition and morphological change in epidermal nucleoli of an amphipod *Gammarus oceanicus* Segerstråle. _____ Journal of Crustacean Biology 10, 623-626.

HALL, M.O. & S.S. BELL, 1988. Response of small motile epifauna to complexity of epiphytic algae on seagrass blades. ____ Journal of Marine Research 46, 613-630 (Not seen).

HAMBURGER, K. & P.C. DALL, 1990. The respiration of common benthic invertebrate species from the shallow littoral zone of Lake Esrom, Danmark.

Hydrobiologia 199, 117-130 (i.a. Gammarus lacustris).

HAMMER, U.T., J.S. SHEARD & J. KRANABETTER,

1990. Distribution and abundance of littoral benthic fauna in Canadian prairie saline lakes. ____ Hydrobiologia 197, 173-192. (i.a. *Gammarus lacustris* and *Hyalella azteca*).

HAMMER, W.M., 1990. Design development in the planktonkreisel, a plankton aquarium for ships at sea.

_____ Journal of Plankton Research 12, 397-402.

HANSON, J.M., 1990. Macroinvertebrate size distributions of two contrasting freshwater macrophyte communities. ____ Freshwater Biology 24, 481-492.

HANSON, J.M., P.A. CHAMBERS & E.A. PREPAS, 1990. Selective foraging by the crayfish *Orconectes virilis* and its impact on macroinvertebrates. _____ Freshwater Biology 24, 69-80.

HAPETTE, A.M. & S-A POULET, 1990. Variation of vitamin C in some common species of marine plankton.

____ Marine Ecology - Progress Series 64, 69-79 (i.a. Phrosina semilunata, Platyscelus serratulus and Phronima sedentaria).

HARGEBY, A., 1990. Effects of pH, humic substances and animal interactions on survival and physiological status of *Asellus aquaticus* L. and *Gammarus pulex* (L.): A field experiment. —— Oecologia 82, 348-354.

HARRIS, R.R. & D. BAYLISS, 1990. Osmoregulation in *Corophium curvispinum* (Crustacea, Amphipoda), a recent colonizer of freshwater III Evidence for adaptive changes in sodium regulation. _____ Journal of Comparative Physiology 160 B, 85-92.

HARRISON, T.D., 1991. A note on the diet and feeding selectivity of juvenile river bream *Acanthopagrus berda* (Forskål, 1775) in a subtropical mangrove creek.

South African Journal of Zoology 26, 36-42 (Not seen. Amphipods important prey.)

HELLUY, S., 1983. Relations hôtes-parasite du trematode *Microphallus papillorobustus* (Rankin, 1940) 2-Modifications du comportement des *Gammarus* hôtes intermédiaires et localisation des métacercaires.

Annales de Parasitologie humaine et comparée 58, 1-17.

HELLUY, S., 1983. Un mode de favorisation de la transmission: la manipulation du comportement de l'hôte intermediaire. _____ Revue d'Ecologie (Terre et Vie) 38, 211-222.

HELLUY, S., 1984. Relations hôtes-parasites du trematode *Microphallus papillorobustus* (Rankin, 1940). 3 - Facteurs impliqués dans les modifications du comportement des *Gammarus* hôtes intermediaires et tests de predations.

____ Annales de Parasitologie humaine et comparée 59, 41-56.

HELLUY, S. & J. C. HOLMES, 1990. Serotonin, octopamine, and the clinging behavior induced by the parasite *Polymorphus paradoxus* (Acanthocephala) in *Gammarus lacustris* (Crustacea). ____ Canadian Journal of Zoology 68, 1214-1220.

HILL, C., M. FURST & J. HAMMER, 1990. Introduction of the amphipods *Pallasea quadrispinosa* and *Gammaracanthus lacustris* into lakes in northern Sweden.

_____ Annales Zoologici Fennici 27, 241-244.

HIRAYAMA, A., 1986. Marine gammaridean Amphipoda (Crustacea) from Hong Kong. I. The family Corophiidae, genus Corophium. ____ Pp. 449-485 in B. Morton (ed). The marine flora and fauna of Hong Kong and southern China. Proc. 2. int. mar. Biol. Workshop, Hong Kong Univ. Press, Hong Kong. (Deals with Corophium kitamori, C. lamellatum, C. triangulopedarum n.sp., C. acherusicum, C. hongkongensis n.sp. (recte: hongkongense), C. crassicorne, C. sextonae miospinulosum n.ssp, C. mortoni n.sp., C. baconi, C. tridentium n.sp. and C. uenoi, all from Hong Kong waters. A key to Hong Kong Corophium is provided).

HIRAYAMA, A., 1986. Marine Gammaridean Amphipoda (Crustacea) from Hong Kong II. The family Dexaminidae.

——Pp. 487-501 in B. Morton (ed.). The marine flora and fauna of Hong Kong and southern China. Proc. 2. int. mar. Biol. Workshop. Hong Kong Univ. Press, Hong Kong (Deals with Guernea (G.) sombati n.sp., G. (Prinassus) longidactyla n.sp. and G. (P.) mackiei n.sp., all from Hong Kong.)

HIRAYAMA, A., 1990. Two new caprellidean (n. gen.) and known gammaridean amphipods (Crustacea) collected from a sponge in Noumea, New Caledonia. ____ The Beagle, Records of the Northern Territories Museum of Arts and Science 7, 21-29 (Deals with *Colomastix lunalilo* and *Paradicaprella brucei* n.gen. n.sp. (Caprellidae Proteinae).)

HIRAYAMA, A., 1990. A new species of the genus *Paramoera* Crustacea: Amphipoda) from the intertidal zone of Hokkaido, northern Japan. Zoological Science 7, 955-959 (*P. hanamurai* n.sp., from Shiriuchi, Hokkaido).

HIRAYAMA, A., 1990. A new species of the genus *Pontogeneia* (Crustacea, Amphipoda) from Matsykawaura inlet, Fukushima prefecture, Japan. _____ Beaufortia 41, 83-89 (*P. stocki* n.sp.)

HIROTA,Y. & H. SEMURA, 1990. (Surface swarming of hyperiid amphipod *Themisto japonica* in the southeastern region, Sea of Japan). _____ Bulletin of the Japan Sea National Fisheries Research Institute 40, 233-238 (In Japanese, not seen).

HOLMLUND, M.B., C.H. PETERSON & M.E. HAY, 1990. Does algal morphology affect amphipod susceptibility to fish predation? _____ Journal of Experimental Marine Biology and Ecology 139, 65-83.

HOLOMUZKI, J.R. & J.D. HOYLE, 1990. Effect of predatory fish presence on habitat use and diel movement of the stream amphipod, *Gammarus minus*. _____ Freshwater Biology 24, 509-518.

HOLSINGER, J.R., 1990. Tuluweckelia cernua, a new genus and species of stygobiont amphipod crustacean

(Hadziidae) from anchihaline caves on the Yucatan peninsula in Mexico. _____ Beaufortia 41, 99-107. (Tuluweckelia cernua n.sp. is close to Mayaweckelia).

HOLSINGER, R.J., 1991. What can vicariance models tell us about the distributional history of subterranean amphipods? _____ Hydrobiologia 223, 43-45.

HOLTHUIS, L.B. & E.L. BOUSFIELD, 1991. New information on *Pephredo* and *Lepleurus*, two genera of Amphipoda or supposed Amphipoda described by C.S. Rafinesque. ____ Crustaceana 61, 217-222 (*Pephredo potamogeti* Raf. is probably a senior synonym of *Gammarus fasciatus*: The name is, however, suppressed by the Int. Comm. on Nomenclature. *Lepleurus rivularis* Raf. is not an amphipod at all, but an aquatic insect larva, maybe Neuroptera. The 1979 establishment of the type of *Gammarus minus* as neotype of *Lepleurus* is therefore unfortunate.)

HUGHES, R.G. & I.M. HORSFALL, 1990. Differences in the swimming behaviour of the amphipod *Corophium volutator* from different populations. _____ Journal of Marine Biology Association UK 70, 143-148.

HULL, S.C., 1987. Macroalgal mats and species abundance: a field experiment. _____ Estuarine Coastal and Shelf Science 25, 519-532.

HURLEY, D.E., 1990. Charles Chilton, the Phreatoicoidea and other interests of a phreatic pioneer from down under. _____ Bijdragen tot de Dierkunde 60, 233-238.

IKEDA, T., 1991. Assimilated carbon budget for the hyperiid amphipod *Themisto japonica* (Bovallius) from the Japan Sea as influenced by temperature.

Journal of the Oceanographic Society of Japan 47, 7-16

JAUME, D., 1990. (Stygofauna of the small islands S. of Mallorca: Cabrera and Dragonera.) ____ Endins 16, 41-46. (In Catalan, not seen. *Bogidiella balearica*, *Pseudoniphargus* 2 undescr. spp., *Salentinella angelieri*).

JAZDZEWSKI, K. & C. DE BROYER, 1990. Morphology and systematic position of the antarctic and sub-antarctic synopiid *Cardenio paurodactylus*, 1888 (Crustacea, Amphipoda). ____ Beaufortia 41, 129-133 (A redescription shows that this genus, hitherto in its own family, is a synopiid).

JAZDZEWSKI, K. & A. KONOPACKA,1990. (Interesting locality of the Pontocaspian gammarid *Echinogammarus ischnus* (Stebbing, 1898) (Crustacea, Amphipoda) in Poland.) _____ Przeglad Zoologii 34, 101-112 (In Polish, not seen).

JAZDZEWSKI, K., W. TEODORCZYK, J. SICINSKI & B. KONTEK, 1991. Amphipod crustaceans as an important component of zoobenthos of the shallow Antarctic sublittoral. ____ Hydrobiologia 223, 105-117.

JENSEN, K. Th & L.D. KRISTENSEN, 1990. A field experiment on competition between *Corophium volutator*

(Pallas) and *Corophium arenarium* Crawford (Crustacea: Amphipoda): Effects on survival, reproduction and recruitment. _____ Journal of Experimental Marine Biology and Ecology 137, 1-24.

JO, Y. W., 1990. Four new species of sand-burrowing haustoriid Amphipoda (Crustacea) of Korea.

Bulletin of the Zoological Museum of Amsterdam 12, 117-144 (Deals with Eohaustorius stocki n.sp. (Pusan), E. longidactylus n. sp. (prov. Chungnam), E. spinigerus n.sp. (prov. Chungnam), and E. setulosus n.sp. (Pusan). A key to all Eohaustorius is provided).

JOHNSON, I.T. & M.B. JONES, 1990. Effect of zinc on osmoregulation of *Gammarus duebeni* (Crustacea: Amphipoda) from the estuary and the sewage treatment works at Looe, Cornwall. ____ Ophelia 31, 187-196.

JOHNSON, R.K. & T. WIEDERHOLM, 1990. Long-term studies of profundal zoomacrobenthos in Sweden's great lakes: implications of biotic interactions.

Annales Zoologici Fennici 27, 291-295.

JONES, A.R., A. MURRAY & R.E. MARSH, 1991. Patterns of abundance of exoedicerotid amphipods on sandy beaches near Sydney, Australia. _____ Hydrobiologia 223, 119-126.

JONES, K.K., C.A. SIMENSTAD, D.L. HIGLEY & D.L. BOTTOM, 1990. Community structure, distribution, and standing stock of benthos, epibenthos, and plankton in the Columbia River estuary. ____ Progress in Oceanography 25, 211-242 (Not seen).

JONES, M.B. & I. JOHNSON, 1990. Responses of estuarine amphipods to long-term exposure to zinc. ______ Journal of Marine Biology Association UK 70, 673.

JORDE, D.G. & R.B. OWEN, 1990. Food of Black Ducks, *Anas rubripes*, wintering in marine habitats of Maine. ____ Canadian Field Naturalist 104, 300-302 (*Gammarus oceanicus* important food).

JORDE, D.G. & R.B. OWEN, 1990. Changes in caloric content of the amphipod *Gammarus oceanicus* along the coast of Maine. ____ Canadian Field Naturalist 104, 303-304.

JOYEUX, J-C., J.A. TOMASIN & J.L. BOUCHEREAU, 1991. (Diet of *Gobius niger* Linnè, 1758 (Teleostei, Gobiidae) in the brackish lagoon of Mauguio, France.).

Annales de Sciences Naturelles de Zoologie et Biologie Animale 12, 57-69 (In French, not seen).

JUNOY, J. & J.M. VIEITEZ, 1990. Macrozoobenthic community structure in the Ria de Foz, an intertidal estuary (Galicia, N W Spain). ____ Marine Biology 107, 329-339. (Amph. p. 335).

JUST, J., 1988. Siphonoecetinae (Corophiidae) 6: A survey of phylogeny, distribution, and biology. _____ Crustaceana Suppl. 13, 193-208.

JUST, J., 1990. Vicmusia duplocoxa gen. et sp. nov., (Crustacea; Amphipoda: Gammaridea) of the new family Vicmusiidae from Australias upper bathyal waters. _____ Invertebrate Taxonomy 3, 925-940 (The new family Vicmusiidae is left as 'Gammaridea, incertae sedis' because of its unique apomorphisms. Vicmusia diplocoxa n. gen. n. sp. was collected from 400 m in Bass Strait, Australia).

JUST, J., 1990. *Coboldus laetifucatus*, new species (Crustacea, Amphipoda, Iphimediidae) from Barbados, West Indies). ____ Steenstrupia 16, 85-91.

KANE, Th.C. & D.C. CULVER, 1991. The evolution of troglobites: *Gammarus minus* (Amphipoda: Gammaridae) as a case study. ____ Mémoires de Biospéologie 18, 3-14 (Not seen).

KARAMAN, G.S., 1989. *Hadzia fragilis stocki*, n. ssp. from Italy (Amphipoda, Gammaridea, Hadziidae). _____ Fragmenta balcanica 14, 69-80 (N.E. Italy, With a key to all *Hadzia* in Italy and Yugoslavia).

KARAMAN, G. S., 1989. One freshwater *Gammarus* species (Gammaridea, fam. Gammaridae) from China. (Contribution to the knowledge of the Amphipoda 189).

Poljoprivreda i Sumarstvo 35, 19-36 (Redescription of *Gammarus nekkensis* Uchida.)

KARAMAN, G.S., 1989. *Bogidiella cypria*, new species of the family Bogidiellidae from Cyprus Island in the Mediterranean Sea. (Contribution to the knowledge of the Amphipoda 190). ____ Montenegrin Academy of Science and Arts, Glasnik Section Natural Sciences 7, 7-23 (An aberrant *Bogidiella*).

KARAMAN, G.S., 1989. New species of the family Gammaridae from Ohrid Lake bassin (sic!) Gammarus sketi, n.sp. with emphasis on the subterranean members of genus Gammarus Fabr. (Contribution to the knowledge of the Amphipoda 191). _____ Montenegrin Academy of Science and Arts, Glasnik Section Natural Sciences 7, 53-71 (G. sketi n. sp. from the Montenegro shore of L. Ohrid.)

KARAMAN, G.S., 1990. One new species of the family Bogidiellidae from Creta Island, Greece, *Bogidiella* (*Medigidiella*) aquatica n.sp. Contribution to the knowledge of the Amphipoda 192. _____ Bulletin du Museum d'Histoire Naturelle de Belgrade B 45, 27-39.

KARAMAN, G.S., 1990. Bogidiella stocki, a new species from the Sinai peninsula (Amphipoda, Bogidiellidae) (Contribution to the knowledge of the Amphipoda 193). _____ Beaufortia 41, 141-149.

KARAMAN, G.S., 1989. On two subterranean gammaridean species from Italy, *Niphargus messanai*, n. sp. and *Ilvanella inexpectata* V.T. 1972. Contribution to the knowledge of the Amphipoda 194.

Biosistematika 15, 55-70. (*N. messanai* n. sp. from near Firenze, Toscany, Italy; *Ilvanella inexpectata* from same general area).

KARAMAN, G.S., 1989. The redescription of Niphargus carniolious (sic! recte: carniolicus) Sket 1960 (fam. Niphargidae) with remarks to its new taxonomic position (Contribution to the knowledge of the Amphipoda 195).

Poljoprivreda i Sumarstvo 35, 13-28. (Niphargus tauri carniolicus Sket is redescribed and upgraded to specific rank.)

KARAMAN, G.S., 1991. A new cavernicolous species of the genus *Niphargus* Schiødte (Gammaridea, Niphargidae) from Yugoslavia, *N. aulicus* n. sp., with notes on *N. buturovici* S. Kar. 1958. Contribution to the knowledge of the Amphipoda 196. _____ Bulletin du Museum d'Histoire Naturelle de Belgrade B 46, 103-119 (*N. aulicus* n.sp. from N. Dalmatia, Kroatia; *N. buturovici* from the same general area is redescribed.)

KARAMAN, G.S., 1989. New data on genus *Pontoniphargus* Dancau, 1970 (fam. Niphargidae) from Romania (Contribution to the knowledge of the Amphipoda 199). ____ Glasnik Republick og Zavoda zo Zastity Prirode- Prirodnjackog Muzeja Titograd 22, 79-84 (The type and only species *P. racovitzai* is redescribed. The genus remains a valid one).

KARAMAN, G.S., 1989. Taxonomic investigations on *Niphargus bajuvaricus* Schell. 1932 and its subspecies (Contribution to the knowledge of the Amphipoda 200-Hurrah! WV) ____ Glasnik Republick og Zavoda zo Zastity Prirode- Prirodnjackog Muzeja Titograd 22, 95-111 (The nominate ssp. is redescribed and for the first time recorded from Yugoslavia).

KARAMAN, G.S. & S. RUFFO, 1989. (Two new taxa of *Niphargus* Schiödte from the Italian Alps (Amphipoda, Niphargidae). _____ Studi Trentini di Scienzia Naturale Acta, Biologia 65 (1988), 123-136 (In Italian, not seen. *N. galvagni similis* n.ssp. and *N. strouhali alpinus* n. ssp.)

KARAMAN, G.S. & S. RUFFO, 1989. Tyrrhenogammarus sardous, new genus and species with a description of several new taxa of the genus Pseudoniphargus Chevreux, 1901 from Sicily (Amphipoda, Gammaridea).

Animalia 16, 161-192 (T. sardous n. gen. n. sp. from Sardinia, Echinogammarus catacumbae is also transferred to this new genus in the Echinogammarus- complex. Also described are Pseudoniphargus sodalis n. sp. from Trapani, Sicilia, P. inconditus n. sp. from Messina, Sicilia, and P. africanus italicus n. ssp. from Palermo, Sicilia)

KARAMAN, G.S. & B. SKET,1990. Bogidiella sinica sp.n. (Crustacea: Amphipoda) from southern China.

Biologiya Vestnik, Ljubljana 38, 35-48 (B. sinica from cave in Guengxi, Zhuang A.R., S. China).

KATAKURA, Y., 1989. Endocrine and genetic control of sex differentiation in the Malacostracan Crustacea.

Invertebrate Reproduction and Development 16, 177-182 (Not seen).

KELLY, J.R., S.N. LEVINE, L.A. BUTTEL, K.A. CARR, D.T. RUDNICK & R.D. MORTON, 1990. The

effects of tributyltin within a *Thalassia* seagrass ecosystem. ____ Estuaries 13, 301-310 (i.a. *Cymadusa compta*).

KELLY, J.R., D.T. RUDNICK, R.D. MORTON, L.A. BUTTEL, S.N. LEVINE & K.A. CARR, 1990. 1990. Tributyltin and invertebrates of a seagrass ecosystem: exposure and response of different species. ____ Marine Environmental Research 29, 245-276.

KEVREKIDIS, T., A.K. KOKKINAKIS & A. KOUKOURAS, 1990. Some aspects of the biology and ecology of *Knipowitschia caucasica* (Teleostei: Gobiidae) in the Evros delta, North Aegean Sea. _____ Helgoländer Meeresuntersuchungen 44, 173-188 (Benthic Amph. important prey).

KEVREKIDIS, T. & A. KOUKOURAS, 1989. Seasonal variation of abundance of *Gammarus aequicauda* (Crustacea Amphipoda) in the Evros Delta (N.E. Greece).

_____ Israel Journal of Zoology 36, 113-123.

KIM, Ch. B., 1991. A systematic study of marine gammaridean Amphipoda from Korea. —— Ph. D. Thesis, Seoul natn. Univ., Seoul, I-III, 1-44, 85 figs. (Not seen. 79 spp, of which 14 are n. spp, formally described elsewhere.)

KIM, C.B. & W.KIM, 1989. A new species of the genus *Ceradocus* (Crustacea, Amphipoda, Melitidae) from Korea.

____ Korean Journal of Systematic Zoology 5, 173- 181
(C. (Denticeradocus) koreanus n.sp. from Pusan, S. Korea).

KIM, C.B. & W. KIM, 1990. A new species of the genus *Liljeborgia* (Crustacea, Amphipoda, Liljeborgiidae) from Korea. ____ Korean Journal of Zoology 33, 396-401 (Not seen. *L. hwanghaensis* n.sp. from Yellow Sea.)

KIM, C.B. & W. KIM, 1991. *Urothoe convexa*, a new gammarid species from Korea (Amphipoda: Urothoidae)

____ Korean Journal of Zoology 34. (*U. convexa* n. sp. from Channam prov., S. Korea)

KIM, W. & C.B. KIM, 1991. The marine amphipod crustaceans of Ulreung Island, Korea: Part 1.

Korean Journal of Zoology 34, 232-252 (Ulreung Isl. is situated E. of central S. Korea, at c. 37°30'N, 130°50' E. This first part deals with Sunamphitoe sineplumosa n.sp., Gammaropsis japonicus, Podocerus ulreungensis n. sp., P. hoonsooi n.sp., Ericthonius pugnax and Ventojassa dentipalma n. sp.)

KIM, W. & C.B. KIM, 1991. The marine amphipod crustaceans of Ulreung Island, Korea: part II.

Korean Journal of Systematic Zoology 7, 13-38 (Deals with Paranamixis denticulus n. sp., Colomastix prionotos n. sp., Ceinina japonica, Eusiroides monoculoides japonicus, Allorchestes angusta, Hyale punctata, H. rubra and H. bisaeta n. sp., all from Ulreung Island.)

KIM, W. & C.B. KIM, 1991. The marine amphipod crustaceans of Ulreung Island, Korea: part 3. _____ Korean Journal of Zoology 34, 323-337 (Deals with Leucothoe nagatai, L. spinicarpa, Elasmopus koreanus

n. sp., Maera brevispina n. sp. Parapleustes derzhavini and Stenothoe valida, all from Ulreung Island.)

KLAGES, M. & J. GUTT, 1990. Comparative studies on the feeding behaviour of high Antarctic amphipods (Crustacea) in laboratory. ____ Polar Biology 11, 73-79 (Epimeria robusta, Gnathiphimedia mandibularis and Paraceradocus gibber).

KOCH, H., 1990. Aspects of the population biology of *Traskorchestia traskiana* (Stimpson, 1857) (Amphipoda, Talitridae) in the Pacific Northwest, USA.

Crustaceana 59, 35-52.

KOCH, K.D., 1989. Ernährungsökologische Untersuchungen an Gammarus pulex (L.) und Gammarus fossarum Koch, 1835 (Crustacea, Amphipoda) in einem Wiesenbach und einem Waldbach. ____ Ph.D. Thesis, Univ. Giessen, BRD, 194 pp.

KÖHN, J. 1990. The recent distribution of glacial relict Malacostraca in the western and southern Baltic. ____ Annales Zoologici Fennici 27, 231-235 (*Pontoporeia affinis* and *P. femorata*)

KÖHN, J., M. JASCHHOF & M. v. WEBER, 1991. Das Salzhaff. Notwendigkeit und Möglichkeit der Schaffung eines Meeresschutzgebietes. ____ Meer und Museum 7, 8-21.

KÖHN, J. & M. SAMMOUR, 1990. Lebensgeschichte und Produktion von *Bathyporeia pilosa* Lindström, 1855 (Amphipoda, Haustoriidae) in der westlichen Ostsee. Zoologischer Anzeiger 224, 165-174.

KÖHN, J. & A. WATERSTRAAT, 1990. Recent distribution of glacial relict Malacostraca in the lakes of Mecklenburg. ____ Annales Zoologici Fennici 27, 237-240 (Pallasea and Pontoporeia affinis)

KONOPACKA, A., 1990. Life history of *Gammarus varsoviensis* Jazdzewski, 1975 from Kampinoski National Park, (Central Poland). Zoologia Poloniae 35 (1988), 165- 177.

KORENTZ, D., F.C. McEUEN, M.C. LAND & W.C. DUNLAP, 1991. Survey of mycosporine-like amino acid compounds in Antarctic marine organisms, potential protection from ultraviolet exposure. _____ Marine Biology 108, 157-166 (i.a. 7 amphipod spp.)

KORTELAINEN, I., 1990. Gammarus lacustris - herbivore or predator? ____ Reports from the Kevo Subarctic Research Station 21, 31-34 (Not an exclusive herbivore).

KOVAL'CHUK, N.E., 1990. (The microzoobenthos and benthiczooplankton of the Dniester (Ukrainian SSR, USSR) water preserve during its formation.) _____ Gidrobiologichesky Zhurnal 26, 22-27 (In Russian, not seen).

KRÖNCKE, I., 1991. The macrofauna distribution on the Dogger Bank in April/May 1985-87 (with an annex

of unpublished data from Birkett samples in April/May 1952-54.) _____ Berichte biologische Anstalt Helgoland 8, 1-137.

KRYUCHKOV, V.I., R. Yu. KASIMOV & R. Yu. ABOSOV, 1990. (Experimental study of the effect of UPN-1 on the vital activity of hydrobionts.) _____ Izvestia Akademya Nauk Azerbaijani SSR, Ser. Biol. 6 (1989), 96-104 (In Russian, not seen. I.a. Gammarus maeoticus.)

KULKINA, L.V., 1990. (Progenetic cestode Cyathocephalus in Gammarus hirsutus from waters of western Tien-Shan.) Parazitologiya (Leningrad) 24, 232-235 (In Russian, not seen).

KURIS, A.M., S.F. BLAU, A.J. PAUL, J.O. SHIELOS & D.E. WICKHAM, 1991. Infestation by brood symbionts and their impact on brood mortality of the Red King Crab, *Paralithodes camtschatica*, in Alaska. Geographic and temporal variation. ____ Canadian Journal of Fisheries and Aquatic Sciences 48, 559-568 (i.a *Ischyrocerus* sp.)

KUSSAKIN, O.G., 1990. Biogeography and isopod crustaceans in the Boreal Pacific. _____ Bulletin of Marine Science 46, 620-639.

LALITHA, M., K. SHYAMASUNDARI & K.H. RAO, 1989/90. ____ Effects of salinity and temperature on the development of eggs in amphipod *Talorchestia martensii* (Weber) (Crustacea: Amphipoda). ____ Oebalia 16 N.S., 117-127.

LALITHA, M., K. SHYAMASUNDARI & K.H. RAO, 1990. Studies on the male reproductive system of the amphipod *Orchestia platensis* Kröyer (Crustacea: Amphipoda). ____ Folia Morphologia (Praha) 38, 77-82.

LANA, P. da Cunha & C. GUISS, 1991. Influence of *Spartina alterniflora* on structure and temporal variability of macrobenthonic associations in a tidal flat of Paranagua Bay (southeastern Brazil). ____ Marine Ecology - Progress Series 73, 231-244.

LANCROFT, Th. M., Th. L. HOPKINS, J.J. TORRES & J. DONNELLY, 1991. Oceanic micronektonic/macrozooplanktonic community structure and feeding in ice covered Antarctic waters during the winter (AMERIEZ 1988). ____ Polar Biology 11. 157-167 (i.c. Cyllopus, Cyphocaris, Parandania, Themisto and Metalanceola).

LANDRUM, P.F. & C.R. STUBBLEFIELD, 1991. Role of respiration on the accumulation of organic xenobiotics by the amphipod, *Diporeia* sp. ____ Environmental Toxicology and Chemistry 10, 1019-1028.

LARSEN, P.F. & L.F. DOGGETT, 1990. Sand beach macrofauna of the Gulf of Maine with inference on the role of oceanic fronts in determining community composition. _____ Journal of Coastal Research 6, 913-926 (Amph. p. 918).

- LASTRO, M., J. MORA, A. SANCHEZ & J. PALACIO, 1990. (Infralitoral benthonic communities of the Bahia de Santander (N. Spain).) ____ Cahiers de Biologie marine 31, 25-46 (In Spanish. Amph. p. 45).
- LAYTON, R.J. & J.R. VOSHELL, 1991. Colonization of new experimental ponds by benthic macroinvertebrates.

 Environmental Entomology 20, 110-117 (Not seen).
- LEE, K.S., 1988. Fauna of Caprellidae (Amphipoda) of Cheju Island and its adjacent waters, Korea. ____ Korean Journal of Systematic Zoology, special Issue 2, 97-106 (15 spp, of which Caprella kominatoensis, Protomima imitatrix, Pseudoproto fallax, Paraprotella prima and Protella gracilis are new for Korea)
- LEONARDSSON, K., 1991. Effects of cannibalism and alternative prey on population dynamics of *Saduria entomon* (Isopoda. _____ Ecology 72, 1273-1285 (i.a. *Pontoporeia affinis*)
- LEVINGS, C.D., K. CONLIN & B. RAYMOND, 1991. Intertidal habitats used by juvenile Chinook salmon (*Oncorhynchus tshawytscha*) rearing in the North Arm of the Fraser river estuary.

 Marine Pollution Bulletin 22, 20-26 (*Corophium* spp)
- LEWIS, J.B. & P.V.R. SNELGROVE, 1990. Corallum morphology and composition of crustacean cryptofauna of the hermatypic coral *Madracis mirabilis* _____ Marine Biology 106, 267-272.
- LEWIS, M.A., 1991. Chronic and sublethal toxicities of surfactants to aquatic animals: A review and risk assessment. _____ Water Research 25, 101-114 (Not seen)
- LINDEMAN, D., 1990. New terrestrial amphipods (Crustacea: Amphipoda: Talitridae) from Mexico and Central America. ____ Canadian Journal of Zoology 68, 2323-2337 (Deals with Caribotroides (C.) tuxtlensis n.sp. (Vera Cruz. Mexico), C. (C.) newtoni n.sp. (Oaxaca, Mex.), C. (Mexitroides n.subgen.) pecki n.sp. (Oaxaca, Mex.), C. (M.) chiapensis n.sp (Chiapas, Mex.) and Cerrorchestia hyloraina n. gen. n. sp. (Monteverde, Costa Rica). A key to forest leaflitter landhoppers of Mexico and C. America is also provided.)
- LINDEMAN, D., 1991. Phylogeny and zoogeography of the New World terrestrial amphipods (landhoppers) (Crustacea: Amphipoda; Talitridae). ____ Canadian Journal of Zoology 69, 1104-1116 (A most interesting phenetic and cladistic analysis, with discussion of zoogeography and physiological constraints).
- LINDEMAN, D., 1991. Natural history of the terrestrial amphipod *Cerrorchestia hyloraina* Lindeman (Crustacea: Amphipoda; Talitridae) in a Costa Rican cloud forest.

 _____ Journal of Natural History 25, 623-638.
- LINDSTRÖM, M., 1991. Factors affecting the horizontal migration of the amphipod *Pontoporeia affinis* Lindström: 1. Recording method and response to water currents.

- ____ Journal of Experimental Marine Biology and Ecology 150, 149-162.
- LINDSTRÖM,M. & W. FORTELIUS, 1990. Some factors affecting the horizontal migration of *Pontoporeia affinis* (Crustacea, Amphipoda) in laboratory conditions.

 _____ Annales Zoologici Fennici 27, 309-312.
- LOPEZ, G. & R. ELMGREN, 1990. Feeding depths and organic absorption by *Pontoporeia femorata* and *Pontoporeia affinis* _____ Annales Zoologici Fennici 27, 305 (Abstract only).
- LORENTI, M. & M.B. SCIPIONE, 1990. Relationships between trophic structure and diel migrations of isopods and amphipods in a *Posidonia oceanica* bed of the island of Ischia (Gulf of Naples, Italy). _____ Rapport du Commission International de la Mer Méditerranée 32, 17-18.
- LOWRY, J.K. & H.E. STODDART, 1990. The Wandinidae, a new Indo-Pacific family of Lysianassid Amphipoda (Crustacea). _____ Records of the Australian Museum 42 (1988), 159-171. (This new family in the Lysianassoidea is based on the genera *Wandin* and *Pseudocyphocaris*. *Wandin griffini* n.gen. n.sp. (Great Barrier Reef), *Pseudocyphocaris gosema* n.sp. (Madang, Papua N. Guinea) and *P. lobata* n. sp. (also Madang) are described and illustrated. The wandinids are probably associates of tunicates.)
- LYONS, J. & A.A. MYERS, 1990. Amphipoda Gammaridea from coral rubble in the Gulf of Aqaba, Red Sea: Families Acanthonotozomatidae, Ampeliscidae, Ampithoidae, Anamixidae, Aoridae and Colomastigidae.

 _____ Journal of Natural History 24, 1197-1225 (Deals with Iphimedia? orchestimana, Ampelisca tulearensis, Ampithoe kava, A. ramondi, Cymadusa filosa, Paranamixis sp., Bemlos podoceroides (transferred from Lembos), Globosolembos indicus, Lemboides pterischius n.sp. (Aqaba, Jordan), L. angusticarpa (transf. from Xenocheira), Colomastix plumosa, C. laminosa n.sp. (Aqaba) and C. lunalilo.)
- LYONS, J. & A.A. MYERS, 1991. Amphipoda Gammaridea from coral rubble in the Gulf of Aqaba, Red Sea: families Dexaminidae, Eusiridae, Isacidae, Ischyroceridae, Leucothoidae, Liljeborgiidae, and Lysianassidae. ____ Journal of Natural History 25, 597-621 (Deals with Dexaminella aegyptica, Tethygeneia? pacifica, Photis lamellifera, Gammaropsis incideris n.sp., Jassa herdmanni, Leucothoe safiae n.sp., Liljeborgia petrae n.sp., Lysianassa kerakae n.sp., Amaryllis? macrophthalma, and Aristias symbioticus).
- MALICKY, H., 1990. Feeding tests with caddis larvae (Insecta: Trichoptera) and amphipods (Crustacea: Amphipoda) on *Platanus orientalis* (Platanaceae) and other leaflitter. _____ Hydrobiologia 206, 163-173.
- MARINOV, T.M. & S.M. STOJKOV, 1990. (Seasonal studies on the zoobenthos in the Bulgarian Black Sea shelf.) ____ Okeanalogiya, Sofia 19, 49-62 (In Bulgarian. Amph. p.52).

MARSDEN, I., 1989. The assessment of scasonal adaptation in the beach hopper *Talorchestia quoyana* (Milne Edwards) _____ Journal of Experimental Marine Biology and Ecology 128, 203-218.

MARSDEN, I.D., 1991. A comparison of water loss and gill area in two superlittoral amphipods from New Zealand. _____ Hydrobiologia 223, 149-158 (*Talorchestia quoyana* and *Transorchestia chiliensis*.)

MARSDEN, I.D., 1991. Kelp-sandhopper interactions on a sand beach in New Zealand. 1. Drift composition and distribution. _____ Journal of Experimental Marine Biology and Ecology 152, 61-74

MARSDEN, I.D., 1991. Kelp-sandhopper interactions on a sand beach in New Zealand. 2. Population dynamics of *Talorchestia quoyana* (Milne- Edwards).

_____ Journal of Experimental Marine Biology and Ecology 152, 75-90.

MARSH, A.G. & K.R. TENORE, 1990. The role of nutrition in regulating the population dynamics of opportunistic, surface deposit feeders in a mesohaline community.

____ Limnology and Oceanography 35, 710-724 (i.a. Leptocheirus plumulosus)

MASON, W.T., 1991. A survey of benthic invertebrates in the Suwannee River, Florida. ____ Environmental Monitoring and Assessment 16, 163-188.

MATEUS, A. & E. MATEUS, 1990. Etude d'une collection d'amphipodes, specialement du sud-ouest asiatique, du Museum d'Historie Naturelle de Vienne (Autriche). _____ Annales des naturhistorischer Museum, Wien 91 B, 273-33 (Descriptions of Gammarus pageti n. sp. (E. Turkey), G. pretzmanni n.sp. (Iran), G. odettae n.sp. (C. Turkey), G. miae n.sp. (Iran), G. plumipes n. sp. (Iran), G. dorsosetosus n.sp. (SE Turkey), G. inopinatus n.sp. (near Istanbul, Turkey, brackish), Dikerogammarus gruberi n.sp. (SE Turkey), Synurella lepida n.sp. (Turkey), and Hyalella squamosa n.sp. (Guadeloupe, W. Indies).

MATEUS, A & E. MATEUS, 1991. Campagne de la 'Calypso' aux Iles de Cap Vert pendant l'année 1959. Amphipodes récoltes àbord de la 'Calypso'. _____ Anais Facultad de Ciencias Porto 67, 37-94 (Thirty-four spp of which the following are treated in more detail: *Maera lacertosa* n.sp., *M. stocki* n.sp., *Amphithoe fastidiosus* n.sp. (recte: *fastidiosa*), and *Caprella concinna* n.sp.. All new spp stem for Sao Tiago, Cap Verde).

MATEUS, A. & E. MATEUS, 1991. A propos d'*Echinogammarus obtusidens* Pinkster & Stock, 1972 (Amphipoda, Gammaridae). ____ Anais Facultad de Ciencias Porto 67, 197-203. (New records from southern Spain.)

MATHIEU, J. & K. ESSAFI-CHERGUL, 1990. (The interstitial aquatic population of the interface between karst and alluvial plain. 1. A case of feeding in essentially karstic water.) ____ Mémoires de Biospéologie 17, 113-122 (In French, not seen).

MATTSON, S., 1990. Food and feeding habits of fish species over a soft sublittoral bottom in the Northeast Atlantic. 1. Cod (*Gadus morhua* L.) (Gadidae). ____ Sarsia 75, 247-260 (Amph. p. 253).

MATTSON, S., 1990. Food and feeding habits of fish species over a soft sublittoral bottom in the northeast Atlantic 2. Poor-Cod (*Trisopterus minutus* (L.)) (Gadidae).

_____ Sarsia 75, 261-267 (Amph. p. 262).

MAZE, R.A., A.J. LABORDA & E. LUIS, 1990. (Intertidal macrofauna of sandy substrates in the Ria de El Barquero (Lugo, NW Spain). 2. Structure of the community zonation.) ____ Cahiers de Biologie marine 31, 47-64 (In Spanish)

MAZZELLA, L., M.B. SCIPIONE & M.C. BUIA, 1989. Spatio-temporal distribution of algal and animal communities in a *Posidonia oceanica* meadow. PSZN 1. Marine Ecology 10, 107-129.

McCAHON, C.P., S.J. MAUND & M.J. POULTON, 1991. The effect of the acanthocephalan parasite (*Pomphorhynchus laevis*) on the drift of its intermediate host (*Gammarus pulex*). ____ Freshwater Biology 25, 507-513.

McCAHON, C.P. & M.J. POULTON, 1991. Lethal and sublethal effects of acid, aluminium and lime on *Gammarus pulex* during repeated simulated episodes in a Welsh stream. _____ Freshwater Biology 25, 169-178.

McCLELLAND, G., 1990. Larval sealworm (*Pseudoterranova decipiens*) infections in benthic macrofauna. ____ Canadian Bulletin of Fisheries and Aquatic Sciences 222, 47-65 (Found in 4 of 2500 amphipods in N-Scotia).

McCLINTOCK, J.B. & J. JANSSEN, 1990. Pteropod obduction as a chemical defence in a pelagic antarctic amphipod. _____ Nature, Ldn. 346, 462-465 (Hyperiella dilatata carry around Clione limacina; affords some protection against fish-predation).

McDONALD, M.E., L.B. CROWSER & S.B. BRANDT, 1990. Changes in *Mysis* and *Pontoporeia* populations in southeastern Lake Michigan (USA): A response to shifts in the fish community. ____ Limnology and Oceanography 35, 220-227.

McFALL- NGAI, M.J., 1990. Crypsis in the pelagic environment. ____ American Zoologist 30, 175-188 (Not seen).

McQUAID, C.D. & K. M. DOWER, 1990. Enhancement of habitat heterogeneity and species richness on rocky shores inundated by sands. ____ Oecologia 84, 142-144 (Not seen. Amph?)

MENENDEZ, M. & F.A. COMIN, 1990. Consumption of macrophytes by invertebrates in Tancada lagoon (NE Spain). ____ Scientia Marina 54, 139-144 (i.a. *Gammarus aequicauda*)

MESSOULI, M., C. BOUTIN & N. COINEAU, 1991. Phylogenie et biogeographie evolutive d'un groupe de Metacrangonyctidae, crustacés amphipodes stygobies du Maroc. 1. - Les espèces du groupe panousei. _____ Mémoires de Biospéologie 18, 247-262 (Deals with M. panousei, M. delamarei n.sp. (Oued Dades, Haut-Atlas), M. goulmimensis n.sp. (Oued Gheris, Goulmima), M. ruffoi n.sp. (Azib Asseln) and M. aroudanensis n.sp. (Oued Ahansal, Haut Atlas)

METTAM, C., 1989. The life cycle of *Bathyporeia* pilosa Lindström (Amphipoda) in a stressful, low salinity environment. _____ Scientia Marina 53, 543-550.

MEYERING, M.P.D., 1991. Lack of oxygen and low pH as limiting factors for *Gammarus* in Hessian brooks and rivers. ____ Hydrobiologia 223, 159-169.

MEYRAN, J.C., F. GRAF & J. FOURNIE, 1987. Carbonic anhydrase activity in a calcium - mobilizing epithelium of the crustacean *Orchestia cavimana* during moulting. _____ Histochemistry 87, 419-429.

MEYRAN, J.C., G. MOREL, M.R. HAUSSLER & G. BOIVIN, 1991. Imnunocytological localization of 1-2-5.- dihydroxyvitamin 1) 3 -like molecules and their receptors in a calcium-transporting epithelium of a crustacean. ____ Cell Tissue Research 263, 345-352 (Orchestia)

MICHAUT, P. & F. GRAF, 1990., (Dynamics of the posterior caeca epithelium of *Orchestia cavimana* (Crustacea, Amphipoda). 2. Cellular renewal.) _____ Annales de Sciences Naturelles Zoologie et Biologie Animale 11, 17-28 (In French, not seen).

MIRZAEV, G.S., 1990. (Benthic fauna in Bol'shoi Kyzylagachskii Zaliv of the Caspian Sea). ____ Izv. Akad. Nauk Az. SSR, Ser. Biol. 5 (1989), 68-71 (In Russian, not seen. 'Ten % of fauna is amphipods')

MIRZAEV, G.S., 1990. (Seasonal changes in zoobenthos in Bol'shoi Kyzylagachskii Zaliv of the Caspian Sea)

_____ Izv. Akad. Nauk Az.SSR, Ser. Biol. 6 (1989), 76-79 (In Russian, not seen).

MOORE, P.G., P-S. RAINBOW & E. HAYES, 1991. The beach-hopper *Orchestia gammarellus* (Crustacea: Amphipoda) as a biomonitor for copper and zinc: North Sea trials. _____ Science of the Total Environment 106, 221-238.

MORINO, H. & A-Y. DAI, 1990. Three amphipod species (Crustacea) from East China. Publications of the Itako Hydrobiological Station 4, 7-27 (Deals with Grandidierella taihuensis n.sp. (= G. megnae s. Tattersall 1922 - Taihu, Wuxi), Monoculodes limnophilus and Platorchestia japonica).

MÜLLER, H-G., 1990. New species and records of coral reef inhabiting Caprellidae from Bora Bora and Moorea, Society Islands (Crustacea: Amphipoda). _____ Revue Suisse de Zoologie 97, 822-842 (Deals with Caprellina bispinosa n.sp., Fallotritella polynesica n.sp. and

Metaprotella sandalensis, all 3 from Bora Bora reef)

MUSKO, I., W. MEINEL, R. KRAUSE & M. BARLOS, 1990. The impact of cadmium and different pH on the amphipod *Gammarus fossarum* Koch (Crustacea: Amphipoda). ____ Comparative Biochemistry and Physiology 96 C, 11-16.

MYERS, A.A., 1990. Amphipoda from the South Pacific: the Cook Islands. _____ Records of the Australian Museum 42, 149-157 (Deals with Colomastix murivai n.sp. (Rarotonga), Perioculodes aequimanus, Mallacoota nananui, Maera serrata, and Podocerus t. talegus).

MYERS, A.A., 1991. How did Hawaii accumulate its biota? A test from the Amphipoda. ____ Global Ecology and Biogeography Letters 1, 24-29.

MYERS, A.A. & D. McGRATH, 1991. The Ampelisca diadema group of species (Amphipoda: Gammaridea) in British and Irish waters. _____ Journal of Marine Biology Association UK 71, 265-279 (Deals, with keys, with A. tenuicornis, A. diadema, A. spinipes & A. armoricana, the last one not yet found in Britain.)

NAIR, K.K.C.,? *Metalycaea globosa* Stephensen, a true valid species of Oxycephalidae Bate (Amphipoda, Hyperiidea).____ Proc. 77. Ind. Sc. Congr., Part IV Late Abstracts, 74 (Abstract only).

NALEPA, T.F., 1991. Status and trends of the Lake Ontario macrobenthos. ____ Canadian Journal of Fisheries and Aquatic Sciences 48, 1558-1567.

NELSON, W.G., 1990. Prospects for development of an index of biotic integrity for evaluating habitat degradation in coastal systems. ____ Chemistry and Ecology 4, 197-210.

NEWMAN, R.M., 1990. Effects of shredding amphipod density on watercress *Nasturtium officinale* breakdown.

_____ Holarctic Ecology 13, 293-299 (*Gammarus pseudolimnaeus*)

NG, P.K.L., 1991. How conservative should nomenclature be? Comments on the principle of priority. _____ Bulletin of Zoological Nomenclature 48, 87-91.

NICKELL, T.D. & P.G. MOORE. The behavioural ecology of epibenthic scavenging invertebrates in the Clyde Sea area: field sampling using baited traps. _____ Cahiers de Biologie marine 32, 353-370 (i.a. Scopelocheirus hopei).

NOTENBOOM, J., 1991. Marine regressions and the evolution of groundwater dwelling amphipoda (Crustacea). ____ Journal of Biogeography 18, 437-454. (An important paper).

OLAFSSON, E. & R. ELMGREN, 1991. Effects of biological disturbance by benthic amphipods *Monoporeia affinis* on meiobenthic community structure: a laboratory approach. ____ Marine Ecology - Progress Series 74, 99-107.

ONATE, F. Corcobado, 1991. Food and daily ration of the rock sole *Lepidopsetta bilineata* (Pleuronectidae) in the eastern Bering Sea. _____ Marine Biology 108, 185-191 (Gammaridea important prey).

OPALINSKI, K.W. & J.M. WESLAWSKI, 1990. Ecology, metabolic rate and metabolic adaptations in Spitsbergen amphipods. _____ Polish Archives of Hydrobiology 36 (1989), 333-350.

ORTIZ, M., 1990. (*Platyscelus ovoides* (Amphipoda: Hyperiidae) in the stomach contents of the Bonito (*Katsuwonus pelagicus*) in Cuban waters.) _____ Revista de Investigaciones Marinas 11, 174-175 (In Spanish, not seen)

ORTIZ, M., 1990. (A new amphipod species (Amphipoda, Crustacea) from Mozambique waters). _____ Revista de Investigaciones Marinas 11, 105-109 (In Spanish, not seen. Gammaropsis modianei n.sp.)

ORTIZ, M., 1991. Amphipod Crustacea II Family Bateidae. ____ Memoirs of the Hourglass Cruises 8 (1), 1-31 (Deals with *Batea catharinensis*, *Carinobatea carinata*, *C. cuspidata* and two new spp.: *Carinobatea bousfieldi* and *C. campi*. Also *Batea* cf. *transversa* from Cuba is described and illustrated.)

ORTIZ, M. & R. LALANA, 1989. (A new species of amphipod of the *Eriopisa* complex (Amphipoda, Gammaridea), in Cuban waters). _____ Revista de Investigaciones Marinas 10 (3), 233-237 (In Spanish, not seen. *Victoriopisa* n.sp.)

ORTIZ, M. & J. NAZABAL, 1988. (A new amphipod species of the genus *Lembos* (Crustacea, Amphipoda) from Cuban waters). _____ Revista de Investigaciones Marinas 9, 29-35 (*L. barnardi* n. sp.)

PALERUD, R. & W. VADER, 1991. Marine Amphipoda Gammaridea in North-East Atlantic and Norwegian Arctic. ____ Tromura Naturvitenskapelig Serie 68, 1-97. (A check-list with references to descriptions and illustrations of all described species from the area from Bretagne to Novaya Zemlya. Available from WV.)

PAPI, F., 1991. Remembering Leo Pardi. ____ Ethology, Ecology and Evolution 3, 167-170 (Leo Pardi died Dec. 1990)

PATERNELLO, T., P.M. BISOL & B. BATTAGLIA, 1989. Studies on differential fitness of PGI genotypes with regard to temperature in *Gammarus insensibilis* (Crustacea: Amphipoda) ____ Marine Biology 102, 355-359).

PATERNELLO, T., P.M. BISOL, V. VAROTTO, V. FUSER & B. BATTAGLIA, 1990. A study of enzyme polymorphism in the Antarctic amphipod *Paramoera walkeri*. _____ Polar Biology 10, 495-498.

PAYEN, G.G., 1989. Helen Charniaux- Cotton (1918-1986). Obituary.____ Invertebrate Reproduction and Development 16, 1-2.

PERCY, J., 1989. Piranhas of the frozen seas. Nature Canada 8, 9 (On scavenging amphipods)

PINKSTER, S. & D. PLATVOET, 1990. Some remarks on the genus *Echinogammarus* Stebbing, 1899 with description of a new species *E. valedictus* from Algeria (Crustacea, Amphipoda). _____ Bijdragen tot de Dierkunde 60, 263-269.

PLOTNIKOV, I.S., N.V. ALADIN & A.A. FILIPPOV, 1991. (The past and present of the Aral Sea fauna).

Zoologicheskii Zhurnal 70, 5-15 (In Russian)

PÖCKL, M., 1988. Bestimmingschlüssel für Peracarida der österreichischen Donau (Crustacea, Malacostraca).

Wasser und Abwässer 32, 89-110.

PÖCKL, M. & U.H. HUMPESCH, 1990. Intra- and inter-specific variations in egg survival and brood development time for Austrian populations of *Gammarus fossarum* and *G. roeseli* (Crustacea, Amphipoda). _____ Freshwater Biology 23, 441-455.

PÖCKL, M. & W. TIMISCHL, 1990. Comparative study of mathematical models for the relationship between water temperature and brood development time of *Gammarus fossarum* and *G. roeseli* (Crustacea: Amphipoda). ____ Freshwater Biology 23, 433-440.

PONOMAREVA, E.E., 1989. Feeding of the amphipod *Gammarus oceanicus* on the littoral of the Barents Sea.

_____ Soviet Journal of Marine Biology 15, 261-265.

POSEY, M.H., B.R. DUMBAULD & D.A. ARMSTRONG, 1991. Effects of a burrowing mud shrimp, *Upogebia pugettensis* (Dana), on abundance of macro-infauna. _____ Journal of Experimental Marine Biology and Ecology 148, 283-294 (i.a. *Corophium acherusicum*)

POSTON, T.M., D.C. KLOPFER & M.A. SIMMONS, 1990. Short-term bioconcentration studies of Neptunium in freshwater lakes. _____ Health Phys. 59, 869-878 (Not seen, i.a. *Gammarus* sp.)

POULTON, M. & D. PASCOE, 1990. Disruption of precopula in *Gammarus pulex* (L.): Development of a behavioral bioassay for evaluating pollutant and parasite induced stress. ____ Chemosphere 20, 403-416.

POWELL, R. & P.G. MOORE, 1991. The breeding cycles of females of seven species of amphipod (Crustacea) from the Clyde Sea area. _____ Journal of Natural History 25, 435-479. (Deals with Ampelisca macrocephala, Bathyporeia pilosa, Corophium bonnellii, Echinogammarus pirloti, Gammaropsis nitida, Lembos websteri and Stegocephaloides christianiensis.)

 new figures and locality records.)

PRETUS, J. Ll. & F. SABATER, 1990. A new *Haplogynglymus* (Crustacea: Amphipoda) coexisting with *Niphargus* sp.in a spring south of Pyrenées (Catalonia, NE Spain). _____ Stygologia 5, 143-152 (*H. bergae* n. sp.. The *Niphargus* probably is also a new species).

PRETUS, J. Ll. & J.H. STOCK, 1990. A new hyporheic *Bogidiella* (Crustacea, Amphipoda) from Mallorca. _____ Endins 16, 47-51 (*B.* (*B.*) torrenticola n. sp.)

PRIDMORE, R.D., S.F. THRUSH, J.E. HEWITT & D.S. ROPER, 1990. Macrobenthic community composition of six intertidal sandflats in Manukau Harbour, New Zealand.

New Zealand Journal of Marine and Freshwater Research 24, 81-96.

PROCACCINI, G. & M.B. SCIPIONE, 1989. (The Amphipod populations of the Fusaro coastal lagoon.)

Oebalia NS 15, 315-318 (In Italian).

PUETZ, K. & F. BUCHHOLZ, 1991. Comparative ultrastructure of the cuticle of some pelagic, nektobenthic and benthic malacostracan crustaceans. ____ Marine Biology 110, 49- 58.

PUST, J., 1990. Untersuchungen zur Systematik, Morphologie und Ökologie der in der westfälischen Höhlen vorkommenden aquatischen Höhlentiere. _____ Abhandlungen der Westfälischer Museum zu Naturkunde 52, 3-188 (Not seen. *Crangonyx* plus 9 *Niphargus* spp)

QUIGLEY, M.A. & G.A. LANG, 1989. Measurements of amphipod body length using a digitizer. ____ Hydrobiologia 171, 255-258.

QUIGLEY, M.A. & H.A. VANDERPLOEG, 1991. Ingestion of live filamentous diatoms by the Great Lakes amphipod *Diporeia* sp., a case study of the limited value of gut contents analysis. ____ Hydrobiologia 223, 141-148.

RAFFAELLI, D., S. HULL & H. MILNE, 1989. Long-term changes in nutrients, weed mats and shorebirds in an estuarine system. ____ Cahiers de Biologie marine 30, 259-270 (i.a. *Corophium volutator*)

RAFFAELLI, D., I. KARAKASSIS & A. GALLOWAY, 1991. Zonation schemes on sandy shores: a multivariate approach. ____ Journal of Experimental Marine Biology and Ecology 148, 241-253.

RAFFAELLI, D., J. LIMIA, S. HULL & S. PONT, 1991. Interactions between the amphipod *Corophium volutator* and macroalgal mats on estuarine mudflats. _____ Journal of Marine Biology Association UK 71, 899-908.

RAINBOW, P.S., 1989. Copper, cadmium and zinc concentrations in oceanic amphipod and euphausiid crustaceans as a source of heavy metals to pelagic seabirds. ____ Marine Biology 103, 513-518 (i.a. Themisto gaudichaudi and T. compressa)

RAINBOW, P.S. & P.G. MOORE, 1990. Seasonal variation in copper and zinc concentrations in three talitrid amphipods (Cruustacea). ____ Hydrobiologia 196, 65-72.

RAINBOW, P.S. & S.L. WHITE, 1989. Comparative strategies of heavy metal accumulation by crustaceans: Zinc, copper and cadmium in a decapod, an amphipod and a barnacle. Hydrobiologia 174, 245-262 (Echinogammarus pirloti)

RAINBOW, P.S. & S.L. WHITE, 1990. Comparative accumulation of cobalt by three crustaceans: A decapod, an amphipod and a barnacle. _____ Aquatic Toxicology 16, 113-126 (The amphipod is *Echinogammarus pirloti*).

RAKUSA-SUSZCZEWSKI, S & A. LACH, 1991. Respiration of *Orchomene plebs* (Hurley, 1965) and *Waldeckia obesa* (Chevreux, 1905) from Admiralty Bay (South Shetland Islands, Antarctic). Hydrobiologia 223, 177-180.

RAMSDELL, K.A., J.A. STRAND & V.I. COLLINS, 1990? Amphipod bioassay of selected sediments from Sequim Bay, Washington. ____ Pp. 443-448 in Oceans 89: The global ocean. vol. 2. Ocean pollution. MTS/IEEE, New York (Not seen. *Rhepoxynius abronius*).

RAU, G.H., T.L. HOPKINS & J.J. TORRES, 1991. 15 N/ 14 N and 13 C/12 C in Weddell Sea invertebrates: implications for feeding diversity. _____ Marine Ecology - Progress Series 77, 1-6.

RAUSCHERT, M., 1990. *Pseudodulichia*, eine neue Gattung der Podoceridae aus der Antarktis (Crustacea: Amphipoda: Gammaridea) _____ Mitteilungen aus dem Zoologischen Museum Berlin 66, 371-374 (A monotypic genus, based on *Dulichia antarctica*).

RAUSCHERT, M., 1991. Ergebnisse der faunistischen Arbeiten imBenthal von King George Island (Südshetlandinseln, Antarktis). ____ Berichte zur Polarforschung 76, 1-75 (Many amphipod data).

RAUSCHERT, M. & H.G. ANDRES, 1991. Thaumatelsonella kingelepha, eine neue Gattung und Art aus der Antarktis (Crustacea: Amphipoda: Gammaridea: Stenothoidae). ____ Helgoländer Meeresuntersuchungen 45, 225-235 (From the S. Shetland islands. Pseudothaumatelson patagonicum is redescribed from the type material. The status and generic position of P. cyproides is also discussed).

READ, A.T. & D.D. WILLIAMS, 1990. The role of calceoli in precopulatory behaviour and mate recognition of *Gammarus pseudolimnaeus* Bousfield (Crustacea, Amphipoda). _____ Journal of Natural History 24, 351-359 ('No importance for mate recognition: possibly vibroioreceptor').

READ, A. Th. & D.D. WILLIAMS, 1991. The distribution, external morphology, and presumptive function of the surface microstructures of *Gammarus pseudolimnaeus* (Crustacea: Amphipoda), with emphasis

on the calceolus. ____ Canadian Journal of Zoology 69, 853-965.

REAVELL, P-E. & D.P. CYRUS, 1989. Preliminary observations on the macrocrustacea of coastal lakes in the vicinity of Richards Bay, Zululand, South Africa.

South African Journal of Aquatic Sciences 15, 103-128 (Not seen. Amph.?).

REES, H.L. & A. ELEFTHERIOU, 1989. North Sea benthos: A review of field investigations into the biological effects of man's activities. ____ Journal du Conseil, Commission International pour Exploration de la Mer 45, 284-305.

REID, R.N., D.J. RADOSH, A.B. FRAME & S.A. FROMM, 1991. Benthic macrofauna of the New York Bight, 1979-89. _____ NOAA Technical Reports NMFS 103, 1-53.

RESTREPO, V.R. & R.A. WATSON, 1991. An approach to modelling crustacean egg-bearing fractions as a function of size and season. ____ Canadian Journal of Fisheries and Aquatic Sciences 48, 1431-1436.

RICHARDSON, A.M.M., R. SWAIN & S.J. SMITH, 1991. Local distribution of sandhoppers and landhoppers (Crustacea: Amphipoda: Talitridae) in the coastal zone of western Tasmania. ____ Hydrobiologia 223, 127-140.

RONEY, J.D., 1990. A new species of marine amphipod (Gammaridea, Ampeliscidae) from the sublittoral of Southern California. ____ Bulletin of the Southern California Academy of Sciences 89, 124-129 (Ampelisca brachycladus n.sp. from shallow water.)

ROZAS, L.P. & M.W. LASALLE, 1990. A comparison of the diets of Gulf Killifish, *Fundulus grandis* Baird and Girard, entering and leaving a Mississippi brackish marsh. ____ Estuaries 13, 332-336 (i.a. *Corophium insidiosum*)

RUFFO, S., 1990. A new *Orchestia* from Gran Canaria: *O. stocki* n. sp. (Crustacea, Amphipoda, Talitridae). Studies on Crustacea Amphipoda, 116. _____ Beaufortia 41, 163-167.

RUFFO, S., P. TURIN & M. ZANETTI, 1990. (Contribution to the knowledge of the distribution of amphipods in eastern Veneto, Italy). _____ Rivista di Idrobiologia 27, (1988), 431-448 (In Italian, not seen).

SAINTE- MARIE, B., 1991. A review of the reproductive bionomics of aquatic gammaridean amphipods: variation of life history traits with latitude, dept, salinity, and superfamily. ____ Hydrobiologia 223, 189-227 (An important review!)

SAINTE-MARIE, B., G. LAMARCHE & J.M. GAGNON, 1990. Reproductive bionomics of some shallow-water lysianassids in the Saint Lawrence Estuary, with a review of the fecundity of the Lysianassoidea. ____ Canadian Journal of Zoology 68, 1639-1644 (Orchomenella minuta,

O. pinguis, Psammonyx terranovae, Anonyx sarsi and Onisimus litoralis).

SALLENAVE, R.M. & D.R. BARTON, 1990. The distribution of benthic invertebrates along a natural turbidity gradient in Lake Temishaming, Ontario-Quebec. ____ Hydrobiologia 206, 225- 234 (i.a. *Pontoporeia hoyi*).

SALMAN, S.D. & N. JABBAR, 1990. A new species of the genus *Cheiriphotis* Walker, from the north west Arabian Gulf, with a redescription of *C. megacheles* (Giles) (Amphipoda, Isaeidae). ____ Crustaceana 58, 214-226 (*C. williamsoni* n. sp. (= *C. megacheles* s. Walker, 1904) from Iraq. The true *C. megacheles* is redescribed.)

SANCHEZ, E.L., 1990. A new species of *Pseudoniphargus* (Crustacea, Amphipoda) from subterranean waters in Tenerife (Canary islands). _____ Hydrobiologia 196, 51-64 (*P. candelariae* n.sp.)

SANCHEZ, E., 1991. New records of *Pseudoniphargus* (Crustacea, Amphipoda) from ground waters of Temerife and Hierro, with description of new species _____ Stygologia 6, 53-64. (Deals with *P. porticola*, *P. associatus* n.sp. (Tenerife), *P. fontinalis* and *P. salinus*)

SANCHEZ, E., 1991. Stygofauna of the Canary Islands, 22. Bogidiella (Stygogidiella) atlantica n.sp. (Amphipoda) from interstitial waters on the western Canary Islands. ____ Crustaceana 61, 113-124.

SÄRKKÄ, J., J.J. MERILÄINEN & J. HYNYNEN, 1990. The distribution of relict crustaceans in Finland: new observations and some problems and ideas concerning relicts. ____ Annales Zoologici Fennici 27, 221-225.

SARVALA, J. & A. UITTO, 1991. Production of the benthic amphipods *Pontoporeia affinis* and *P. femorata* in a Baltic archipelago. _____ Ophelia 34, 71-90.

SCAPINI, F.,M. BUIATTI & M. FALLACI, 1989. Family and individual orientation behaviour in sandhoppers. _____ Ethology, Ecology and Evolution 1, 241-246.

SCAPINI, F., A. ERCOLINI & R. BOCCACCI, 1988. Laboratory experiments on geotaxis, phototaxis, and anemotaxis in two species of littoral amphipods.

Monitore Zoologico Italiano (N.S.) 22, 89-103.

SCAPINI, F. & D. FASINELLA, 1990. Genetic determination and plasticity in the sun orientation of natural populations of *Talitrus saltator*. ____ Marine Biology 107, 141-145.

SCHALK, P.H., 1990. Biological activity in the Antarctic zooplankton community. Polar Biology 10, 405-412.

SCHEEPMAKER, M., 1990. Genetic differentiation and estimated levels of gene flow in members of the *Gammarus pulex* group (Crustacea, Amphipoda) in western Europe.

_____ Bijdragen tot de Dierkunde 60, 3-30.

SCHEEPMAKER, M., 1990. Genetic differentiation, origin and dispersal of *Gammarus gauthieri* from the Iberian peninsula and North Africa (Crustacea, Amphipoda). _____ Bijdragen tot de Dierkunde 60, 31-50.

SCHNEIDER, F.I. & K.H. MANN, 1991. Species specific relationships of invertebrates to vegetation in a seagrass bed: 1. Correlational studies. _____ Journal of Experimental Marine Biology and Ecology 145, 101-118.

SCHNEIDER, F.I. & K.H. MANN, 1991. Species specific relationships of invertebrates to vegetation in a seagrass bed: 2. Experiments of the importance of macrophyte shape, epiphyte cover, and predators. _____ Journal of Experimental Marine Biology and Ecology 145, 119-139.

SCHOLTZ, B., 1990. The formation, differentiation and segmentation of the post-naupliar germ band of the amphipod *Gammarus pulex* L. (Crustacea, Malacostraca, Peracarida). _____ Proceedings of the Royal Society, London 239, 163-211.

SCHUCHARDT, B., Zur Verbreitung von *Gammarus tigrinus* Sexton in der Unterweser. ____ Drosera 87, 129-134.

SCHULTZE, K., K. JANKE, A. KRUESS & W. WEIDEMANN, 1990. The macrofauna and macroflora associated with *Laminaria digitata* and *L. hyperborea* at the island of Helgoland (German Bight, North Sea.)

Helgoländer Meeresuntersuchungen 44, 39-51 (Amph. p. 53)

SCIPIONE, M.B., 1989. (Trophic behavior of Amphipoda in some benthic systems.) ____ Oebalia NS 15, 249-260 (In Italian. Seagrass and soft-bottoms in the Tyrrhenian Sea).

SCIPIONE, M.B., N.C. BUIA, M.C. GAMBI, M. LORENTI, G.F. RUSSO, V. ZUPO & L. MAZZELLA, 1989. (First indication on the benthic communities in an area of the Golfo di Napoli subject to anthropogenic disturbance.) _____ Nova Thalassia 10, Suppl. 1, 557-565 (In Italian)

SCIPIONE, M.B. & L.A. CHESSA, 1986. The benthic fauna of Palau Bay (North-East Sardinia): Amphipoda.

Rapport du Commission International de la Mer Méditerranée 30, 9-10.

SCONFIETTI, R., 1991. Ecological zonation and dynamics of hard-bottom Peracarid communities along

the lagoon estuary of the River Diese (Lagoon of Venice, northern Adriatic Sea. ____ Rivista Idrobiologia 28 (1989), 3-32 (Not seen, unfortunately.)

SEDLAK- WEINSTEIN, E., 1991. Three new records of cyamids (Amphipoda) from Australian Cetaceans.

____ Crustaceana 60, 90-104 (Syncyamus aequus, S. pseudorca, Isocyamus delphini and Platycyamus thompsoni.)

SHEEHY, M.R.J., 1990. Widespread occurrence of fluorescent morphological lipofuscin in the crustacean brain. _____ Journal of Crustacean Biology 10, 613-622. (i.a. *Talitrus* sp.)

SHIH, Ch-t., 1991. Description of two new species of *Phronima* Latreille, 1802 (Amphipoda: Hyperiidea) with a key to all species of the genus. _____ Journal of Crustacean Biology 11, 322-335 (*P. bowmani* n.sp. and *P. dunbari* n. sp., both from the eastern tropical Pacific).

SHIN, P.K.S., 1987. Infaunal macrobenthos of beach sediments in Hong Kong. ____ Asian Marine Biology 4, 141-146.

SHIN, P.K.S., 1988. Infaunal macrobenthos of beach sediments in Hong Kong. ____ Pp. 155-164 in Proc. 1. Symp. mar. Biol. South China Sea. China Ocean Press, Beijing. (Not seen)

SHYAMASUNDARI, K., 1988. Development in *Corophium triaenonyx* Stebbing, a fouling amphipod in Visakhapatnam Harbor. ____ Pp. 141-150 in M.F. Thompson, R. Sarojni & R. Nagabhushanam (eds). Marine biodeterioration: advanced techniques applicable to Indian Ocean. Oxford & IBH, N. Delhi (Not seen)

SINERVO, B. & R.W. DOYLE, 1990. Life-history analysis in 'physiological' compared with 'sidereal' time: An example with an amphipod (*Gammarus lawrencianus*) in a varying environment. ____ Marine Biology 107, 129-140.

SKET, B., 1985. Why all cave animals do not look alike - a discussion on adaptive value of reduction processes.

_____ NSS Bull. 47. 78-84.

SKET, B., 1988. Speleobiological investigations in the Colombian Andes 1984. _____ Biologia Vestnik, Ljubljana 36, 53-62 (No Amph.)

SKET, B., 1990. Is *Niphargobates lefkodemonaki* sp. n. (Crustacea: Amphipoda) from Kriti (Greece) a zoogeogeographical enigma? ____ Zoologisches Jahrbuch Abt. Systematikk 117, 1-10 (*N. lefkodemonaki* n.sp. from a cave in Kriti (= Crete, Kreta), Greece)

SKET, B. & G. KARAMAN, 1990. Niphargus rejici (Amphipoda), its relatives in the Adriatic islands, and its possible relations to S.W. Asian taxa. _____ Stygologia 5, 153-172 (Deals with N. rejici, N.r. jadranka n. ssp. (island Krk, Kroatia), and N. pectencoronatae n. sp. (Kornati archipelago, Kroatia) all taxa in the orcinus group).

SORBE, J-C., 1989. Structural evolution of two suprabenthic soft-bottom communities of the South Gascogne continental shelf. ____ Scientia Marina 53, 335-342.

SPARLA, M.P., M.B. SCIPIONE & S. RIGGIO, 1987. Distribution of amphipods and tanaidaceans (Crustacea, Peracarida) inhabiting *Rityphloea tinctoria* (Clem.) C. Ag. _____ Bulletin of Ecology 2, 248.

SPICER, J.I. & B.R. McMAHON, 1991. Hemocyanin oxygen binding and the physiological ecology of a range of talitroidean amphipods (Crustacea). 2 Effect of freezing, imorganic ions, and urate on oxygen binding in vitro. _____ Journal of Comparative Physiology B 161, 217-223 (Apohyale pugettensis, Megalorchestia californiana and Traskorchestia traskiana.)

STAROBOGATOV, Yo. I., 1991. Problems in the nomenclature of higher taxonomic categories.

Bulletin of Zoological Nomenclature 48, 6-18.

STEARNS, D.E. & M.R. DARDEAU, 1990. Nocturnal and tidal vertical migrations of 'benthic' crustaceans in an estuarine system with diurnal tides. _____ Northeast Gulf Science 11, 93-104 (An Alabama study, featuring i.a. Gammarus tigrinus, Corophium lacustre and Grandidierella bonnieroides).

STEELE, D.H., 1990. Comparison of oostegite shapes in some gammaridean species (Crustacea: Amphipoda).

_____ Bijdragen tot de Dierkunde 60, 277-282.

STEELE, D.H., 1991. Is the oostegite structure of amphipods determined by their phylogeny or is it an adaptation to their environment? ____ Hydrobiologia 223, 27-34 (Mainly the latter!)

STEELE, D.H., 1991. The genus Anonyx (Crustacea, Amphipoda) in the North Pacific and Arctic oceans: the Anonyx bispinosus group. ____ Canadian Journal of Zoology 69, 1600-1611 (Deals with A. bispinosus, A. grebnitzkii n.sp. (Bering Isl.), A. eous, A. pseudeous n.sp. (Cape Lisburne, Alaska), A. eousides n.sp. (Okhotsk Sea), A. pareous n.sp. (Okhotsk Sea)

STEELE, D.H. & A. WHITTICK, 1991. Seasonal variation in *Pilayella littoralis* (Phaeophyceae) and its consequences as a food source for the amphipod *Gammarus lawrencianus*, in the intertidal of Newfoundland. _____ Journal of the Marine Biological Association UK 71, 883-889.

STEELE, V. J., 1991. The distribution and frequency of the type II microtrichs in some gammaroidean amphipods. ____ Hydrobiologia 223, 35-42.

STEPHENSON, M. & G.L. MACKIE, 1989. A laboratory study of the effects of waterborne cadmium, calcium, and carbonate concentrations on cadmium concentrations in *Hyalella azteca* (Crustacea: Amphipoda).

Aquatic Toxicology 15, 53-62 (Not seen)

STOCK, J.H., 1989. Comparaison des stygofaunes des iles calcaires et volcaniques de l'Atlantique tropical.

_____ Mémoires de Biospéologie 16, 15-16.

STOCK, J.H., 1989. Landhoppers (Amphipoda, Talitridae) of the genus *Orchestia* of the Canary Islands.

_____ Bulletin du Museum National d'Histoire Naturelle de Paris (4) 11, 659-668 (Deals with *O. canariensis* (Gran Canaria), *O. gomeri* n.sp. (La Gomera) and *O. guancha*.)

STOCK, J.H., 1990. A new forest-hopper (Amphipoda, Talitridae) from La Palma, Canary Islands.

Vieraea 18, 91-98 (Palmorchestia epigaea n.sp.)

STOCK, J.H. & T.M. ILIFFE, 1990. A new Australian crangonyctid amphipod with a habit convergent to the Old World genus *Niphargus*. ____ Stygologia 5, 137-142 (*Uronyctus longicaudus* n.gen. n. sp. from the Mt. Gambier area, S. Australia.)

STOCK, J.H. & T.M. ILIFFE, 1991. Two new species of *Liagoceradocus* (hypogean Amphipoda) from southwestern Pacific Islands, with key to the world species.

_____ Invertebrate Taxonomy 5, 807-825 (*L. lobiferus* n.sp. from Solomon Isl. (also W. Samoa), and *L. unciferus* n.sp. from Fiji. A key to all spp. is provided).

STOCK, J.H. & Y.W. JO, 1990. The Japanese amphipod genus *Eoniphargus* rediscovered in a South Korean cave. ____ Proceedings of the Biological Society of Washington 103, 624-632 (*E. glandulatus* n.sp. *Eoniphargus* probably does not belong to the Crangonyctoidea).

STOCK, J.H. & E. SANCHEZ, 1990. First record of Crustacea Malacostraca from fresh waters in the Canary Islands. ____ Hydrobiologia 206, 53-59 (Rhipidogammarus rheophilus n. sp. from NW Tenerife.)

STOCK, J.H. & R. VONK, 1990. Stygofauna of the Canary Islands, 23. A freshwater amphipod from La Gomera, *Melita dulcicola* n.sp. ____ Annales de Limnologie 26, 29-37.

STOCK, J.H. 6 R. VONK, 1991. Une espèce nouvelle de *Dulzura*, genre d'Amphipodes hadzioides connu jusqu'ici seulement de l'Indo-Pacifique, decouverte aux iles du Cap-Vert (ocean Atlantique). ____ Cahiers de Biologie marine 32, 477-486 (*Dulzura lobata* n.sp., Cape Verde Isl., with a key to all *Dulzura* species).

STONES, A.W. & C. ACEVEDO, 1990. The macroinfaunal community of a tropical estuarine lagoon.

____ Estuaries 13, 174-181.

STRANN, K-B. & R.W. SUMMERS, 1990. Diet and diurnal activity of Purple Sandpipers *Calidris maritima* wintering in northern Norway. ____ Fauna norvegica Ser. C., Cinclus 13, 75-78 (Amph. important food.)

SUGISAKI, H., M. TERAZAKI, E. WADA & T. NEMOTO, 1991. Feeding habits of a pelagic amphipod, *Themisto japonica*. ____ Marine Biology 109, 241-244 (Changes from herbivore to carnivore during growth.)

SUNDARAM, K.M.S., S.B. HOLMES, D.P. KREUTZWEISER, A. SUNDARAM & P.D. KINGSBURY, 1991. Environmental persistence and impact of diflubenzuron in a forest aquatic environment following aerial application. ____ Archives of Environmental Contamination and Toxicology 20, 313-321 (Not seen. Amph.+)

SUNDELIN, B. & R. ELMGREN, 1991. Meiofauna of an experimental soft-bottom ecosystem - effects of macrofauna and cadmium exposure. ____ Marine Ecology - Progress Series 70, 245- 255 ('Macrofauna' of title is *Pontoporeia affinis*)

SWARTZ, R.C., D.W. SCHULTS, T.H. DEWITT, G.R. DITSWORTH & J.D.LAMBERSON, 1990. Toxicity of fluoranthene in sediment to marine amphipods: A test of the equilibrium partitioning approach to sediment quality criteria. ____ Environmental Toxicology and Chemistry 9, 1071-1080 (Tests with Rhepoxynius abronius and Corophium spinicorne.)

SWARTZ, R.C., D.W. SCHULTS, J.D. LAMBERSON, D.J. OZRETICH & J.K.STULL, 1991. Vertical profiles of toxicity, organic carbon, and chemical contaminants in sediment cores from the Palos Verdes Shelf and the Santa Monica Bay, California. ____ Marine Environmental Research 31, 215-225 (Rhepoxynius abronius)

TAKEUCHI, I., 1986. *Caprella kominatoensis* n.sp. (Amphipoda, Caprellidae) from Amatsu- Kominato, Chiba, Japan. _____ Bulletin of the National Science Museum 12, 67-73.

TAKEUCHI, I., 1990. (A preliminary note on a hermaphrodite abnormality of *Caprella danilevskii* Czerniavski (Crustacea: Amphipoda). ____ Annual Report of the Marine Ecosystems Research Centre, Chiba University 10, 29-30 (In Japanese.)

TAKEUCHI, I & HIRANO, 1988. (A preliminary report on the life-history of *Caprella danilevskii* (Crustacea, Amphipoda) reared in the laboratory.) _____ Bulletin of the Japanese Association of Benthologists 32, 37-41 (In Japanese.)

TAKEUCHI, I. & R. HIRANO, 1991. Growth and reproduction of *Caprella danilevskii* (Crustacea: Amphipoda) reared in the laboratory. ____ Marine Biology 110, 391-397.

TAKEUCHI, I. & S. ISHIMARU, 1991. Redescription of (Caprogammarus gurjanovae Kudrjaschov & Vassilenko, 1966 (Crustacea: Amphipoda) from Hokkaido, Japan, with notes on the taxonomic status of Caprogammarus. ____ Hydrobiologia 223, 283-291 (Caprogammarus is considered to belong to the Caprellidea).

TAKEUCHI, I., R. KUWABARA, R. HIRANO & H. YAMAKAWA, 1987. Species compositions of the Caprellidea (Crustacea: Amphipoda) of the Sargassum zone on the Pacific coast of Japan. _____ Bulletin of

Marine Science 41, 253-267.

TAKEUCHI, I., M. TAKEDA & K. TAKESHITA, 1989. Redescription of the bathyal caprellid, *Caprella ungulina* Mayer 1903 (Crustacea, Amphipoda) from the North Pacific. ____ Bulletion of the National Science Museum, Ser. A (Zoology) 15, 19-28.

TAKEUCHI, I., H. YAMAKAWA & M. FUJIWARA, 1990. Density fluctuation of caprellid amphipods (Crustacea) inhabiting the red alga *Gelidium amansis* (Lamouroux) Lamouroux, with emphasis on *Caprella okadai* Arimoto____ Mer (Tokyo) 28, 30-36

TARAMELLI, E. L. FASSETTA & G. GENTILE, 1990. (Observation on crustacean amphipods of the Central Adriatic (Grottomare)) _____ Rivista d'Idrobiologia 27 (1988), 449-472 (In Italian, not seen)

TARAMELLI, E. & L. VENANZANGELI, 1989-90. Benthic population in Torvaldaliga (Civitavecchia, Italia). Crustacea Amphidopa (sic). ____ Oebalia N.S 16, 49-67.

TARARAM, A.S., H. de S.L. MESQUITA, Y. WAKABARA & C.A. PERES, 1990. Food ingestion and assimilation by *Hyale media* (Dana 1853) (Crustacea-Amphipoda). _____ Boletim de Instituto Oceanographico di Sao Paulo 38, 11-21.

TAYLOR, E.J., S.J. MAUND & D. PASCOE, 1991. Toxicity of four common pollutants to the freshwater macroinvertebrates *Chironomus riparius* Meigen (Insecta: Diptera) and *Gammarus pulex* (L.) (Crustacea: Amphipoda). ____ Archives of Environmental Contamination and Toxicology 21, 371-376 (DCA, atrazine, copper and lindane).

TENTORI, E. & A.P.M. LOCKWOOD, 1990. Haemolymph magnesium levels in some oceanic Crustacea. ____ Comparative Biochemistry and Physiology 95 A, 545-548 (Not seen. Amph. +.)

THOMAS, J.D. & J.L. BARNARD, 1990. Gitana dominica, a new species from the Caribbean Sea (Amphipoda: Amphilochidae). ____ Proceedings of the Biological Society of Washington 103, 617-623 (from the island of Dominica).

THOMAS, J.D. & J.L. BARNARD, 1990. *Jerbarnia stocki*, a new species from the Barrier Reef (Crustacea, Amphipoda). ____ Beaufortia 41, 169-176 (With a survey of the maerellids: *Maerella*, *Coxomaerella* and *Jerbarnia*.)

THOMAS, J.D. & J.L. BARNARD, 1991. *Photis tropherus*, a new elephantine species from the Caribbean Sea (Crustacea: Amphipoda) ____ Proceedings of the Biological Society of Washington 104, 96-100 (Dominica, W. Indies).

THOMAS, J.D. & J.L. BARNARD, 1991. A review of the genus *Iphimedia* (Crustacea: Amphipoda) with descriptions of three new species from Australia, Papua

New Guinea and Florida. _____ Invertebrate Taxonomy 5, 469-485 (With a discussion of the genus and its species. The genus *Cypsiphimedia* is synomymized with *Iphimedia*, and *I. joubini* transferred to *Stegopanoploea*. The authors doubt Karaman's transfer of *I. hedgpethi* to *Coboldus*. New taxa are *I. warraina* n.sp. (S. Australia), *I. zora* n.sp. (Florida Keys, USA), and *I. xesta* n.sp. (Madang, PNG).)

THOMAS, J.D. & J.L. BARNARD, 1991. Two new species of *Netamelita* from the Caribbean Sea (Crustacea: Amphipoda: Gammaridea). _____ Proceedings of the Biological Society of Washington 104, 583-592 (*N. brocha* n.sp. (Florida Keys) and *N. tabaci* n.sp. (Belize). A key to all *Netamelita* spp. is provided.)

THRUSH, S.F., R.D. PRIDMORE, J.E. HEWITT & V.J. CUMMING, 1991. Impact of ray feeding disturbances on sandflat macrobenthos: do communities dominated by polychaetes or shellfish respond differently? _____ Marine Ecology - Progress Series 69, 245-252 (i.a. Paracalliope novizealandiae).

THURSTON, M.H., 1990. Abyssal necrophagous amphipods (Crustacea: Amphipoda) in the northeast and tropical Atlantic Ocean. Progress in Oceanography 24, 257-274.

TRAJANO, E., 1989. (Spontaneous and feeding behavior and diet of the blind catfish. *Pimelodella kronei*, and its putative ancestor, *Pimelodella transitoria*, from southeastern Brazil (Siluriformes Pimelodidae).) _____ Revista Brasileira di Biologia 49, 757-770. (In Portuguese, not seen. Predators of amphipods.)

TSUCHIYA, M. & D. BELLAN-SANTINI, 1989. Vertical distribution of shallow rocky shore organisms and community structure of mussel beds (*Mytilus galloprovincialis*) along the coast of Marseille, France.

____ Mesogée, Bulletin du Museum d'Histoire Naturelle de Marseille 49, 91-110 (Not seen).

TUFOIL, A., P.S. MEADOWS & P. McLOUGHLIN, 1989. Meso- and microscale heterogeneity in benthic community structure and the sedimentary environment on anintertidal muddy-sand beach. ____ Scientia Marina 53, 319- 327 (A Scottish study, with i.a. Bathyporeia guillamsoniana and Corophium volutator.)

TZVETKOVA, N.L., 1990. (An addition to the fauna of amphipods (Amphipoda, Talitroidea, Hyalidae) from the shallow waters of the East Kamchatka). _____ Trudy Zoologichesky Institut Leningrad, Akademya Nauk SSSR 218, 40-53 (In Russian. Deals with Allorchestes bellabella, A. carinatus and Parallorchestes asiaticus n.sp., all from Kronotsky Bay, E. Kamchatka.)

TZVETKOVA, N.L. & A.A. GOLIKOV, 1990. (Fauna, ecology and role in ecosystems of amphipods (Amphipoda, Gammaridea) at the New Sibirian shoals and adjacent waters in the Laptev Sea). _____ Issledevanye Fauna Morej SSSR 37 (45), 258-343 (In Russian. With descriptions and illustrations of Ampelisca latipes, A.? macrocephala, Byblis arcticus, Haploops cf. laevis, H.

sibirica, Ericthonius hunteri, Gammaropsis aff. melanops, Protomedeia fasciata, Dyopedos bispinus, D. monacanthus, Apherusa retovskii, Pleusymtes margulisae n.sp., Metopa aff. boecki? ssp. nov., M. leptocarpa, M. robusta, M. shoemakeri n. sp., M. gurjanovae n.sp., Metopella buynitzkii, M. bousfieldi n.sp., Stenula nordmanni, S. alexanderi n. sp., Monoculodes packardi, M. vibei, Harpinia panini Gurj. (was nom. nudum) and H. salebrosa).

UDALOVA, G.P., A.Ya. KARAS & M.I. ZHUKOVSKAYA, 1990. (Asymmetry of the movement direction in *Gammarus oceanicus* in the open field test).

Zhurnal Vyssh. Nervn Deyat Im.I. P. Pavlova 40, 93-101 (In Russian, not seen).

UGOLINI, A., 1989. Orientation in the water and antipredatory behaviour in sandhoppers. ____ Marine Behaviour and Physiology 14, 223-230.

UGOLINI, A., 1989. Predation and orientation in *Talitrus saltator*. Proceedings of the 21st International Ethology Conference, 9-17 Aug. 1989. Utrecht, abstract only.

UGOLINI, A., 1990. Predation and orientation in littoral amphipods. ____ Ethology, Ecology and Evolution 2, 331.

UGOLINI, A., S. FELICIANI & T. MACCHI, 1991. Orientation in the water and learning in *Talitrus saltator* Montagu. _____ Journal of Experimental Marine Biology and Ecology 151, 113-119.

UGOLINI, A. & L. PARDI, 1991. The sun's role in magnetic orientation of equatorial sandhoppers.

Society of Experimental Biology, Birmingham Meeting, Abstract only.

UITTO, A. & J. SARVALA, 1990. Perspectives on the ecological factors regulating *Pontoporeia* populations in the northern Baltic Sea. ____ Annales Zoologici Fennici 27, 297- 301.

UITTO, A. & J. SARVALA, 1991. Seasonal growth of the benthic amphipods *Pontoporeia affinis* and *P. femorata* in a Baltic archipelago in relation to environmental factors. ____ Marine Biology 111, 237-246.

VADER, W. & N.K. LETH, 1990. Notes on Norwegian marine Amphipoda 11. *Ceradocus torelli* (Goes, 1866), a new amphipod for Norway. ____ Fauna Norvegica, Ser. A 11, 59.

VÄINÖLÄ, R., 1990. Molecular time scales for evolution in *Mysis* and *Pontoporeia*. ____ Annales Zoologici Fennici 27, 211-214.

VÄINÖLÄ, R. & H. ROCKAS, 1990. New distributional data on 'glacial relict crustaceans' ____ Annales Zoologici Fennici 27, 215-220.

VAL'TER, E.D., 1991. Caprella septentrionalis Kröyer

(Amphipoda, Caprellidae), an intermediate host of nematodes of the genus *Contracaecum* Railliet et Henry.

____ Canadian Translations Fisheries and Aquatic Sciences 5534, 7 pp (Not seen. Translated from Russian, Zoologicheskii Zhurnal 47, 127-131.)

VARENKO, N.I., N.I. ZAGUBIZHENKO & Yu. K. GAIDASH, 1991. (Role of zoobenthos in the migration of trace elements in the Zaporozhye water reservoir (Ukrainian SSR, USSR).) ____ Gidrobiologyesky Zhurnol 27, (1), 78-82 (In Russian, not seen; i.a. *Pontogammarus crassus*)

VASSILENKO, S.V., 1991. Ecophysiological characteristics of some common caprellid species in the Possjet Bay (the Japan Sea). ____ Hydrobiologia 223, 181-187.

VERGARA, P.A., A.H. BUSCHMANN & F.A. KUSCHEL, 1990. (Abundance of amphipods on the exposed shore of Pucatrihue, Chile.) _____ Revista de Biologia Marina, Valparaiso 25, 93-107 (In Spanish. On *Hyale*)

VINOGRADOV, G.M., 1990. (Amphipods in the near-bottom layer in the south-western part of the Indian Ocean.) ____ Okeanologiya 30, 121-125 (In Russian. On the boundary between pelagic hyperiids and benthopelagic gammaroids).

VINOGRADOV, G.M., 1990. (Life form ratio of hyperiid amphipods in different parts of the ocean.) _____ Okeanologiya 30, 656-665 (In Russian).

VINOGRADOV, G.M., 1990. (The life-forms of the shallow-water amphipods (Crustacea, Amphipoda) of the Great Salma strait.) _____ Biologiya Nauki (Moskva) 0-8, 77-85 (In Russian).

VINOGRADOV, G.M., 1991. Hyperiid amphipods in the eastern part of the South Pacific gyre. ____ Marine Biology 109, 259- 265 (119 spp, listed on pp 261-262. New species in the genera *Streetsia* and *Hemiscelus* are mentioned, but not here described)

VINOGRADOV, M.E., A.M. KUDIN, A.V. SMOLKO & T.O. ABRAMYAN, 1991. (Structure of migrating aggregations of pelagic organisms.) _____ Doklady Akademiya Nauk SSSR 317, 1226- 1229 (In Russian).

VONK, R., 1990. *Psammogammarus stocki* n. sp. (Crustacea, Amphipoda, Melitidae) from beach interstitia on Tenerife. Stygofauna of the Canary Islands, 21. _____ Bijdragen tot de Dierkunde 60, 271-276.

VONK, R., 1990. Amsterdam Expedition to the West Indies. 66. *Thalassostygius exiguus* n.g., n. sp., a new marine interstitial melitid (Crustacea, Amphipoda) from Curacao and Klein Bonaire (Netherlands Antilles). _____ Stygologia 5, 43-48.

VONK, R., 1991. Two marine interstitial *Metaniphargus* species (Crustacea, Amphipoda) from Hawaii and the Cayman Islands. ____ Stygologia 6, 111-118 (*M*.

sabulonis n.sp. from Cayman Isl., M. laakona (transferred from Eriopisa) from Oahu, Hawaii.)

VONK, R. & E. SANCHEZ, 1991. A new marine interstitial ingolfiellid (Crustacea, Amphipoda, Ingolfiellidea) from Tenerife and Hierro.

Hydrobiologia 223, 293- 299. (I. canariensis n. sp.)

WAKABARA, Y., A.S. TARARAM, M.T. VALERIO-BERARDO, W. DULEBA & F.P. PEREIRA LEITE, 1991. Gammaridean and caprellidean fauna from Brazil.

Hydrobiologia 223, 69-77 (Extremely useful checklist)

WALLER, G.N.H., 1989. Two new species of whale lice (Cyamidae) from the ziphiid whale *Berardius bairdi*.

_____Investigations on Cetacea 22, 292-297 (*Platycyamus flaviscutatus* n. sp. and *Cyamus orubraedon* n. sp.

WARREN, A. & J. PAYNTER, 1991. A revision of *Cothurnia* (Ciliophora: Peritrichida) and its morphological relatives. ____ Bulletin of the British Museum of Natural History, Zoology 57, 17-59.

WEEKS, J.M. & P.G. MOORE, 1991. The effects of synchronous moulting on body copper and zinc concentrations in four species of talitrid amphipods (Crustacea). ____ Journal of Marine Biology Association UK 71, 481-488.

WEEKS, J.M. & P.S. RAINBOW, 1990. A duallabelling technique to measure the relative assimilation efficiencies of invertebrates, taking up trace metals from food. _____ Functional Ecology 4, 711-717.

WEEKS, J.M. & P.S. RAINBOW, 1991. The uptake and accumulation of zinc and copper from solution by two species of talitrid amphipods (Crustacea). _____ Journal of Marine Biology Association UK 71, 811-826 (Orchestia gammarellus and O. mediterranea.)

WEIGMANN-HAAS, R., 1990. Taxonomic und Verbreitung von *Vibilia antarctica* Stebbing 1888 im antarktischen Teil des Atlantik (Crustacea: Amphipoda: Hyperiidea). _____ Senckenbergiana Biologia 70 (1989), 419-428.

WEIGMANN-HAAS, R., 1991. Zur Taxonomic und Verbreitung der Gattung *Hyperoche* Bovallius 1887 im antarktischen Teil der Atlantik (Crustacea: Amphipoda: Hyperiidea). ____ Senckenbergiana Biologia 71 (1989), 169-179 (Deals with *H. luetkenides* and *H. capucinus*)

WEINBERG, S. & W. v. ZIJL, 1990. A multidisciplinary study of Jan Hendrik Stock (with the description of one new genus and four new species). _____ Bulletin of the Zoological Museum, Amsterdam, special Issue, 1-44 (A courageous effort to unravel the history and personality of Jan Stock, published at the occasion of his retirement as professor of zoology at Amsterdam University. Even I, who have known Jan since he was 20, learned a lot from this insightful paper. Highly recommended).

WESLAWSKI, J.M., S. KWASNIEWSKI & J. WIKTOR, 1991. Winter in a Svalbard fiord ecosystem. _____ Arctic

44, 115-123.

WHITEHURST, I.T., 1989. Factors affecting the *Gammarus* to *Asellus* ratio in unpolluted and polluted waters. _____ Dissertation Abstracts B- Sci. 2 Eng. 50, 351 pp (Not seen).

WHITFIELD, A.K., 1989. The benthic invertebrate community of a southern Cape estuary: Structure and possible food sources. _____ Transactions of the Royal Society of South Africa 47, 159-190 (i.a. Melita zeylanica, Urothoe pulchella and Orchestia. Not seen.)

WILDISH, D.J. & B. FROST, 1991. Volumetric growth in gammaridean Amphipoda. ____ Hydrobiologia 223, 171-176.

WILLIAMS, D.D., 1991. Life history traits of aquatic arthropods in springs. ____ Memoirs of the Entomological Society of Canada 155, 63-88 (Not seen. Amph.?)

WILLIAMS, W.D., A.J. BOULTON & R.G. TAAFFE, 1990. Salinity as a determinant of salt lake fauna: a question of scale. _____ Hydrobiologia 197, 257-266.

WILSON, W.H., 1991. Competition and predation in marine soft- sediment communities. Annual Review of Ecology and Systematics 21, 221-241.

WONES, A.G. & G.L. LARSON, 1991. The benthic macro invertebrate community in a coastal sand dune lake relative to habitat and changing lake levels. _____ Hydrobiologia 213, 167-181 (An Oregon study.

Corophium spinicorne dominant in littoral zones).

YAMATO, S., 1990. Two new species of the genus *Melita* (Crustacea: Amphipoda) from shallow waters of the Seto Inland Sea of Japan.

Publications of the Seto Marine Biology Laboratory 34, 149-165 (*M. hoshinoi* n.sp. and *M. quadridentata* n.sp. The author does not recognize the genus *Abludomelita*.)

ZANDER, C.D., 1990. Prey selection of the shallow water fish *Pomatoschistus minutus* (Gobiidae, Teleostei) in the SW Baltic _____ Helgoländer Meeresuntersuchungen 44, 147-157.

ZEIDLER, W., 1990. Pelagic Amphipoda, infraorder Physosomata (Crustacea: Amphipoda: Hyperiidea) from the CSK International Zooplankton Collection (western North Pacific) with the description of four new species of *Scina*. _____ Publications of the Seto Marine Biology Laboratory 34, 167-200 (Describes *Scina curvidactyloides* n. sp., *S. parasetigera* n. sp., *S. hurleyi* n. sp., *S. exospina* n. sp. and *Scina* sp., and provides a key to world *Scina*).

ZHENG, Z.,1990. (Environmental sex determination and sex ratio in Crustacea). _____ Journal of Oceanography of Taiwan Straits 9, 191- 199. (In Chinese, not seen.)

ZMUDZINSKI, L., 1990. Past and present occurrence of Malacostraca glacial relicts in Polish lakes. ____ Annales Zoologici Fennici 27, 227-230 (i.e. *Pallasea* and *Pontoporeia affinis*.)

NEW AMPHIPOD TAXA IN AMPHIPOD NEWSLETTER 19

Wim Vader

As promised, I'll try to bring out an index to each AN from now on.

New families and subfamilies in AN 19

ACANTHONOTOZOMELLIDAE Coleman & Barnard, 1991. Acanthonotozomella (type), Acanthonotozomoides, Acanthonotozomopsis and Amatiguakius

AMATHILLOPSIDAE (revived) Coleman & Barnard, 1991. *Amathillopsis* (type)

DIKWIDAE Coleman & Barnard, 1991. Dikwa (type)

ODIIDAE Coleman & Barnard, 1991. Odius (type), Postodius

VICMUSIIDAE Just, 1990. Vicmusia

WANDINIDAE Lowry & Stoddart, 1990. Wandin (type), Pseudocyphocaris

New genera and subgenera in AN 19

AMATIGUAKIUS Coleman & Barnard, 1991. Acanthonotozomellidae. *A. forsberghii*.

AMERICORCHESTIA Bousfield, 1991. Talitridae. Orchestia longicornis (+3)

APOTECTONIA Barnard & Ingram, 1990. Lysianassoidea A. heterostegos.

BONASSA Barnard & Karaman, 1991. Lysianassoidea Lysianassa bonairensis

CAECONYX Barnard & Karaman, 1991. Lysianassoidea *Hoplonyx caeculus*

CARINOMELITA Bousfield, 1990. Melitidae. C. janstocki

CERRORCHESTIA Lindeman, 1990. Talitridae. C. hyloraina

CONCARNES Barnard & Karaman, 1991. Lysianassoidea. Socarnes concavus

CORNUDILLA Barnard & Karaman, 1991. Oedicerotidae. Westwoodilla cornuta

COXIMEDON Barnard & Karaman, 1991. Lysianassoidea. *Normania latimana* (+1)

DARTENASSA Barnard & Karaman, 1991. Lysianassoidea. Lysianassa dartevillei

DIATECTONIA Barnard & Ingram, 1990. Lysianassoidea. D. typhodes.

DISSIMINASSA Barnard & Karaman, 1991. Lysianassoidea. Aruga dissimilis

FALCONASSA Barnard & Karaman, 1991. Lysianassoidea. Lysianassa falcata

GRONELLA Barnard & Karaman, 1991. Lysianassoidea. Anonyx groenlandicus

HARDAMETOPA Barnard & Karaman, 1991.Stenothoidae. Metopa nasuta (+1)

LYSIANASSINA Costa, 1867 (revived, Barnard & Karaman 1991) Lysianassoidea. Lysianax longicornis

MACRONASSA Barnard & Karaman, 1991. Lysianassoidea. Aruga macromerus (+1)

MARTENSIA Barnard & Karaman, 1991. Lysianassoidea. Lysianassa martensi

MESOCHTONGIDIELLA subgen. Grosso & Fernandez, 1985. Bogidiellidae (Bogidiella). B. (M.) tucumanensis.

MEXITROIDES subgen. Lindeman, 1990. Talitridae (Caribotroides). C. (M.) pecki (+1)

OTAGIA Barnard & Karaman, 1991. ? Condukiidae Platyischnopus neozelanicus

PARADICAPRELLA Hirayama, 1990. Caprellidea. P. brucei

RADYOPEDOS Andres & Rauschert, 1990. Podoceridae. *P. antarcticus*

PLUMITHOE Barnard & Karaman, 1991. Ampithoidae. *Amphithoe plumicornis* (+1)

PSEUDODULICHIA Rauschert, 1990. Podoceridae. Dulichia antarctica

RELICTOMOERA Barnard & Karaman, 1991. Eusiroidea. Paramoera relicta (+1) RINGARINGA Barnard & Karaman, 1991. Phoxocephalidae. *Metaphoxus littoralis*

SEPTCARNES Barnard & Karaman, 1991. Lysianassoidea. Socarnes septimus

STERNOMOERA Barnard & Karaman, 1991. Eusiroidea. Paramoera yezoensis (+2)

TECTOVALOPSIS Barnard & Ingram, 1990. Lysianassoidea. T. wegeneri (+4)

THALASSOSTYGIUS Vonk, 1990. Melitidae. Th. exiguus.

TRANSTECTONIA Barnard & Ingram, 1990. Lysianassoidea. T. torrentis

TULUWECKELIA Holsinger, 1990. Hadziidae. T. cernua

URONYCTUS Stock & Iliffe, 1990. Crangonyctidae *U. longicaudatus*

VENTIELLA Barnard & Ingram 1990. Lysianassoidea. V. sulfuris

VICMUSIA Just, 1990. Vicmusiidae. V. duplocoxa

WANDIN Lowry & Stoddart, 1990. Lysianassoidea Wandinidae. W. griffini

New species and subspecies in AN 19

ALEXANDERI (*Stenula*) Tzvetkova & Golikov, 1990. Laptev Sea, Siberia

ALONSOAE (Jassa) Conlan, 1990. S. Georgia.

ALPINUS subsp. (Niphargus strouhali) Karaman & Ruffo, 1989. Italian Alps.

AMCHITKENSIS (*Podoceropsis*) Conlan, 1983. Aleutian Isl.

AMERICANA subsp. (Cheirimedeia macrocarpa) Conlan, 1983. British Columbia

ANGUSTIMANA (*Podoceropsis*) Conlan, 1983. Vancouver Isl., Br. Columbia.

ANTARCTICUS (*Paradyopedos*) Andres & Rauschert, 1990. 61°S, 54°W.

AQUATICA (Bogidiella) Karaman, 1990. Kreta.

AROUDANENSIS (*Metacrangonyx*) Messouli, Boutin & Coineau, 1991. Haut Atlas, Morocco.

ASIATICUS (Parallorchestes) Tzvetkova, 1990. E. Kamchatka.

ASSOCIATUS (*Pseudoniphargus*) Sanchez, 1990. Tenerife, Canary Isl.

ATLANTICA (Bogidiella) Sanchez, 1991. W. Canary Isl.

AULICUS (Niphargus) Karaman, 1991. N. Dalmatia, Kroatia.

BARBARAE (Americorchestia) Bousfield, 1991. Texas.

BARNARDI (Lembos). Ortiz & Nazabal, 1988. Cuba.

BERGAE (*Haplogynglymus*). Pretus & Sabater, 1990. Catalonia, NE Spain.

BISAETA (Hyale). Kim & Kim, 1991. Ulreung Isl., S. Korea.

BOROWSKYAE (Jassa) Conlan, 1990. Br. Columbia.

BOUSFIELDI (Carinobatea) Ortiz, 1991. W. coast Florida.

BOUSFIELDI (*Metopella*) Tzvetkova & Golikov, 1990. Laptev Sea, Sibiria.

BOWMANI (*Phronima*) Shih, 1991. Eastern tropical Pacific.

BRACHYCLADUS (Ampelisca) Roney, 1990. Southern California.

BREVISPINA (*Maera*) Kim & Kim, 1991. Ulreung Isl., S. Korea.

BROCHA (*Netamelita*) Thomas & Barnard, 1991. Florida Keys.

BRUCEI (Paradicaprella) Hirayama, 1990. N. Caledonia.

CAMPI (Carinobatea) Ortiz, 1991. West coast Florida.

CANARIENSIS (Ingolfiella) Vonk & Sanchez, 1991. Tenerife, Canary Isl.

CANDELARIAE (*Pseudoniphargus*) Sanchez, 1990. Tenerife, Canary Isl.

CARLTONI (Jassa) Conlan, 1990. California

CERNUA (*Tuluweckelia*) Holsinger, 1990. Yucatan, Mexico.

CHIAPENSIS (Caribotroides) Lindeman, 1990. Chiapas, Mexico.

CHIONOECETOPHILA (*Podoceropsis*) Conlan, 1983. Oregon, USA.

CONCINNA (Caprella) Mateus & Mateus, 1991. Cap Verde Isl.

CONVEXA (*Urothoe*) Kim & Kim, 1991. Channam, S.Korea.

CURVIDACTYLOIDES (Scina) Zeidler, 1990. Western North Pacific.

CYPRIA (Bogidiella) Karaman, 1989. Cyprus.

DELAMAREI (*Metacrangonyx*) Messouli, Boutin & Coineau, 1991. Oued Dades, Haut Atlas, Morocco.

DENTATA (Gondogeneia) Alonso, 1986. Santa Cruz, Argentina.

DENTICULUS (*Paranamixis*) Kim & Kim, 1991. Ulreung Isl., S. Korea

DENTIPALMA (Ventojassa) Kim & Kim, 1991. Ulreung Isl., S. Korea

DIABOLUS (*Tectovalopsis*) Barnard & Ingram, 1990. 12°48'N, 103°56'W, vent areas.

DOMINICA (Gitana) Thomas & Barnard, 1990. Dominica, Caribbean.

DORSOSETOSUS (Gammarus) Mateus & Mateus, 1990. SE Turkey.

DRACOSPIRITUS (Ingolfiella) Griffiths, 1989. Namibia.

DULCICOLA (Melita) Stock & Vonk, 1990. La Gomera, Canary Isl.

DUNBARI (*Phronima*) Shih, 1991. Eastern tropical Pacific.

DUPLOCOXA (Vicmusia) Just, 1990. Bass Strait, Australia.

ELLISI (Gammaropsis) Conlan, 1983. British Columbia.

ENTRICHOMA (*Ensayara*) Gable & Lazo-Wasem, 1990. Bermuda.

EOUSIDES (Anonyx) Steele, 1991. Okhotsk Sea.

EPIGAEA (*Palmorchestia*) Stock, 1990. La Palma, Canary Isl.

EXIGUUS (Thalassostygius) Vonk, 1990. Curacao.

EXOSPINA (Scina) Zeidler, 1990. Western N. Pacific.

FASTIDIOSA (Ampithoe) Mateus & Mateus, 1991. Cap Verde

FENWICKI (Jassa) Conlan, 1990. Snares, N. Zealand.

FLAVISCUTATUS (Platycyamus) Waller, 1989. ?

FORSBERGHII (Amatiguakius) Coleman & Barnard, 1991. Alcutian Isl.

FUSILUS (Tectovalopsis) Barnard & Ingram, 1990. off W. Mexico, vent area.

GLABRA (Caprella) Aoki, 1991. W. Kyushu, Japan.

GLANDULATUS (Eoniphargus) Stock & Jo, 1990. S. Korea.

GLUTONIS (*Hirondellea*) Barnard & Ingram, 1990. 13°N rift, vent area.

GOBABIS (Ingolfiella) Griffiths, 1989. Namibia.

GOMERI (Orchestia) Stock, 1989. La Gomera, Canary Isl.

GOSEMA (*Pseudocyphocaris*) Lowry & Stoddart, 1990. Madang lagoon, Papua NG.

GOULMIMENSIS (Metacrangonyx) Messouli, Boutin & Coineau, 1991. Goulmima, Morocco.

GREBNITZKII (Anonyx) Steele, 1991. Bering Island.

GRIFFINI (Wandin) Lowry & Stoddart, 1990. Great Barrier Reef.

GRUBERI (Dikerogammarus) Mateus & Mateus, 1990. SE Turkey.

GRUNERI (Jassa) Conlan, 1990. Tasmania.

GUADALUPENSIS (Floresorchestia) Ciavatti, 1989. Guadeloupe, Caribbean.

GURJANOVAE (Metopa) Tzvetkova & Golikov, 1990. Laptev Sea.

GUYOTI (Hirondellea) Barnard & Ingram 1990. Hess Guyot, vent area.

HANAMURAI (*Paramoera*) Hirayama, 1990. Hokkaido, Japan.

HARTMANNAE (Jassa) Conlan, 1990. The Snares, N. Zealand.

HEARDI (Americorchestia) Bousfield, 1991. Mississippi, USA.

HETEROSTEGOS (Apotectonia) Barnard & Ingram, 1990. Galapagos Vents.

HONGKONGENSE (Corophium) Hirayama, 1986. Hong Kong.

HOONSOOI (*Podocerus*) Kim & Kim, 1991. Ulreung Isl., S. Korea

HOSHINOI (Melita) Yamato, 1990. Seto Inland Sea, Japan.

HURLEYI (Scina) Zeidler 1990. Western North Pacific.

HWANGHAENSIS (Liljeborgia) Kim & Kim, 1990. Yellow Sea, Korea.

HYLORAINA (Cerrorchestia) Lindeman, 1990. Monteverde, Costa Rica.

INCIDERIS (Gammaropsis) Lyons & Myers, 1991. Gulf of Aqaba, Red Sea.

INCONDITUS (Pseudoniphargus) Karaman & Ruffo, 1989. Sicilia, Italy

INOPINATUS (Gammarus) Mateus & Mateus, 1990. Near Istanbul. Turkey.

ITALICUS subsp. (*Pseudoniphargus africanus*) Karaman & Ruffo, 1989. Sicilia, Italy.

JADRANKA subsp. (Niphargus rejici) Sket & Karaman 1990. Krk, Kroatia.

JANSTOCKI (Carinomelita) Bousfield, 1990. Hawaii.

JAYNEAE (Haustorius) Foster & Lecroy, 1991. Northern Gulf of Mexico.

JUSTI (Jassa) Conlan, 1990. Macquarie Isl., subantarctic.

KAIKAI (*Orchomene*) Bellan-Santini, 1990. 35°N, 142°E, deep water.

KARUKARAE (*Tethorchestia*) Ciavatti, 1989. Guadeloupe, Caribbean.

KERAKAE (Lysianassa) Lyons & Myers, 1991. Gulf of Aqaba, Red Sea.

KINGELEPHA (*Thaumatelsonella*) Rauschert & Andres, 1991. S. Shetland Islands.

KOMINATOENSIS (Caprella) Takeuchi, 1986. Chiba, Japan.

KOREANUS (Ceradocus) Kim & Kim, 1989. Pusan, S.Korea.

KOREANUS (Elasmopus) Kim & Kim, 1991. Ulreung Isl., S. Korea.

LACERTOSA (Maera) Mateus & Mateus, 1991. Cap Verde.

LAETIFUCATUS (Coboldus) Just, 1990. Barbados, W. Indies.

LEFKODEMONAKI (*Niphargobates*) Sket, 1990. Kreta, Greece.

LEPIDA (Synurella) Mateus & Mateus, 1991. Turkey.

LOBATA (Dulzura) Stock & Vonk, 1991. Cap Verde.

LOBATA (*Pseudocyphocaris*) Lowry & Stoddart 1990. Madang lagoon, Papua NG

LOBIFERUS (*Liagoceradocus*) Stock & Iliffe, 1991. Solomon Islands.

LONGICAUDUS (*Uronyctus*) Stock & Iliffe, 1990. Mt. Gambier, W. Australia.

LONGIDACTYLA (Guernea) Hirayama, 1986. Hong Kong.

LONGIDACTYLUS (*Eohaustorius*) Jo, 1990. Chungnam, S. Korea

LOWRYI (Shoemakerella) Gable & Lazo- Wasem, 1990. Bermuda.

MACINERINEYI (Photis) Conlan, 1983. British Columbia

MACKIEI (Guernea) Hirayama, 1986. Hong Kong.

MACRODACTYLA (Cheirimedeia) Conlan, 1983. St. Lawrence Isl., Alaska.

MAGELLANICA (Curidia) Coleman & Barnard, 1991. Magellan Straits, S. America.

MARGULISAE (*Pleusymtes*) Tzvetkova & Golikov, 1990. Laptev Sea.

MESSANAI (Niphargus) Karaman, 1989. Tuscany, Italy.

MIAE (Gammarus) Mateus & Mateus, 1980. Iran.

MIOSPINULOSUM subsp. (Corophium sextonae) Hirayama, 1986. Hong Kong.

MONDLANEI (Gammaropsis) Ortiz, 1990. Mozambique

MORINOI (Jassa) Conlan, 1990. Japan

MORTONI (Corophium) Hirayama, 1986. Hong Kong

MURIVAI (Colomastix) Myers, 1990. Rarotonga, Cook

MYERSI (Jassa) Conlan, 1990. California.

MYTILUS (*Euonyx*) Barnard & Ingram, 1990. Galapagos Vents.

NEBULOSUS (*Tectovalopsis*) Barnard & Ingram, 1990. Jasper Seamount, vent area.

NEWTONI (Caribotroides) Lindeman, 1990. Oaxaco, Mexico.

OCLAIRI (Jassa) Conlan, 1990. Amchitka Isl., Alaska.

ODETTAE (Gammarus) Mateus & Mateus, 1990. Central Turkey

OLIGOCHAETA (Photis) Conlan, 1983. British Columbia.

ORUBRAEDON (Cyamus) Waller, 1989. ?

OXICARINATA (Epimeria) Coleman, 1990. 61°S, 56°W,

PACHYDACTYLA (*Photis*) Conlan, 1983. British Columbia.

PAGETI (Gammarus) Mateus & Mateus, 1990. E. Turkey.

PANINI Gurjanova nom. nud. (*Harpinia*) Tzvetkova & Golikov, 1990. Laptev Sea.

PAREOUS (Anonyx) Steele, 1991. Okhotsk Sea

PARVIDOUS (Photis) Conlan, 1983. British Columbia.

PATAGONICA (Gondogeneia) Alonso, 1986. Santa Cruz, Argentina.

PECKI (Caribotroides) Lindeman, 1990. Oaxaca, Mexico.

PECTENCORONATAE (Niphargus) Sket & Karaman, 1990. Dalmatia, Kroatia.

PETRAE (Liljeborgia) Lyons & Myers, 1991. Gulf of Aqaba, Red Sea.

PLUMIPES (Gammarus) Mateus & Mateus, 1990. Iran.

POLYNESICA (Fallotritella) Müller, 1990. Bora Bora, Society Islands.

PRETZMANNI (Gammarus) Mateus & Mateus, 1990. Iran.

PSEUDEOUS (Anonyx) Steele, 1991. Cape Lisburne, Alaska.

PTERISCHIUS (Lemboides) Lyons & Myers, 1990. Gulf of Aqaba, Red Sea.

PULCHRA (Epimeria) Coleman, 1990. 61°S, 45°W.

QUADRIDENTATA (*Melita*) Yamato, 1990. Seto Inland Sea, Japan.

REGELATUS (*Tectovalopsis*) Barnard & Ingram, 1990. Hess Guyot, vent area.

RHEOPHILUS (Rhipidogammarus) Stock & Sanchez, 1990. Tenerife, Canary Isl.

RUBRIEQUES (*Epimeria*) De Broyer & Klages, 1991. Weddell Sea, Antarctic.

RUFFOI (Metacrangonyx) Messouli, Boutin & Coineau, 1991. Azib Asseln, Morocco.

SABULONIS (*Metaniphargus*) Vonk, 1991. Cayman Isl., Caribbean.

SAFIAE (Leucothoe) Lyons & Myers, 1991. Gulf of Aqaba, Red Sea.

SALOMANI (Americorchestia) Bousfield, 1991. W. Florida, USA

SARDOUS (*Tyrrhenogammarus*) Karaman & Ruffo, 1989. Sardinia, Italy.

SETOSA (*Podoceropsis*) Conlan, 1983. Aleutian Islands.

SETULOSUS (Eohaustorius) Jo, 1990. Pusan, S. Korea.

SHAWI (Jassa) Conlan, 1990. British Columbia.

SHOEMAKERI (Gammaropsis) Conlan, 1983. British Columbia.

SHOEMAKERI (*Metopa*) Tzvetkova & Golikov, 1990. Laptev Sea.

SIMILICARPA (Cheirimedeia) Conlan, 1983. British Columbia.

SIMILIS subsp. (*Niphargus galvagni*) Karaman & Ruffo, 1989. Italian Alps.

SINEPLUMOSA (Sunamphitoe) Kim & Kim, 1991. Ulreung Isl., S. Korea.

SINICA (Bogidiella) Karaman & Sket, 1990. Zhuang AR, China.

SKETI (Gammarus) Karaman, 1989. Lake Ohrid, Montenegro.

SLATTERYI (Jassa) Conlan, 1990. California.

SOMBATI (Guernea) Hirayama, 1986. Hong Kong.

SPINIGERUS (Eohaustorius) Jo, 1990. Chungnam, S. Korea

SQUAMOSA (Hyalella) Mateus & Mateus, 1990. Guadeloupe, W. Indies.

STAUDEI (Jassa) Conlan, 1990. British Columbia.

STOCKI (Bogidiella) Karaman, 1990. Sinai peninsula, Egypt.

STOCKI subsp. (Hadzia fragilis) Karaman, 1989. NE Italy.

STOCKI (Jerbarnia) Thomas & Barnard, 1990. Great Barrier Reef.

STOCKI (Maera) Mateus & Mateus, 1991. Cap Verde.

STOCKI (Orchestia) Ruffo, 1990. Gran Canaria, Canary Isl.

STOCKI (*Orchomene*) Bellan- Santini, 1990. 13°N, 59°W, deep water.

STOCKI (Pontogeneia) Hirayama, 1990. Fukushima pref., Japan.

STOCKI (Psammogammarus) Vonk, 1990. Tenerife, Canary Isl.

SULFURIS (Ventiella) Barnard & Ingram, 1990. Galapagos

Rift, vent area.

TABACI (Netamelita) Thomas & Barnard, 1991. Belize, C. America.

TAIHUENSIS (Grandidierella) Morino & Dai, 1990. Taihu, Wuxi, China.

THURSTONI (Jassa) Conlan, 1990. S. Orkney Isl., subantarctic.

TORRENTICOLA (Bogidiella) Pretus & Stock, 1990. Mallorca, Spain.

TORRENTIS (*Transtectonia*) Barnard & Ingram, 1990. 13°N 104°W, vent area.

TRIANGULOPEDARUM (*Corophium*) Hirayama, 1986. Hong Kong.

TRIDENTIUM (Corophium) Hirayama, 1986. Hong Kong.

TROPHERUS (*Photis*) Thomas & Barnard, 1991. Dominica, West Indies.

TUCUMANENSIS (Bogidiella) Grosso & Fernandez, 1985. Tucuman, Argentina.

TUXTLENSIS (Caribotroides) Lindeman, 1990. Vera Cruz, Mexico.

TYPHODES (*Diatectonia*) Barnard & Ingram, 1990. Hamilton Guyot, vent area.

TZVETKOVAE (Paraeurystheus) Conlan, 1983. Aleutian Isl.

ULREUNGENSIS (*Podocerus*) Kim & Kim, 1991. Ulreung Isl., S. Korea.

UNCIFERUS (Liagoceradocus) Stock & Iliffe, 1991. Fiji.

VALEDICTUS (Echinogammarus) Pinkster & Platvoet, 1990. Algeria.

WARRAINA (*Iphimedia*) Thomas & Barnard, 1991. S. Australia.

WEGENERI (*Tectovalopsis*) Barnard & Ingram, 1990. 13°N, 104°W, vent area.

WILLIAMSONI (Cheiriphotis) Salman & Jabbar, 1990. Iraq.

XESTA (*Iphimedia*) Thomas & Barnard, 1991. Madang, Papua NG

ZORA (*Iphimedia*) Thomas & Barnard, 1991. Florida Keys, USA.

SYSTEMATIC INDEX TO NEW AMPHIPOD GENERA AND SPECIES IN AN 11-19

Wim Vader

This list covers all new taxa indexed in AN 18, plus those described in papers listed in AN 19; the latter are marked (19) in the list. New genera are written with capitals.

For the sake of easy reference, the present list follows the taxonomy of the recent handbook by Barnard & Karaman (1991), even where more recent revisions have changed the picture. Thus the Corophioidea, Eusiridae, Iphimediidae and Lysianassoidea are here all treated 'sensu lato', as in the handbook. For the gammaroid complex, the earlier handbook by Barnard & Barnard (1983) has been used with the following, admittedly quite arbitrary headings: Anisogammaridae, Artesiidae, Bogidiellidae, 'greater Ceradocus group' (IX A in Bnd & Bnd), cheirocratids (VIII), crangonyctoids, gammaroids (III minus Pontoporeiidae), Gammaroporeiidae, 'Hadzia-Weckelia group' (IX D), Melitidae (IX E 1,2), Mesogammaridae, 'niphargids' (IX E 3-4), Pontoporeiidae, and Salentinellidae. (A few 'hard nuts' are placed as 'incertae sedis' with the gammaroids.). The other suborders have much fewer new taxa, so have been treated practically without subdivision, although the Cyamidae have been kept apart.

It is virtually impossible to satisfy everybody with a list like this one. I can see clear shortcomings myself:

- 1) New families and new subgenera are not included here (Subspecies have been treated as species).
- 2) Only new taxa are listed, not i.a. those spp that have been transferred from one genus to another.
- 3) This list can only be used together with the alphabetic indexes in AN 18 and 19, and only used properly in conjunction with the bibliographies in earlier newsletters.
- 4) The list is uncritical. In all cases the judgement of the original authors has been followed, even where this deviates from the verdict of the B & K- handbook.

It is my intention from now on to publish a similar systematic index in each issue of AN, if there is interest for that. I shall therefore be most grateful for all critical comments and suggestions for improvement.

Ampeliscidae

Ampelisca acutidentata, armoricana, ballina, bicarinata, bidura, brachycladus (19), burkei, calooma, careyi, dallenei, dimboola,e rythrorhabdota, euroa, fageri, hawaiiensis, hessleri, jingera, karamani, lenoldii, macrodonta, melaniensis, melitae, monoculata, monodi, narooma, nossibeensis, parapacifica, paria, remora, spooneri, tilpa, toora, toulemonti, verga, yuleba.

Byblis bega, frigidus, gerara, gloriosae, inaequicornis, mildura, robustus, tinamba.

Byblisoides cubensis, plumicornis

Haploops fundiensis, oona.

Amphilochidae

AFROGITANOPSIS

Amphilochus casahoya, delacaya, pillaii, ruperti

Gitana dominica (19), gracilis

Gitanopsis baciroa, breviculus, japonica, laguna, longus, petulans, robustodentes, tai,? tenuipes

PARAMPHILOCHUS parachelatus

ROSTROGITANOPSIS

Ampithoidae

Ampithoe brevipalma, dentimana, fastidiosa (19), guaspare, hirsuta, kaneohe navosa (sub Pleonexes), kava, koreana, kuala, maxillisius, nobrei, plumicornis, sectimanus, spuria, tahue, vacoregue, youngsanensis

Cymadusa grossimana, lunata, pilipes

Examphithoe (MELANESIUS) cooki, gracilipes

Paradusa bilobata, pilipes

PERAMPHITHOE baegryeongensis, lessoniophila, namhaensis

PLUMITHOE (19)

PSEUDOPLEONEXES

Sunamphitoe sineplumosa (19)

Anamixidae

Anamixis barnardi

Paranamixis aberro, denticulus (19), madagascarensis

Anisogammaridae

Anisogammarus madyensis ANNANOGAMMARUS BARROWGAMMARUS CARINEOGAMMARUS

Eogammarus oclairi, psammophilus

JESOGAMMARUS fluviatilis, hokurikuensis, naritai, paucisetulosus, spinipalpus, suwaensis.

LOCUSTOGAMMARUS levingsi

RAMELLOGAMMARUS vancouverensis

SPASSKOGAMMARUS tzvetkovae

Artesiidae

ARTESIA subterranea

Bateidae

Carinobatea bousfieldi (19), campi (19)

Biancolinidae

Biancolina (obtusata) sachalinensis

Bogidiellidae

ACTOGIDIELLA cultrifera
AEQUIGIDIELLA aquilifera
AFRIDIELLA messanai, pectinicauda

Bogidiella antennata, aprutina, aquatica (19), arganoides, atlantica (19), balearica, calicali, capia, cerberus, chitalensis, convexa, cooki, cypria (19), cyrnensis, deharvengi, gammariformis, glabra, hamatula, hispanica, horcomollensis, italica, mexicana, nicolae, nubica, paolii, paraichnusae, perla, prionura, purmamarcensis, purpuriae, ringueleti, sarawacensis, serbica, silverii, sinica (19), sketi, spathulata, talampuyensis, thai, torrenticola (19), tucumanensis (19), tyrrhenica, uncinata, uniramosa, virginalis

EOBOGIDIELLA
HEBRAEDIGIDIELLA bromleyana
MAGHREBIELLA maroccana
MARIGIDIELLA crassipes
MARINOBOGIDIELLA
NUBIDIGIELLA
PARABOGIDIELLA americana
SOMAGIDIELLA

Ceinidae

AUSTROCHILTONIA (revived)

Cheidae

CHEUS annae

Greater Ceradocus group

ANAMAERA hixoni ANIMOCERADOCUS

Ceradocus crenatipalma, inermis, koreanus, mahafalensis, oxyodus, tattersalli, woorrea, yondala COXOMAERELLA pirloti

Elasmopus alalo, balkomanus, bampo, crenulatus, integer, koreanus (19), lapu, mayo, ocoroni, rishikondiensis, seticarpus, spinicarpus, spinipalpus, spinipes, temori, tiburoni, tubar, visakhapatnamensis, waltersi, zoanthidea

LUPIMAERA

Maeraaequimana, anoculata, atlantica, brevispina (19), chinarra, excavata, gloriosae, griffini, lacertosa (19), leopoldinae, lindsae, mooreana, multispinosa, pedonculata, pseudomarginata, reishi, stocki (19)

Mallacoota bahara, latidactylus, nananui, schellenbergi, subinsignis

MEGACERADOCUS gigas

Meximaera sinuata

Paraceradocus gibber, ramulus, stenepimerus, trispinosus

Parelasmopus mallacootaformis, zelei

Quadrivisio bousfieldi, lobata

cheirocratids

AUROHORNELLIA

Cheirocratus armatus, bassi, praedens, spinibasus, unidentatus

DEGOCHEIROCRATUS spani

Gibberulus devaneyi, falciformis

Hornellia atlantica, tequestae

INCRATELLA (= INDOCRATUS)

Jerbarnia americana, aquilopacifica, stocki (19), tridentata

Maerella ledoyeri

Megaluropus excavatus, myersi

Melphidippa linea

Melphisana madagascarensis

MELPHISUBCHELA subprehenda

Metaceradocus bidentatus, ? inermis

PROSOCRATUS butcheri

RESUPINUS coloni, spinicaudatus

Colomastigidae

Colomastix armata, azumai, brevicornis, cornuta, inaequicornis, janiceae, laminosa (19), murivai (19), plumosa, prionotos (19), spinosa, truncatipes

Yulumara armadillicta, tricuspis

Condukiidae

CONDUKIUS karkan

? OTAGIA

Corophioidea

AETIOPEDES gracilis

AFRICOECETES

ANONYCHOCHEIRUS richardsoni

Aora adpressa, hebes, hircosa, pseudotypica

Aorcho gracilipes, nanus

AORELLA multiplex

Aoroides exilis, inermis, intermedius, pseudotypica

AUSTRALOECETES jervidis

AUSTRALOMICRODEUTOPUS

BARACUMA alquirta

BEMLOS arkoolus, bidens, (ephippium) disjuncta, dolichomanus, ephippium, gilgi, mollis, strigilis, tridentatus, tris, trudis.

Bonnierella dimorpha

BORNEOECETES wongi

BUBOCOROPHIUM

CARIBBOECETES barbadensis, crassicornis, intermedius, jenikarpae, magellani, pterycornis, squamiferus.

CENTRALOECETES

Cerapus benthophilus, erae, fallohideus, harfootus, oceanicus, pacificus, stoorus

CHAETOCOROPHIUM

Cheirimedeia macrodactyla

Cheiriphotis madagascarensis, mediterranea, minima, rotui, williamsoni

COLUMBAORA cyclocoxa

Concholestes omani

COROCUBANUS guitarti

DODOPHOTIS

Ericthonius coxacanthus, fasciatus, latimanus, punctatus, stephenseni, tacitus

Gammaropsis aculeata, arawakia, crenulata, deseadensis, dilatata, ellisi (19), emancipata, incideris (19), insignis, latipalma, longipropodi, modianei (19), nantis, pseudodenticulata, shoemakeri (19), sutherlandi, ulrici, (atlanticus) varius

GLOBOSOLEMBOS lunatus

Grandidierella exilis, indentata, insulae, longidactylus, propodentata, taihuensis (19), teres, vietnamica.

Haplocheira plumosa

Jassa alonsoae (19), borowskyae (19), carltoni (19), fenwicki (19), gruneri (19), hartmannae (19), justi (19), morinoi (19), myersi (19), oclairi (19), shawi (19), slatteryi (19), socia (19), staudei (19), thurstoni (19).

Kamaka palmata

Konatopus latipalma, tulearensis

Kuphocheira emancipata

Lemboides caecus, pterischium (19)

Lembos achire, aoraformis, barnardi, chiltoni, clavatus, denticarpus, habanensis, hippocrenes, mayensis, ovalipes, ovatus, pertinax, regius, saloteae, spinimerus, (denticulatus) taparum, tehuecos, tempus, tiafaui, tigrinus, tui, virgus.

Leptocheirus dufresni, rhizophorae

LIOCUNA caeca

?obliquimana

MERIDIOLEMBOS

Microjassa chinipa

Neohela intermedia

Neomegamphopus heardi, hiatus, kalanii, pachiatus

PAGURISAEA schembrii

PARACERAPUS

Paracorophium chelatum, chilense, hartmannorum

Parajassa andromedae, bidentata, spinipalma

PARAMICRODEUTOPUS

PAREURYSTHEUS amakusaensis, gurjanovae, latipus, tzvetkovae (19).

PEDICOROPHIUM

Photis albus, beringiensis, cavimana, japonica, lamina, macinerineyi (19), macromana, nigrocula, oligochaeta (19), pachydactyla (19), parvidous (19), phaeocula, pirloti, pollex, tropherus (19).

PLESIOLEMBOS

Podoceropsis amchitkensis (19), angustimana (19), chionoecetophila (19), setosa (19).

POLYNESOECETES kekeae

POSOPHOTIS seri

PROTOLEMBOS arinyas, drummondae, murrarum, varanus

Protomedeia crudoliops

Pseudischyrocerus crenatipes

Pseudomegamphopus chelatus, pseudochelatus

PSEUDOPHOTIS ariakensis

RAKIROA rima

RHINOECETES

Siphonoecetes arabicus, exolitus, kroyeranus, neapolitanus, striatus

STEBBINGOECETES

STENOCOROPHIUM bowmani

TETHYLEMBOS

Unciola integripleura

Unciolella articulata

VAROHIOS topianus

Ventojassa crenulata, dentipalma (19)

Xenocheira ?angusticarpa, pirloti

ZOEDEUTOPUS cinaloanus

crangonyctoids

ANTIPODEUS franklini

AUSTROCRANGONYX

AUSTROGAMMARUS multispinatus, saycei, spinatus

Crangonyx aberrans

DUSSARTIELLA madegassa

Paramelita flexa

SANDRO

Sternophysinx alca

Stygobromus canadensis, quatsinensis, secundus

STYGONYX courtneyi

Synurella lepida (19), (coeca) rafalskii

TASNIPHARGUS tyleri

Uroctena affinis

URONYCTUS (19) longicaudus (19)

WESNIPHARGUS

YULIA

Cyproideidae

Austropheonoides splendens, truganini Cyproidea liodactyla, marmorata

Moolapheonoides angustipes, (coocoo) seraa

TEREPELTOPES dolichorhunia

Dexaminidae

Atylus brevitarsis, megalops, tulearensi s,urocarinatus

DEXAMINOCULUS (=Sphaerophthalmus) acutipes, cavimana

Guernea ezoensis, longicornis, longidactyla (19), mackiei (19), magnaphilostoma, minor, nullispina, rectocephala, sombati (19), spinicornis, tenuipes, terelamine, tomiokaensis.

HAUSTORIOPSIS brevispinis, latipes

Lepechinella grimi, helgii, madagascarensis, skarphedini

LEPECHINELLOIDES karii

LEPECHINELLOPSIS brevicaudata, inaequicaudata

Paradexamine bisetigera, excavata, gigas, micronesica, rewa, setigera

Paralepechinella longicornis

Polycheria amakusaensis, (atolli) orientalis

SEBADEXIUS neocaledoniensis

Didymocheliidae

Didymochelia edwardi

Dogielinotidae

DOGIELINOIDES golikovi EOHAUSTORIOIDES

Haustorioides gurjanovae, indivisus, koreanus, latipalpus, magnus, nesogenes

PROBOSCINOTUS

Eophliantidae

Bircenna dronga

Eusiridae s.l.

ABDIA

Apherusa vexatrix

Atylopsis fragilis, procerus

Bathyschraderia fragilis

CALLIOPIURUS excellens

Cleonardo brevipes

Eusiroides aberrantis, dentimerus, (monoculoides) japonicus, yucatanensis

Eusirus crosnieri, latirostris, propeperdentatus

DAUTZENBERGIA

Gondogeneia dentata (19), patagonica (19), thurstoni

Halirages caecus

MANEROGENEIA

MEMBRILOPUS

NASAGENEIA yucatanensis

Oradarea ? scissicaudata

Paramoera hanumarai (19), incognita, stephenseni

Pontogeneia opata, stocki (19)

RELICTOMOERA

Rhachotropis arii, gislii, gloriosae, schellenbergi, thordisae, thorkelli

STERNOMOERA

Tethygeneia cavitelson

WHĂNGARUSA

Exoedicerotidae

METOEDICEROPSIS dadoensis

Patuki roperi

VADOSIAPUS copacabanus

WARREYUS

'gammaroids'

ABLUDOGAMMARUS

Accubogammarus (algor) jalzici

Carinurus amentatus, bazikalovae, bifrons

CEPHALOGAMMARUS

Chaetogammarus oliviiformis

CONDICIOGAMMARUS

Dikerogammarus gruberi (19)

Echinogammarus antalyae, cyrtus, dactylus, pseudoaquilifer, pungentioides, valedictus (19)

Gammarus belli, caparti, chimkenti, desperatus, dorsosetosus (19), galgosensis, (songirdaki) hissari, hongyuanensis, hoonsooi, inopinatus (19), (sobaegensis) kimi, lasaensis, ledoyeri, leopoliensis, longipedis, lychnidensis, (sobaegensis) marginalis, miae (19), odaensis, odettae (19), orinos, oronticus, pageti (19), parechiniformis, plumipes (19), pretzmanni (19), pseudanatoliensis, salemaai, shanxiensis, sketi(19), solidus, songirdaki, soyoensis, stupendus, vignai, zeongogensis.

JUBEOGAMMARUS

KUZMELINA

LANCEOGAMMARUS

LAUROGAMMARUS

LUSIGAMMARUS

PALICARINUS

PALLASIOLA

PSEUDACANTHUS

RELICTACANTHUS

Rhipidogammarus nivariae, rheophilus (19), triumvir, variicauda

Sarothrogammarus contiguus

TADZHIKISTANIA

TURCOGAMMARUS

TYRRHENOGAMMARUS (19) sardous (19)

YOGMELINA limana

incertae sedis

Eoniphargus glandulatus (19) GAMMAROPISA arganoi SENSONATOR valentiensis

Gammaroporeiidae

GAMMAROPOREIA

Hadzia-Weckelia group

AFROCRANGONYX

ALLOTEXIWECKELIA hirsuta

APOWECKELIA serrata

BAHADZIA latipalpus, obliqua, setimana, stocki, williamsi

CRANGOWECKELIA mixta, spinicauda

Dulzura gal, lobata (19), paucispinosa

FIHA schminkei

Hadzia (fragilis) drinensis, pachypoda, (fragilis), stocki (19)

HOLSINGERIUS

Liagoceradocus acutus, dentiferus, lobiferus (19), unciferus (19)

LONGIPODACRANGONYX

Metacrangonyx aroundanensis (19), delamarei (19)

gineti, goulminensis (19), ruffoi (19), sinaicus

Metahadzia adriatica, helladis, uncispina

Metaniphargus anchihalinus, bullipes, chaetodactylus, craterensis, crenatus, haitianus, hyporheicus, juberthiei, longidactylus, ortali, plumicauda, sabulonis (19), spinicauda, venezolanus

PACHYPODACRANGONYX maroccanus

PARAMEXIWECKELIA

PARHADZIA sbordonii

PHREATOMELITA paceae

PINTOWECKELIA grandis
PYGOCRANGONYX repens

QUADRUS vagabundus

RADOWECKELIA brevicauda

SRIHA

TEXIWECKELIA insolita, samacos

TEXIWECKELIOPSIS

THALASSOSTYGIUS (19) exiguus (19)

TULUWECKELLA (19) cernua (19)

ZHADIA subantarctica

ZOMBIWECKELIA parvipalpus

Haustoriidae

Acanthohaustorius bousfieldi, pansus, similis, uncinus

Echaustorius longidactylus (19), setulosus (19), spinigerus (19), stocki (19), subulicola, tandeensis

Haustorius jayneae (19) Lepidactylis triarticulatus

Parahaustorius obliquus

Protohaustorius bousfieldi

Hyalellidae

Hyalella paramoensis, squamosa (19)

Hyalidae

Hyale barbicornis, bidentata, bisaeta (19), canalina, corallinacola, darwini, didendactyla, (galateae) distorta, gopalaswamyi, guasave, inermis, ishigakiensis, punctata, punila, uragensis, yaqui, zuague

Lelehua malevua

Parallorchestes asiaticus (19)

Parhyale basrensis, explorator, multispinosa

Ipanemidae

IPANEMA talpa

Iphimediidae s.l.

Acanthonotozoma dunbari, gurjanovae, magnum, sinuatum

Acanthonotozomella barnardi

ACANTHONOTOZOMOPSIS pushkini

Amathillopsis comorensis, septemdentata

AMATIGUAKIUS (19) forsberghii (19)

ANISOIPHIMEDIA

AUSTROREGIA

Coboldus laetifucatus (19)

CURIDIA debrogania, magellanica (19)

Cypsiphimedia edgari, mala

Echiniphimedia barnardi, gabrielae, waegelei

Epimeria bispinosa, extensa, obtusa, oxicarinata (19), pulchra (19), rimicarinata, rubrieques (19),

truncata

Gnathiphimedia urodentata

Iphimedia brachygnatha, gibbula, imparilabia, magellanica, quasimodus, serratipes, vicina, warraina (19), xesta (19), zora (19)

Iphimediella acuticoxa, discoveryi, georgei,

paracuticoxa

MERALDIA

Ochlesis carinatus

OCHLESODIUS spinicornis

Odius antarcticus

Parapanoploea recessa

Parepimeria minor

Pariphimedia incisa

POSTODIUS imperfectus

STEGOPANOPLOEA

Laphystiopsidae

Prolaphystiopsis latirostris

Leucothoidae

Leucothoe bidens, campi, ctenochasma, gavialis, laticoxa, (richiardi) macrodonta, nagatai, neptunea, orkneyi, procera, safiae (19), squalidens.

Liljeborgiidae

Idunella bowenae, nagatai, sketi

ISIPINGUS

Liljeborgia bousfieldi, dubia, enigmatica, gloriosae, hwanghaensis (19), mozambica, petrae (19), pseudomacronyx

Listriella bahia, carinata, dentipalma, mollis, orientalis, quintana, spinifera, titinga.

SEXTONIA (revived)

Lysianassoidea s.l.

ACHERONIA pegasus

Acidostoma sarsi

Acontiostoma tuberculata

Ambasiopsis brevipes

Anonyx attenuatus, barrowensis, beringi, dalli, eousides (19), grebnitzkii (19), gurjanovae, hayashii, hurleyi, lebedi, orientalis, pareous (19), petersoni, pseudeous (19), schefferi, shoemakeri, simplex, stappersi, stebbingi, stegnegeri

APOTECTONIA (19) heterostegos (19)

Aristias nonspinus, stenopodus

Aroui hamatopodus

Bathycallisoma armata

BONASSA (19)

BRUUNOSA

CAECONYX (19)

CEDROSELLA

Cheirimedon (macrocarpa) americana (19), solidus

CICADOSA

CONCARNES (19)

CONICOSTOMA karta

COXIMEDON (19)

Cyphocaris cornuta, geyserensis

DARTENASSA (19)

DIATECTONIA (19) typhodes (19)

DISSIMINASSA (19)

DOUNIALELLA longichelata

DRUMMONDIA corinellae, parviramus

EKELOFIA

Ensayara dentarius, entrichoma (19), iara, jumane, microphthalma

ERIKUS dahli

Euonyx mytilus (19)

FALCANASSA (19)

FALKLANDIA

Figorella - tasmanica

GALATHELLA

Glycerina teretis

GRONELLA (19)

Hippomedon benthedii, columbianus, hake, mamene, matikuku, rodericki, whero

? Hippomedon adentatus, brevicaudatus, denturus

Hirondellea glutonis (19), guyoti (19)

Ichnopus pseudoserricrus KAKANUI punui

Kerguelenia antiborealis, macropoda, microphthalma

Lepidepecreella pamanzi

Lepidepecreum carinatum, infissum, madagascarense, rometacarinatum

LEPIDURISTES

LUCAYARINA catacumba

Lysianassa caesarea, insperata, kerakae (19), (cinghalensis) latipes

Lysianopsis tieke

MACRONASSA (19)

MARTENSIA (19)

Normanion chevreuxi, ruffoi

Ocosingo fenwicki, kussakini

Orchomene aahu, breviceps, hiata, kaikai (19), kryptopinguides, limodes, liomargo, orchospina, scotianensis, stocki (19), tomiokaensis

Orchomenella guillei

ORCHOMENYX

Pachychelium nichollsi, schellenbergi

Pachynus denticulatus, pugilator

PARACHEVREUXIELLA lobata

Parambasia nui

Parawaldeckia angusta, dabita, hirsuta, karaka, lowryi, mua, parata, pulchra, suzae, vesca

PARDIA

PARSCHISTURELLA simplex

Psammonyx longimerus, terranovae

PSEUDAMARYLLIS nonconstricta

PSEUDOCYPHOCARIS coxalis, gosema (19), lobata (19)

RIMAKOROGA

Schisturella parachelata

SCOPOLOSTOMA

Scopelocheirus polymedus

SEPTCARNES (19)

SHEARDELLA kapala, tangaroa

SHOEMAKERELLA lowryi (19)

Socarnes allectus

Socarnoides indentata

STEPHONYX

Stomacontion hurleyi, pungapunga

TECTOVALOPSIS (19) diabolus (19), fusilus (19), regelatus (19), wegeneri (19)

Thrombasia incerta

Tmetonyx nardonis, palpiserrata

TRANSTECTONIA (19) torrentis (19)

Trischizostoma denticulatum

Tryphosella longidactyla, serans, simillima

Uristes ?latipes

Valettia hystrix

VALETTIETTA cavernicola, gracilis, lobata, punctata

VENTIELLA (19) sulfuris (19)

Waldeckia elephas, scrupulosa

WANDIN (19) griffini (19)

WECOMEDON similis

Maxillipiidae

MAXILLIPIDES laticarpus Maxillipius commensalis

'melitids'

ABLUDOMELITA

ALLOMELITA

ALSACOMELITA semipalmata

ANCHIALELLA vulcanella

CARINOMELITA (19) janstocki (19)

CEPHALOPISELLA

CONFODIOPISA

DULICHIELLA (revived)

DUMOSUS atari

Eriopisa inaquicaudata, incisa, melitaformis

Eriopisella chieregoi, spinosa

FLAGITOPISA

GINIPHARGUS

HOHO hirtipalma

IMPERTIOPISA

JOSEPHOSELLA andamana, hamata

MADAPISELLA

MALERIOPA

Melita alluaudi, bingoensis, dulcicola (19), elongata, ? excavata, hoshinoi (19), intermedia, leiotelson, longidactyla, longisetosa, mikulitschae, myersi, nagatai, persona, pilopropoda, plumulosa, quadridentata (19), setiflagella, sexstachya, simplex, stocki, unamoena

NAINALOA

Netamelita barnardi, brochi(19), tabaci (19)

NIPPOPISELLA

Psammogammarus caesicolus, initialis, longidactylus, scopulorum, stocki (19)

PSAMMOMELITA uncinata

ROROPISA

SPATHOPUS looensis

SPINIFEROPISELLA

TAGUA aporema

TEGANO

TUNISOPISA

VICITOPISA

VICTORIOPISA atlantica, (chilkensis) griffithsi, papice

Mesogammaridae

PARAMESOGAMMARUS americanus

Niphargidae (incl. Pseudoniphargus)

FORONIPHARGUS pori

Haploginglymus bergae(19), lobatus, mateusi

NIPHARGOBATES lefkodemonaki (19), orophobata

Niphargus (strouhali) alpinus (19), arbiter, arcanus, armatus, aulicus (19), (tamaninii) barbatus, bodoni, caelestis, carcerarius, casimiriensis, (transitivus) dissonus, farroi, hercegovinensis, ictus, itus, (rejici) jadranka, jalzici, jugoslavicus, lattingerae, (steueri) liburnicus, longiflagellum, lunaris, messanoi (19), parapupetta, pectencoronatus (19), pescei, poianoi, pseudocaspius, renei, (spoeckeri) sibillianius, (galvagni) similis (19), (pasquini) socialis, spinulifemur, tamaninii, timavi, vieternicensis.

PARAPSEUDONIPHARGUS baetis

Pseudoniphargus affinis, associatus (19), branchiatus, brevipedunculatus, burgensis, callaicus, candelariae (19), cazorlae, cupicola, eborarius, elongatus, fontinalis, fragilis, gibraltaricus, gomerae, gorbeanus, gracilis, granadensis, grandis, guernicae, illustris, incantatus, inconditus (19), (africanus) italicus, jereanus, latipes, longicarpus, longicauda, longispinum, macrotelsonis, margalefi, maroccanus, mateusarum, mercadoli, montanus, multidens, nevadensis, porticola, salinus, semielongatus, sodalis (19), sorbasiensis, spiniferus, stocki, unisexualis, unispinosus, vasconiensis, vomeratus

Oedicerotidae

ABOROLOBATEA paracheliformis

Aceroides goesi

Arrhis ? mediterranea

CHITONOMANDIBULUM emargicoxae

CORNUDILLA (19)

DOOWIA cooma, dexterae

MACHAIRONYX muelleri

Monoculodes acutipes, dentimanus, koreanus, muwoni

Oedicerina ? megalopoda

Oediceroides pilosus

Perioculodes brevicarpus, cerasinus, longirostratus, (aequimanus) mozambicus, pinguis, seohae

Synchelidium carinorostrum, (americanum) latipalpum, lenorostratum, micropleon, rostriopiculum,

Pagetinidae

Pagetina reducta

Paracalliopiidae

INDOCALLIOPE

KATOCALLIOPE kutyeri

Paracalliope mapela

Pardaliscidae

ANTRONICIPPE serrata
Arculfia (trago) mediterranea

Halice sublittoralis

Pardalisca brachydactyla, mediterranea

Pardaliscella inermis SPELAEONICIPPE provo

Phliantidae

Heterophlias galapagoanus, seticoxa Palinnotus (thompsoni) japonicus, lepas

Phoxocephalidae

BASUTO

Birubius apari, babaneekus, booleus, cartoo, chintoo, eake, eleebanus, gallangus, gambodeni, gelarus, jirrandus, kabbulinus, karobrani, kinkus, kokorus, kyeemus, lorus, lowannus, maamus, maldus, mayamayi, millinus, muldarpus, munggai, nammuldus, narus, quearus, taldeus, thalmus, ularitus, wirakus, wulgaru, yandus, yorlunus.

BOORANUS tikeri, wangoorus, weemus

BROLGUS koongarrus, mahmak, tavelus

CEPHALOPHOXOIDES

CEPHALOPHOXUS

COCOHARPINIA iliffei

CUNMURRA itickerus

DIOGODIAS

ELPEDDO kaikai

EOBROLGUS chumashi

EUSYROPHOXUS

EYAKIA

FERIHARPINIA

FOXIPHALUS apache, golfensis, secasius, xiximeus

FUEGIPHOXUS abjectus

GANBA pellati

GRANDIFOXUS acanthinus, aciculata, bangpoensis, cuspis, malipoensis, vulpinus

Harpinia agna, ala, clivicola, ferentaria, panini (19), zavodniki

Harpiniopsis bandelei, capensis, pseudonadania

HOPIPHOXUS

JAPARA papporus

JERILDARIA joubiphoxus

Joubinella indentata

KONDOLEUS tekin

KOTLA batturi

KULGAPHOXUS borralus, cadgeeus

KURITUS nacoomus

LEONGATHUS nootoo

Limnoporeia kalduke, maranowe, ungamale, wakkine, woorake, yarrague

Mandibulophoxus hongae, mai

MATONG matong

MESOPHOXUS laperusi

Metaphoxoides angustimanus, zavorus

Metaphoxus gruneri, mintus, tuckatuck, tulearensis, yaranellus

Metharpinia coronadoi, oripacifica

PALABRIAPHOXUS

PARAJOUBINELLA

PARAMESOPHOXUS rakunae

PARAMETAPHOXUS

Paraphoxuslincolni, tomiokaensis

Parharpinia warte

Phoxocephalus aquosus, burleus, keppeli, kukathus, prolixus, rupullus

PHOXORGIA

Proharpinia setifera

Pseudharpinia calcariaria

RHEPOXYNIUS homocuspidatus, hudsoni, menziesi

RIKKARUS lea
RINGARINGA (19)
SYNPHOXUS novaezealandicus
TICKALERUS birubi
TIPIMEGUS dinjerrus, kalkro, kangulun
TORRIDOHARPINIA
ULDANAMIA pillare
VASCO
WAIPIROPHOXUS
WILDUS mullokus, parathambaroo, thambaroo
YAMMACOONA kunarella
YAN errichus, tiendi

Phoxocephalopsidae

EOPHOXOCEPHALOPSIS rhachianensis Phoxocephalopsis gallardoi, mehuinensis PUELCHE orenzani

Platyischnopidae

EUDEVENOPUS honduranus
Platyischnopus mam
SKAPTOPUS brychius
TIBURONELLA
TITTAKUNARA katoa
TOMITUKA doowi
YURROKUS cooroo

Pleustidae

DACTYLOPLEUSTES obsolescens

Parapleustes dilatatus, filialis, longimanus, tricuspis

Pleustoides mediterraneus

Pleusymtes brachypalma, (quandrangularis) brevis, kamui, margulisae (19), mucidus

TEPIDOPLEUSTES

Plioplateiidae

Plioplateia nodiformis

Podoceridae

Dulichia antarctica
Dulichiopsis brevidactylus
Laetmatophilus dabberi
PARADYOPEDOS (19) antarcticus (19)
PODOBOTHRUS bermudensis
Podocerus (danae) armatus, crenulatus,

Podocerus (danae) armatus, crenulatus, gloriosae, hoonsooi (19), (talegus) levuensis, madagascarensis, palinuroides, (walkeri) pedonculatus, tulearensis, ulreungensis (19)
PSEUDODULICHIA (19

STYLOXENODICE

Pontoporeiidae

Bathyporeia pseudopelagica, sardoa, sophiae, sunnivae DIPOREIA MONOPOREIA

Priscomilitaridae

PRISCOMILITARIS tenuis

Salentinellidae

Salentinella carracensis, cazemierae, formenterae, longicaudata, (angelieri) var. longispina, meijersae, seviliensis

Sebidae

RELICTOSEBORGIA relicta Seba chiltoni, gloriosae, tropica Seborgia schieckei

Stegocephalidae

Andaniella integripes
Andaniexis tridentata
Euandania nonhiata
GLORANDANIOTIS fissicaudata
Parandaniexis dewitti, inermis
Phippsiella pseudophippsia
STEGOSOLADIUS

Stenothoidae

Antatelson tuberculatum AUROMETOPA HARDAMETOPA (19) KNYSMETOPA

Mesoproboloides cruxlorraina

Metopa gurjanovae (19), shoemakeri (19)

Metopella bousfieldi (19) Metopelloides erythrophthalmus

Metopoides andresi, angustus, antarcticus, foliodactylus, lanceolatus, latus, leptomanus, macromanus, serratus

Parametopa crassicornis, edentata

Parametopella texensis

Proboloides anophthalma, armatus, bellansantiniae

Prometopa dorsoundata
Raumahara judithae
Stenothoe elachistoides, inermis, irakiensis, kaia
Stenula alexanderi (19)
THAUMATELSONELLA (19) kingelepha (19)

TOROMETOPA VONIMETOPA ZAIKOMETOPA

Stilipedidae

Alexandrella inermis, subchelata ASTYROIDES Bathypanoploea schellenbergi

Synopiidae

Garosyrrhoe luquei
Metatiron caecus
Synopia rotunda, triangula
Syrrhoites barnardi, capricornia, cornuta
TELSOSYNOPIA
Tiron bellairsi, galeatus, ovatibasis, triocellatus

Talitridae

AGILESTIA hylaea

AMERICORCHESTIA (19) barbarae (19), heardi (19), salomani (19)

Austrotroides crenatus, occidentalis, pectinalis

CARIBOTROIDES chiapensis (19), jamaicensis, newtoni (19), pecki (19), tuxtlensis (19)

CERRORCHESTIA (19) hyloraina (19)

CHELORCHESTIA

CHILTONORCHESTIA

CHROESTIA lota

EORCHESTIA guadalupensis (19)

HAWAIORCHESTIA

MACARORCHESTIA martini

MEGALORCHESTIA dexterae **MICRORCHESTIA** Orchestia gomeri (19), guancha, stocki (19) **PACIFORCHESTIA** PALMORCHESTIA epigaea (19), hypogaea PLATORCHESTIA chathamensis, munmui PROTAUSTROTROIDES victoriae **PROTORCHESTIA** PSEUDORCHESTIA mexicana Talitrus angulosus, vulgaris Talorchestia palawanensis, pelecaniformis TETHORCHESTIA antillensis, karukarae (19) **TRANSORCHESTIA TRASKORCHESTIA** Trinorchestia longiramus UHLORCHESTIA spartinophila

Temnophliantidae

HYSTRIPHLIAS

Tulearidae

TULEARUS thomassini

Urohaustoriidae

DIRIMUS tarlitus

GHEEGERUS garbaius

HUARPE escofeti

NARUNIUS tallerkus

TOTTUNGUS tungus

TULDARUS barinius, cangellus

Urohaustorius gunni, merkanius, parnggius, pentinus, perkeus, pulcus, urungari, wingaro, yurrus

WARRAGAIA rintouli

Urothoidae

Carangolia cornuta
PSEUDUROTHOE benthedii
Urothoe (gelasina) ambigua, intermedia, (grimaldii) japonica, marionis
Urothoides kurrawa, mabing, makoo, mammarta, odernae, tondea, waminoa

Vicmusiidae

VICMUSIA duplocoxa

Vitjazianidae

Vemana geyserensis

Zobrachoidae

BUMERALIUS bucholicus
CHONO angustiarum
PRANTINUS talanggi
TONOCOTE introflexidus, magellani

Ingolfiellidea

HANSENLIELLA
Ingolfiella australiana, bassiana, canariensis (19), cottarellii, dracospiritis (19), gobabis (19), grandispina, margaritae, quadridentata
STYGOBARNARDIA caprellinoides

Caprellidea

Aciconula acanthosoma

Caprella (acutifrons) annobonensis, brachiata, branchella, concinna (19), dissona, equina, generosa, glabra (19), iniqua, kominatoensis (19), liliata, manneringi, minima, minuscula, scitula, temperativa

Caprellina bispinosa (19)

Caprogammarus micropleopodus

Cercops minutus
Deutella schieckei

Fallotritella polynesica (19)

Heterocaprella krishnaensis

LIRIOPES lunaticus

Mayerella acanthopoda

Paracaprella insolita

PARADICAPRELLA (19) brucei

PEDUNCULOCAPRELLA antennata

Postocaprella marcida

PREMOHEMIAEGINA sola

PRETRITELLA divina

PROTOTRITELLA ishigakensis

Pseudocercops pubescens

QUADRISEGMENTUM

Cyamidae

Cyamus antarcticensis, orubraedon (19)

Platycyamus flaviscutatus (19)

Scutocyamus antipodensis

Syncyamus aequus

Hyperiidea

Amphithyrus muratus

Hyperia curticephala

LAXOHYPERIA vespuliformis

Lycaea lilia

Parapronoe elongata

Phronima bowmani (19), dunbari (19)

Primno abyssalis, evansi

Scina curvidactyla (19), exospina (19), hawaiensis, hurleyi (19), parasetigera (19).

LIST OF SUBSCRIBERS

The addresses have been printed out basically in the form they were sent to us. This explains the enormous variation in the formality of the address and the use of titles. Kindly send corrections and omission to Wim Vader (Sydney until 1 December 1993, Tromsø afterwards). We hope to be able to add FAX and E-mail numbers at a later stage.

DAVID J. AGNEW
DEPT. OF ZOOLOGY
THE UNIVERSITY
GLASGOW G12 8QQ
SCOTLAND UK

DR. R.P. ALEXEEV
INST. OF BIOLOGY OF SOUTH SEAS
ODESSA BRANCH
ACADEMY OF SCIENCES OF USSR
37 PUSHKINKAJA STREET
ODESSA 270011
UKRAINIA

DR. GLORIA M. ALONSO
MUSEO ARGENTINO DE CIENCIAS NATURALES
'BERNARDINO RIVADAVIA'
DIV. INVERTEBRADOS
AV. ANGEL GALLARDO 470
1405 BUENOS AIRES
ARGENTINA

DR. N.J. ALOUF FACULTE DES SCIENCES UNIVERSITE LIBANAISE HADATH BEYROUTH 6160 LEBANON

DR. H.-G. ANDRES
ZOOLOGISCHES INSTITUT UND ZOOLOGISCHES
MUSEUM
UNIVERSITÄT HAMBURG
VON-MELLE-PARK 10
2000 HAMBURG 13
GERMANY

MASAKAZU AOKI AMAKUSA MARINE BIOLOGICAL LABORATORY KYUSHU UNIV. 2231 TOMIOKA, AMAKUSA KUMAMOTO PREFECTURE 863-25 JAPAN

HIROYUKI ARIYAMA OSAKA PREFECTURAL FISHERIES EXPERIMENTAL STATION 2926-1 TANAGAWA-TANIGAWA MISAKI OSAKA PREF. 599-03 JAPAN

DR. TOM ARSUFFI
AQUATIC SECTION
SOUTHWEST TEXAS STATE UNIVERSITY
SAN MARCOS TX 78666
USA

DR. K. PEETHAMBARAN ASARI TEACHER FELLOW CAS IN MARINE BIOLOGY PORTONOVO TAMIL NADU 608502 INDIA

DR M. ATTA
OCEANOGRAPHY DEPARTMENT
FACULTY OF SCIENCE
ALEXANDRIA UNIVERSITY
MOHARREM BAY
ALEXANDRIA
EGYPT

LIBRARY
AUSTRALIAN MUSEUM
PO BOX A285
SYDNEY SOUTH NSW 2000
AUSTRALIA

DR. MIKIO AZUMA BIOLOGICAL LABORATORY FACULTY OF EDUCATION NAGASAKI UNIVERSITY 1-14 BUNKYO NAGASAKI 852 JAPAN

ADAM BALDINGER
CALIFORNIA ACADEMY OF SCIENCES
DEPT OF INVERTEBRATE ZOOLOGY AND
GEOLOGY
GOLDEN GATE PARK
SAN FRANCISCO CA 94118
USA

DR. MANAF BEHBEHANI DEPT. OF ZOOLOGY UNIVERSITY OF KUWAIT KUWAIT KUWAIT

DR. D. BELLAN-SANTINI
CENTRE D'OCÉANOLOGIE DE MARSEILLE
STATION MARINE D'ENDOUME
RUE BATTERIE DES LIONS
13000 MARSEILLE
FRANCE

DR. BRUCE BENEDICT
MARINE BIOLOGICAL CONSULTANTS
947 NEWHALL STREET
COSTA MESA CA 92627
USA

MARIA TERESA V. BERARDO INSTITUTO OCEANOGRAFICO DA U.S.P. PRACA DO OCEANOGRAFICO, 191 BUTANTA 05508 SAO PAULO BRAZIL

MS. PENNY B. BERENTS DIVISION OF INVERTEBRATE ZOOLOGY THE AUSTRALIAN MUSEUM P.O. BOX A285 SYDNEY SOUTH NSW 2000 AUSTRALIA

DR. J. BERREUR-BONNENFANT LABORATOIRE DE GENETIQUE EVOLUTIVE CNRS 91190 GIF-SUR-YVETTE FRANCE

WALTER J. BERRY
SCIENCE APPLICATIONS INTERNATIONAL
CORPORATION, MARINE SERVICES
BRANCH C/O EPA
27 TARZELL DRIVE
NARRAGANSETT RI 02882
USA

ZOOLOGISK MUSEUM BIBLIOTEKET UNIVERSITETET I OSLO SARSGT. 1 0562 OSLO 5 NORWAY

BIBLIOTECA INSTITUTO DI ZOOLOGIA DELL'UNIVERSITA VIA ROMANA 17 I 50125 FIRENZE ITALY

CHARLES K. BIERNBAUM GRICE MARINE BIOLOGICAL LAB. 205 FT. JOHNSON CHARLESTON SC 29412 USA

DR. M. F. BLANCHET LABORATOIRE DE SEXUALITE DES INVERTEBRES BATIMENT C UNIVERSITE DE PARIS VI 75230 PARIS CEDEX 05 FRANCE

SHERMAN BOATES
DEPT OF BIOLOGY
ACADIA UNIVERSITY
WOLFVILLE N.SC. BOP QXO
CANADA

DR. D.G. BONE
BRITISH ANTARCTIC SURVEY
MONKS WOOD EXPERIMENTAL STATION
ABBOTS RIPTON
HUNTINGDON
ENGLAND

BILLY B. BOOTHE MOTE MARINE LABORATORY 1600 CITY ISLAND PARK SARASOTA FL 33577 USA

DR. BETTY BOROWSKY
DEPT. BIOLOGY
CITY COLLEGE
CITY UNIVERSITY OF NEW YORK
NEW YORK NY 10031
USA

LUC BOSSÉ INST. MAURICE-LAMONTAGNE 850, ROUTE DE LA MER C.P. 1000 MONT JOLI QUEBEC G5H 3Z4 CANADA

DR. S. WELDON BOSWORTH NORMANDEAU ASSOCIATES 686 MAST ROAD MANCHESTER NH 93102 USA

DR. B. BOU LA FORESTOLE 1 CAMBON 81000 ALBI FRANCE

MR. MICHEL A. BOUDRIAS SCRIPPS INSTITUTION OF OCEANOGRAPHY UNIVERSITY OF CALIFORNIA AT SAN DIEGO 9500 GILMAN DRIVE LA JOLLA CA 92093 USA

DR. E. L. BOUSFIELD ROYAL BRITISH COLUMBIA MUSEUM VICTORIA BC V8V 1X4 CANADA

CLAUDE BOUTIN
UNIV. PAUL SABATIER
LABORATOIRE DE ZOOLOGIE
118 ROUTE DE NARBONNE
31062 TOULOUSE CEDEX
FRANCE

MARCIA BOWEN NORMANDEAU ASSOCIATES 25 NASHUA RD BEDFORD NH 03102 USA DR. T.E. BOWMAN
DIVISION OF CRUSTACEA
NATIONAL MUSEUM OF NATURAL HISTORY
SMITHSONIAN INSTITUTION
WASHINGTON DC 20560
USA

DR. GERD BRACHT UNIVERSITÄTSBIBLIOTHEK DUESSELDORF UNIVERSITÄTSSTR. 1 D 4000 DÜSSELDORF 1 GERMANY

ALEJANDRO BRAVO INSTITUTO DE ZOOLOGIA UNIV. AUSTRAL DE CHILE CASILLA 567 VALDIVIA CHILE

DR. B. BRUN LABORATOIRE DE BIOLOGIE ANIMALE UNIVERSITE DE PROVENCE CENTRE DE SAINT-JEROME 13013 MARSEILLE FRANCE

DR. G. BRUN LABORATOIRE DE BIOLOGIE ANIMALE UNIVERSITE DE PROVENCE CENTRE DE SAINT-CHARLES 13003 MARSEILLE FRANCE

DR. P. BRUNEL DEPARTMENT DES SCIENCES BIOLOGIQUES UNIVERSITÉ DE MONTRÉAL C.P. 6128 MONTRÉAL, QUÉBEC H3C 3J7 CANADA

DR. G. J. BRUSCA
DEPT. OF BIOLOGY
HUMBOLDT STATE UNIVERSITY
ARCATA CA 95521
USA

DR. R. C. BRUSCA SAN DIEGO NATURAL HISTORY MUSEUM PO BOX 1390 SAN DIEGO CA 92112 USA

DR. V. BRYAZGIN
LAB. OF MARINE HYDROBIOLOGY
KNIPOVICH POLAR INST. OF MARINE FISH.
AND OCEANOGRAPHY
6 KNIPOVICH ST.
MURMANSK 183063
RUSSIA

LUDMILA L. BUDNIKOVA LABORATORY OF SHELF COMMUNITIES INSTITUTE OF MARINE BIOLOGY FAR EAST BRANCH ACAD, SCI. RUSSIA VLADIVOSTOK 690 032 RUSSIA

LENE BUHL-MORTENSEN
INST. FOR FISKERI- OG MARINBIOLOGI
UNIV. I BERGEN
HØGTEKNOLOGISENTERET
N-5020 BERGEN
NORWAY

DR. ARTHUR L. BUIKEMA
DEPT. OF BIOLOGY
VIRGINIA POLYTECHNIC INSTITUTE AND
STATE UNIVERSITY
BLACKSBURG VA 24061
USA

DR. H. P. BULNHEIM BIOLOGISCHE ANSTALT HELGOLAND NOTKESTR. 31 2000 HAMBURG 52 GERMANY

DR. K. H. BYNUM
DEPT. OF ZOOLOGY
WILSON HALL 046-A
UNIVERSITY OF NORTH CAROLINA
CHAPEL HILL NC 27514
USA

DR. DON CADIEN
MARINE BIOLOGY LAB-JWCP
24501 FIGUEROA STREET
CARSON CA 90754
USA

KALANI D. CAIRNS HARBOR BRANCH FOUNDATION INC. RR 1 BOX 196-A FT. PIERCE FL 33450 USA

DR. DAVID K. CAMP FLORIDA DEPT. MARINE RESOURCES MARINE RESEARCH LAB. 100 EIGHT AVENUE S.E. ST. PETERSBURG FL 33701 USA

DR. SERGEI CARAUSU
FACULTATEA BIOLOGIE-GEOGRAFIE
LABORATOR DE HIDROBIOLOGIE
UNIVERSITATEA IA I
IA I
ROMANIA

ANDREW CAREY DEPARTMENT OF OCEANOGRAPHY UNIVERSITY OF OREGON CORVALLIS OR 97331 USA DIANE CARNEY BENTHIC LAB MOSS LANDING MARINE LABS PO BOX 450 MOSS LANDING CA 95039 USA

DR. JAMES T. CARLTON
WILLIAMS COLLEGE-MYSTIC SEAPORT
MYSTIC SEAPORT MUSEUM
MYSTIC CT 06355
USA

DR. M. C. CARRÉ-LECUYER LABORATOIRE DE GENETIQUE EVOLUTIVE CNRS 91 GIF-SUR-YVETTE FRANCE

JUANA ROSA CEJAS PULID DEPARTMENT DE CIENCIAS MARINAS FACULTAD DE BIOLOGIA UNIVERSIDAD DE LA LAGUNA LA LAGUNA TENERIFE SPAIN

DR. A. CHAMPEAU LABORATOIRE DE BIOLOGIE ANIMALE UNIVERSITE DE PROVENCE CENTRE DE SAINT-CHARLES 13003 MARSEILLE FRANCE

DR. K. K. CHANDRASEKHARAN NAIR INDIAN OCEAN BIOLOGICAL CENTER P.B. NO. 13 PULLEPADY CROSS ROAD ERNAKULAM COCHIN-16 INDIA

DR. JOHN CHAPMAN
ENVIRONMENTAL PROTECTION AGENCY
MARINE SCIENCE CENTER
NEWPORT OR 97365
USA

DR LORENZO CHELAZZI CENTRO SFET CNR VIA ROMANA 17 50125 FIRENZE ITALY

DR. JAMES R. CHESS SOUTHWEST FISHERIES CENTER TIBURON LABORATORY NATIONAL MARINE FISHERIES CENTER TIBURON CA 94920

CARLOS CHRISTOPHERSEN KONGENSGT. 14 N-4610 KRISTIANSAND S NORWAY G. CIAVATTI
CENTRE UNIVERSITAIRE ANTILLES-GUYANE
LAB. BIOLOGIE & PHYSIOLOGIE ANIMALES
F-97167 POINTE A PITRE CEDEX
GUADELOUPE
FRENCH WEST INDIES

DR. WENDY L. COFFIN PISCATAQUA MARINE LAB. NORMANDEAU ASSOCIATES 15 PICKERING AVENUE PORTSMOUTH NH 03801 USA

DR. N. COINEAU UNIV. DE PARIS BIOL. MARIN LABORATOIRE ARAGO 66650 BANYULS-SUR-MER FRANCE

FAITH A. COLE U-S, EPA HATFIELD MARINE SCIENCE CENTER NEWPORT OR 97365 USA

DR. G. A. COLE DEPT. OF BIOLOGY ARIZONA STATE UNIVERSITY TEMPE AR 85281 USA

OLIVER COLEMAN UNIVERSITÄT BIELEFELD FAKULTÄT FÜR BIOLOGIE UNIVERSITÄTSSTRASZE MORGENBREEDE 45 W-4800 BIELEFELD GERMANY

DR. KATHLEEN E. CONLAN ZOOLOGY DIVISION CANADIAN MUSEUM OF NATURE PO BOX 3443, STATION "D" OTTAWA, ONTARIO KIP 6P4 CANADA

MERCEDES CONRADI UNIVERSITY DE CADIZ FACULTAD DE CIENCIAS DEL MAR, BIOLOGIA APTO NR. 40 11510 PUERTO REAL, CADIZ SPAIN

DR. WILLIAM J. COOKE MARINE ENVIRONMENTAL RESEARCH 522 WANACO RD KAILUA HI 96734 USA DR. B. COOPER
MINISTERY OF AGRICULTURE & FISHERY
P. O. BOX 2298
WELLINGTON
NEW ZEALAND

MARK J. COSTELLO ENVIRONMENTAL SCIENCES UNIT TRINITY COLLEGE DUBLIN 2 IRELAND

DR. KEN COYLE
INSTITUTE OF MARINE SCIENCE
UNIVERSITY OF ALASKA
FAIRBANKS AK 99775-1080
USA

DR. PETER CRAIG 53 HOWARD AVENUE NANAIMO B.C. CANADA

DR. G.I. CRAWFORD HALL CLOSE COTTAGE 81 MAIN ROAD GRENDON NORTHAMPTON NN7 1JW UK

DR. D. C. CULVER DEPT. OF BIOLOGICAL SCIENCES NORTHWESTERN UNIVERSITY EVANSTON IL 60201 USA

DR. M.J. DADSWELL
DEPARTMENT OF BIOLOGY
ACADIA UNIVERSITY
WOLFVILLE, NOVA SCOTIA BOP 1X0
CANADA

DR. E. DAHL ZOOLOGISKA INSTITUTIONEN LUND S 22362 SWEDEN

DR. AI-YUN DAI INST. OF ZOOLOGY ACADEMICA SINICA BEIJING 100080 CHINA

DR. NANI GOPAL DAS INST. OF MARINE SCIENCES UNIV. OF CHITTAGONG CHITTAGONG BANGLADESH

DAVID J. DAVIS RT. 5, BOX 297-E CHAPEL HILL NC 27514 USA JEAN-CLAUDE DAUVIN
MUSEUM NATIONAL D'HISTOIRE NATURELLE
DE PARIS
LABORATOIRE DE BIOLOGIE DES
INVERTEBRÉS MARINS
57 RUE CUVIER
75231 PARIS CEDEX 01
FRANCE

E.M. DEBLOIS
DEPT OF BIOLOGY
MCGILL UNIVERSITY
1205 DOCTEUR PENFIELD AVE.
MONTRÉAL, QUÉBEC H3A 1B1
CANADA

DR. C. DE BROYER
INSTITUT ROYAL DES SCIENCES NATURELLES
RUE VAUTIER 31
BRUXELLES
BELGIUM

TED DEWITT
EPA LABORATORY
HATFIELD MARINE SCIENCE CENTER
NEWPORT OR 97365
USA

DR. D. DENAY
LABORATOIRE DE SEXUALITE DES
INVERTEBRES
BATIMENT C
UNIVERSITE DE PARIS VI
75230 PARIS CEDEX 05
FRANCE

DEPARTMENT OF ZOOLOGY UNIVERSITY COLLEGE GALWAY IRELAND

DR. JOHN DICKINSON NATIONAL MUSEUM OF NATURAL SCIENCES NATIONAL MUSEUM OF CANADA OTTAWA K1A 0M8 CANADA

PAT DINNEEN
AQUA-FACT INTERNATIONAL SERVICES LTD
7 INNOVATION CENTRE
NEWCASTLE GALWAY
IRELAND

DR B. DITTRICH COLUMBUSSTRASZE W- 2850 BREMERHAVEN GERMANY

DR. GIOVANNI DIVIACCO INSTITUTO CENTRALE RICERCA APPLICATA ALLA PESCA MARITIMA VIA RESPIGHI 5 00197 ROMA ITALY IAIN M.T. DIXON
UNIVERSITY MARINE BIOLOGICAL STATION
MILLPORT
ISLE OF CUMBRAE KA 28 OEG
SCOTLAND
UK

DR. M.J. DOLE-OLIVIER
UNIVERSITÉ DE LYON
HYDROBIOLOGIE ET ECOLOGIE SOUTERRAINES
43, BD DU 11 NOV. 1918
F-69622 VILLEURBANNE CEDEX
FRANCE

DR TED E. DONN
DEPT OF OCEANOGRAPHY AND OCEAN
ENGINEERING
FLORIDA INST. OF TECHNOLOGY
MELBOURNE FL 32901
USA

DR. J. DORGELO
LABORATORY OF ANIMAL PHYSIOLOGY
UNIVERSITY OF AMSTERDAM
KRUISLAAN 320
AMSTERDAM
HOLLAND

M.M. DRUMMOND
DEPT. OF CRUSTACEA
NATIONAL MUSEUM OF VICTORIA
71 VICTORIA CRESCENT
ABBOTSFORD VIC 3067
AUSTRALIA

J. EMMETT DUFFY MARINE SCIENCES PROGRAM UNIV. OF NORTH CAROLINA CB 3300, 12-5 VENABLE HILL CHAPEL HILL NC 27599-3300 USA

PATRICIA J. DUGAN DEPT. ENVIRONMENTAL REGULATION TWIN TOWERS OFFICE BLDG. 2600 BLAIR STONE ROAD TALLAHASSEE FL 32301 USA

DR. K.W. DUNCAN
DEPT. OF ZOOLOGY
UNIVERSITY OF CANTERBURY
CHRISTCHURCH
NEW ZEALAND

MS. BONNIE DUNN
EPA INFORMATION ASSISTANT
ENVIRONMENTAL PROTECTION AGENCY
MARINE SCIENCE CENTER
NEWPORT OR 97365
USA

DR. A. ELEFTHERIOU INST. OF MARINE BIOLOGY OF CRETE PO BOX 2214 HERAKLION 71003, CRETE GREECE

RAGNAR ELMGREN
DEPT OF SYSTEMS ECOLOGY
STOCKHOLM UNIVERSITY
S-106 91 STOCKHOLM
SWEDEN

DR. R. ELOFSSON
ZOOLOGISKA INSTITUTIONEN
UNIVERSITY OF LUND
LUND S 22362
SWEDEN

DR. A.-M. ESCOFET P.O. BOX 4844 SAN YSIDRO CA 92073 USA

DR. A.-M ESCOFET
INSTITUTO DE BIOLOGIA MARINA
CASILLA DE CORREO 175
PLAYA GRANDE
MAR DEL PLATA
ARGENTINA

PAVEL FEDOTOV
BENTHIC LABORATORY
KAMCHATKA DEPARTMENT OF
PACIFIC INSTITUTE OF FISHERIES AND
OCEANOGRAPHY
PETROPAVLOVSK - KAMCHATSKY 690 000
RUSSIA

DR. GRAHAM FENWICK DEPT. OF ZOOLOGY UNIVERSITY OF CANTERBURY CHRISTCHURCH NEW ZEALAND

DR. J. D. FISH
DEPT. OF ZOOLOGY
UNIVERSITY COLLEGE OF WALES
PENGLAIS
ABERYSTWYTH
WALES, UK

DR. BROR FORSMAN STYRMANSGATA 4 S 38100 KALMAR SWEDEN

JOHN M. FOSTER 504 EAST PINE FOREST DRIVE LYNN HAVEN FL 32444 USA NORA R. FOSTER
AQUATIC COLLECTION
UNIV. OF ALASKA MUSEUM
907 YUKON DRIVE
FAIRBANKS AK 99775-1200
USA

DR. RICHARD S. FOX DEPT. OF BIOLOGY LANDER COLLEGE GREENWOOD SC 29646 USA

DR. ULRICH FRANKE TEGGINGERSTR. 1 D-7760 RADOLFZELL GERMANY

DR. J.A. FRIEND
WESTERN AUSTRALIA WILDLIFE RESEARCH
CENTRE
P.O. BOX 51
WANNEROO WA 6065
AUSTRALIA

DR. MITSUO FUKUCHI NATIONAL INSTITUTE OF POLAR RESEARCH KAGA 1-9-10, ITABASHI TOKYO 173 JAPAN

TAKUYA FUJIMURA RESEARCH OFFICE OF AQUACULTURE YAMAKATSU PEARL CO. LTD KASHIKOJIMA, SHIMA MIE PREF. 517-05 JAPAN

PROF. DR. VICTOR A. GALLARDO
CENTRO EULA-CHILE, UNIV. DE CONCEPCION
INVESTIGACION Y FORMACION EN CIENCIAS
AMBIENTALES
CASILLA 156-C
CONCEPCION
CHILE

DR. SHIGEO GAMO
FACULTY OF EDUCATION
YOKOHAMA NATIONAL UNIVERSITY
HODOGAYA
YOKOHAMA 222
JAPAN

DR. J. GIBERT UNIVERSITE CLAUDE BERNARD LYON-I DEPARTEMENT DE BIOLOGIE ANIMALE 43 BOULEVARD DU 11 NOVEMBER 1918 F-69622 VILLEURBANNE CEDEX FRANCE DR. R. GINET UNIVERSITE CLAUDE BERNARD LYON-I HYDROBIOLOGIE ET ECOLOGIE SOUTERRAINES 43, BD DU 11 NOVEMBER 1918, BAT. 403 F-69522 VILLEURBANNE CEDEX FRANCE

DR. THOMAS GINSBURGER-VOGEL LABORATOIRE DE BIOLOGIE MARINE FACULTÉ DES SCIENCES 2 RUE DE LA HOUSSINIÈRE 44300 NANTES FRANCE

DR. T. GLEDHILL
FRESHWATER BIOLOGICAL ASSOCIATION
THE RIVER LABORATORY
EAST STOKE
WAREHAM DORSET
ENGLAND

DR. THOMAS GLENNON NORMANDEAU ASSOCIATES 15 PICKERING AVENUE PORTSMOUTH NH 03801 USA

DR. A.A. GOLIKOV ZOOLOGICAL INSTITUTE ACADEMY OF SCIENCES 199034 ST PETERSBURG RUSSIA

VICENTE GOMES
INSTITUTO OCEANOGRAFICO
UNIVERSIDADE DE SAO PAULO
PRACA DE OCEANOGRAFICO, 191
BUTANTA 95508 SAO PAULO
BRAZIL

DR. EXEQUIEL GONZALEZ P.O. BOX 189 COQUIMBO CHILE

HAROLD H. GOWEN 107 BUNCH LANE GREENVILLE NC 27834 USA

DR MICHAEL F. GABLE
DEPT OF BIOLOGY
EASTERN CONNECTICUT STATE UNIV.
53 WINDHAM STR.
WILLIMANTIC CT 06226
USA

DR. F. GRAF LABORATOIRE DE BIOLOGIE GENERALE UNIVERSITE DE DIJON 6 BOULEVARD GABRIEL 21-DIJON FRANCE DR. C. L. GRIFFITHS DEPT. OF ZOOLOGY UNIVERSITY OF CAPE TOWN RONDEBOSCH 7700 SOUTH AFRICA

DR. H. E. GRUNER ZOOLOGICAL MUSEUM INVALIDENSTRASSE 43 E 104 BERLIN GERMANY

DR. RICHARD HAGER DIVISION OF NATURAL SCIENCES STOCKTON STATE COLLEGE POMONA NJ 08240 USA

DR. L.H.R HAMBLIN 16 SHAFTESBURY ROAD ROMFORD, ESSEX RM1 2QH IIK

HANCOCK LIBRARY OF BIOLOGY ALLAN HANCOCK FOUNDATION UNIVERSITY OF SOUTNERN CALIFORNIA LOS ANGELES CA 90089-0371 USA

DR. EIJI HARADA SETO MARINE BIOLOGICAL LABORATORY SIRAHAMA WAKAYAMA PREFECTURE 649-22 JAPAN

DR. RICHARD HARBISON WOODS HOLE OCEANOGRAPHIC INSTITUTION WOODS HOLE MA 02543 USA

DR. G.R. HARBISON AUSTRALIAN INSTITUTE OF MARINE SCI. TOWNSVILLE QLD 4810 AUSTRALIA

R.R. HARRIS DEPT OF ZOOLOGY UNIV. OF LEICESTER LEICESTER LE 17RH ENGLAND UK

DR. EDWARD B. HATFIELD JACKSON ESTUARINE LAB. UNIVERSITY OF NEW HAMPSHIRE DURHAM NH 03824 USA

DR. RICHARD W. HEARD GULF COAST RESEARCH LAB. P.O. BOX 7000 OCEAN SPRINGS MS 39564-7000 USA ED HENDRYCKS
CANADIAN MUSEUM OF NATURE
P.O. BOX 3443, STATION "D"
OTTAWA, ONTARIO K1P 6P4
CANADA

DR. K. F. HERHAUS ZOOLOGISCHES INSTITUT ABT. PHYSIOLOGIE UND OKOLOGIE BADENSTR. 9 W-4400 MUNSTER GERMANY

DR. ROBERT R. HESSLER SCRIPPS INSTITUTION OF OCEANOGRAPHY UNIVERSITY OF CALIFORNIA, SAN DIEGO 9500 GILMAN DR. LA JOLLA CA 92093-0208 USA

DR. G.R.F. HICKS NATIONAL MUSEUM OF NEW ZEALAND P.O. BOX 467 WELLINGTON NEW ZEALAND

RAY HIGHSMITH
INST. OF MARINE SCIENCE
UNIV. OF ALASKA
FAIRBANKS AK 99775-1080
USA

CATHY HILL DEPT OF ZOOLOGY STOCKHOLM UNIVERSITY S-10691 STOCKHOLM SWEDEN

DR. YOSHIAKO HIRANO MUKAISHIMA BIOLOGICAL STATION MUKAISHIMA-CHO ONOMISHI P.O. HIROSHIMA-KEN JAPAN

DR. AKIRA HIRAYAMA
BIOLOGICAL LABORATORY
DEPT OF LIBERAL ARTS
ASIA UNIVERSITY
5-24-10 SAKAI
MUSASHINO TOKYO 180
JAPAN

DR. MASANORI HIROKI
DEPT. SCIENCE EDUCATION
KYOTO UNIVERSITY OF EDUCATION
FUJINOMORI
KYOTO 612
JAPAN

DR. TAKEHIKO HIWATARI MIKAGEYAMATE 3-3-2-307, HIGASINADA KOBE 657 JAPAN

MS. HEATHER HOLMAN IRA C. DARLING CENTER UNIVERSITY OF MAINE WALPOLE ME 04573 USA

J.M.C. HOLMES NATIONAL MUSEUM KILDARE STREET DUBLIN 2 IRELAND

DR. JOHN R. HOLSINGER DEPT. OF BIOLOGICAL SCIENCES OLD DOMINION UNIVERSITY NORFOLK VA 23529-0266 USA

DR. L. B. HOLTHUIS NATIONAAL NATUURHISTORISCH MUSEUM RAAMSTEEG 2 LEIDEN THE NETHERLANDS

DR. YOSHIHARU HONMA FACULTY OF SCIENCE NIIGATA UNIVERSITY NIIGATA NIIGATA PREF 950-21 JAPAN

JEFF HUGHES
262 GRANITE STREET
QUINCY MA 02168
USA

DR. D. HURLEY
N. Z. OCEANOGRAPHIC INSTITUTE
P.O. BOX 12-346
WELLINGTON NORTH
NEW ZEALAND

DR. S. HUSMANN LIMNOLOGISCHE FLUSZSTATION W-6407 SCHLITZ GERMANY

DR. R. HUSSON
LABORATOIRE DE BIOLOGIE GENERALE
UNIVERSITE DE DIJON
6 BOULEVARD GABRIEL
21-DIJON
FRANCE

DR. R. W. INGLE
BRITISH MUSEUM (NATURAL HISTORY)
DEPT. OF ZOOLOGY
CROMWELL ROAD
LONDON SW7 5BD
ENGLAND

DR. CAMILLA L. INGRAM 3227 CARLETON STREET SAN DIEGO CA 92108 USA

INIDEP LIBRARY CC 17 S PLAYA GRANDE 7600 MAR DEL PLATA ARGENTINA

DR. HISAO INOUE HITECHI OAIICHI SENIOR HIGH SCHOOL 3-15-1 WAKOBE, HITECHI IBARAKI PREFECTURE 317 JAPAN

DR. HARUHIKO IRIE MIKAWA 1221-9 NAGASAKI 852 JAPAN

INSTITUTE OF BIOLOGY MIERA STR. 3 LV-2169 SALASPILS LATVIA

SHIN-ICHI ISHIMARU 3-19-60 NO-MACHI KANAZAWA 921 JAPAN

MASA-ICHI ITOH
HAMOCHI SENIOR HIGH SCHOOL
HAMOCHI, SADO
NIIGATA PREFECTURE 952-05
JAPAN

SYOH-ICHI ITOH SAWANE 153 SADO NIIGATA PREF. 952-14 JAPAN

DR ELENA IVANJUSHINA LABORATORY OF BENTHIC COMMUNITIES KAMCHATKA INSTITUTE OF ECOLOGY FAR EAST BRANCH ACD. SCI. RUSSIA PARTIZANSKAYA STR. 6 PETROPAVLOVSK - KAMCHATSKY 683 000 RUSSIA

MIYUKI IZUMIDATE SANYO TECHNO-MARINE CO LTD HORIDOME 1-3-17, NIHONBASHI TOKYO 103 JAPAN DR. A. V. JANKOWSKI ZOOLOGICAL INSTITUTE ACADEMY OF SCIENCES USSR V-164 ST PETERSBURG RUSSIA

DR. K. JAZDZEWSKI
DEPT OF INVERTEBRATE ZOOLOGY AND
HYDROBIOLOGY
UNIVERSITY OF LODZ
12-16 UL. BANACHA
90-237 LODZ
POLAND

K. THOMAS JENSEN
DEPART. OF ECOLOGY & GENETICS
INST. OF BIOLOGICAL SCIENCES
UNIVERSITY OF AARHUS
BUILDING 540. NY MUNKEGADE
DK-8000 AARHUS C
DENMARK

DR ANTONIO JIMENO FERNANDEZ FACULTAD DE BIOLOGIA UNIVERSIDAD DE BARCELONA ZOOLOGIA INVERTEBRATES AVD. DIAGONAL 645 08028 BARCELONA SPAIN

DR. W. S. JOHNSON MARINE SCIENCE PROGRAM GOUCHER COLLEGE TOWSON MD 21204 USA

DR. N. S. JONES MARINE BIOLOGICAL STATION PORT ERIN ISLE OF MAN UK

DR. I. JONES
DEPT. OF BIOLOGY
CALIFORNIA STATE UNIVERSITY
LONG BEACH CA 90845
USA

DR. H. JUNERA LABORATOIRE SEXUALITE DES INVERTEBRES BATIMENT C UNIVERSITE DE PARIS VI 75230 PARIS CEDEX 05 FRANCE

DR JEAN JUST ABRS GPO BOX 1383 CANBERRA ACT 2601 AUSTRALIA DR. R. KAIM-MALKA STATION MARINE D'ENDOUME RUE DE LA BATTERIE-DES-LIONS 13 MARSEILLE 7 FRANCE

RAVIL KAMALTYNOV LIMNOLOGICAL INSTITUTE ACADEMY OF SCIENCES IRKUTSK RUSSIA

DR OLGA KAMENSKAYA INST. OKEANOLOGYA ' IRSOV' KRASIKOVA 23 MOSKVA 117-218 RUSSIA

YUKIYOSHI KAMIHIRA BIOLOGICAL LABORATORY HAKODATE COLLEGE TAKAOKA HAKODATE 042 JAPAN

DR. E. KANNEWORF
MARINBIOLOGISK LABORATORIET
GRØNNEHAVE
HELSINGØR
DANMARK

DR. G. KARAMAN BIOLOGICAL INSTITUTE P.O. BOX 40 81001 TITOGRAD MONTENEGRO YUGOSLAVIA

DR MARIA KARAKIRI BIOLOGISCHE ANSTALT HELGOLAND NOTKESTR. 31 W-2000 HAMBURG 52 GERMANY

DR. TUNCER KATAGAN
EGE UNIVERSITESY, SCIENCE FACULTY
DEPT OF BIOLOGY
SECTION OF HYDROBIOLOGY
35100 BORNOVA, IZMIR
TURKEY

STEVE KEABLE
DIV. OF INVERTEBRATE ZOOLOGY
AUSTRALIAN MUSEUM
PO BOX A285
SYDNEY SOUTH NSW 2000
AUSTRALIA

DR. DONALD E. KEITH
DEPT. OF BIOLOGICAL SCIENCES
TARLETON STATE UNIVERSITY
STEPHENVILLE TX 76402
USA

DR. CHANG BAE KIM
DEPARTMENT OF ZOOLOGY
COLLEGE OF NATURAL SCIENCES
SEOUL NATIONAL UNIVERSITY
SEOUL 151-742
SOUTH KOREA

DR. PETER KINNER NORMANDEAU ASSOCIATES 15 PICKERING AVENUE PORTSMOUTH NH 03801 USA

MICHAEL KLAGES
ALFRED-WEGENER-INSTITUTT FÜR POLARUND MEERESFORSCHUNG
POSTFACH 120161
W-2850 BREMERHAVEN
GERMANY

DR. RICHARD KLINK DEPT. OF BIOLOGY UNIV. OF SOUTHERN CALIFORNIA LOS ANGELES CA 90007 USA

DR. BRENTON KNOTT DEPT. OF ZOOLOGY UNIVERSITY OF WESTERN AUSTRALIA NEDLANDS WA 6009 AUSTRALIA

DAVID M. KNOTT SOUTH CAROLINA WILDLIFE AND MARINE RESOURCES DEPT. P.O. BOX 12559 CHARLESTON SC 29412 USA

DR. AHMET KOCATAS
EGE UNIVERSITESY, SCIENCE FACULTY
DEPT OF BIOLOGY
SECTION OF HYDROBIOLOGY
35100 BORNOVA, IZMIR
TURKEY

HAL KOCH *
IRA C. DARLING CENTER
UNIVERSITY OF MAINE
WALPOLE ME 04573
USA

DR. K.D. KOCH IM LANGEN FELD W D-6407 SCHLITZ GERMANY

JÖRG KÖHN A. SCHWEITZER-STR. 34 E-2540 ROSTOCK GERMANY DR. A. KOUKOURAS DEPT OF ZOOLOGY UNIV. OF THESSALONIKI PO BOX 134 THESSALONIKI GREECE

DR. KOWALEVSKY
INSTITUTE OF BIOLOGY OF THE SOUTH SEAS
ACADEMY OF SCIENCES
2 NAHIMOV STR.
SEVASTOPOL
UKRAINA

DR. G. KRAPP-SCHICKEL PF. HOFFMANNSTR. 7 A W-53343 WACHTBERG-ADENDORF GERMANY

HANS G. KUCK CRUSTACEA NATURAL HISTORY MUSEUM OF LOS ANGELES COUNTY 900 EXPOSITION BLVD LOS ANGELES CA 90007 USA

DR. V. A. KUDRJASHOV FAR EAST UNIVERSITY BIOLOGICAL FACULTY DEPT. OF HYDROBIOLOGY AND ICHTHYOLOGY VLADIVOSTOK 690 000 RUSSIA

KEIKO KURIBAYASHI GRADUATE SCHOOL OF ENVIRONMENTAL SCIENCE HOKKAIDO UNIV. KITA 10, NISHI 8 SAPPORO 060 JAPAN

DR. ARMAND KURIS DEPT. OF BIOLOGICAL SCIENCES UNIVERSITY OF CALIFORNIA SANTA BARBARA CA 93106 USA

HARUMI KUSANO
DEPT OF BIOLOGY
KEIO UNIVERSITY
HIYOSHI 4-1-1 MINETO-KITE
YOKOHAMA 223
JAPAN

DR. J.-P. LABOURG STATION BIOLOGIQUE D'ARCACHON 2 RUE DU PROFESSEUR JOLYET ARCACHON (GIRONDE) FRANCE DR. J.-P. LAGARDÈRE STATION MARINE D'ENDOUME ANTENNE DE LA ROCHELLE-C.R.E.O. ALLEE DES TAMARIS 17-LA ROCHELLE FRANCE

JANET LAMBERSON EPA LABORATORY HATFIELD MARINE SCIENCE CENTER NEWPORT OR 97365 USA

MR. P. LAMBERT AQUATIC ZOOLOGY DIVISION BRITISH COLUMBIA PROVINCIAL MUSEUM VICTORIA V8V 1X4 CANADA

DR. PETER F. LARSEN BIGELOW LABORATORY WEST BOOTHBAY HARBOR ME 04575 USA

MRS. D. R. LAUBITZ CANADIAN MUSEUM OF NATURE PO BOX 3443, STATION "D" OTTAWA, ONTARIO K1P 6P4 CANADA

DR. PH. LAVAL STATION ZOOLOGIQUE B.P. 28 06230 VILLEFRANCHE-SUR-MER FRANCE

MR. G. LAWSON
DEPT OF OCEANOGRAPHY
UNIVERSITY OF SOUTHAMPTON
HIGHFIELD
SOUTHAMPTON HAMPSH. SO9 5NH
ENGLAND UK

ERIC A. LAZO-WASEM
PEABODY MUSEUM OF NATURAL HISTORY
DIVISION OF INVERTEBRATE ZOOLOGY
170 WHITNEY AVENUE
PO BOX 6666
NEW HAVEN CT 06511-8161
USA

DR. KYUNG SOOK LEE DEPT OF BIOLOGY DANKOOK UNIV. CHOONG NAM 330-180 SOUTH KOREA

SARA LE CROY GULF COAST RESEARCH LABORATORY P.O. BOX 7000 OCEAN SPRINGS MS 39564 USA DR. M. LEDOYER CERAM FACULTÉ DES SCIENCES ET TECHNIQUES DE ST. JÉRÔME F-13397 MARSEILLE CEDEX 13 FRANCE

DR. F. P. PEREIRA LEITE
UNIVERSIDADE DE SAO PAULO INSTITUTO
OCEANOGRAFICO
CIUDADE UNIVERSITARIA
BUTANTA SAO PAULO
BRAZIL

DR. C. D. LEVINGS FISHERIES AND OCEANS 4160 MARINE DRIVE WEST VANCOUVER B.C. V7V 1N6 CANADA

DR. GEORGE LEWBEL BIOLOGY DEPARTMENT BATES COLLEGE LEWISTON ME 04240 USA

DR. JERRY LEWIS
DEPT. OF BIOLOGICAL SCIENCES
OLD DOMINION UNIVERSITY
NORFOLK VA 23508
USA

LIBRARY ATT. MRS A.-M. DAMIANO MUSEE OCEANOGRAPHIQUE AVENUE SAINT-MARTIN MC 98000 MONACO

DR. R. LINCOLN
THE NATURAL HISTORY MUSUEM
DIVISION OF CRUSTACEA
CROMWELL ROAD
LONDON SW7 5BD
ENGLAND

DOROTHY LINDEMAN 1411 MORRISET AVE., APT. 25E OTTAWA, ONTARIO K1Z 8H3 CANADA

DR. A. P. M. LOCKWOOD DEPT. OF OCEANOGRAPHY THE UNIVERSITY SOUTHAMPTON S05 5NH ENGLAND

DR. GLENN LONGLEY
EDWARDS AQUIFER RES. DATA CTR.
SOUTHWEST TEXAS STATE UNIVERSITY
SAN MARCOS TX 78666
USA

DR. JIM LOWRY
DIVISION OF INVERTEBRATE ZOOLOGY
THE AUSTRALIAN MUSEUM
P.O. BOX A285
SYDNEY SOUTH NSW 2000
AUSTRALIA

ELENA N. LUPPOVA MARINE BIOLOGICAL INSTITUTE DALNIE ZELENTSY MURMANSKAYA OBL. 184 6731 RUSSIA

DR. C. MACQUART-MOULIN FACULTE DES SCIENCES NATURELLES HYDROBIOLOGIE MARINE ROUTE LEON LECHAMP-LUMINY MARSEILLE 9E FRANCE

DR. L. P. MADIN
WOODS HOLE OCEANOGRAPHIC INSTITUTION
WOODS HOLE MA 02543
USA

DR. R. MARGULIS BIOLOGICAL FACULTY MOSCOW STATE UNIVERSITY MOSCOW RUSSIA

DR A. MARTI
INVERTEBRATES AND MARINE BIOLOGY
LABORATORY
DEPT OF ANIMAL AND CELLULAR BIOLOGY
AND PARASITOLOGY
FACULTY OF BIOLOGY
UNIVERSITY OF VALENCIA
46100 BURJASSOT VALENCIA
SPAIN

DR. A. MATEUS
INSTITUTO DE ZOOLOGIA
DR. AUGUSTO NOBRE
UNIVERSIDADE DE PORTO
PORTO
PORTUGAL

DR. E. DE OLIVEIRA MATEUS INSTITUTE DE ZOOLOGIA DR. AUGUSTO NOBRE UNIVERSIDADE DE PORTO PORTO PORTUGAL

DR. JACK MATHIAS
DEPT. OF THE ENVIRONMENT
FRESHWATER INSTITUTE
501 UNIVERSITY CRESCENT
WINNIPEG R3T 2N6
CANADA

DR. J. MATHIEU UNIVERSITE DE LYON HYDROBIOLOGIE ET ECOLOGIE SOUTERRAINES 43, BD DU 11 NOVEMBER 1918 69622 VILLEURBANNE CEDEX FRANCE

DR. H. MATSUDO ST. JOSEPH HOSPITAL WEST ALAMEDA & S. BUENA VISTA BLVD. BURBANK CA 91505 USA

DR MASATOSHI MATSUMASA DEPT OF BIOLOGY SCHOOL OF LIBERAL ARTS AND SCIENCES IWATE MEDICAL UNIVERSITY HONCHO STR 3-16-1 MORIOKA 020 JAPAN

DR. J. C. MCCAIN ENVIRONMENTAL DEPT. HAWAIIAN ELECTRIC COMPANY P.O. BOX 2750 HONOLULU HI 96803 USA

DR. DAVID MCGRATH DEPT. OF ZOOLOGY UNIVERSITY COLLEGE GALWAY IRELAND

DR. LARRY MCKINNEY MOODY MARINE LAB. BLDG. 311 FT. CROCKET GALVESTON TX 77550 USA

DR. D. MCLUSKY
DEPT OF BIOLOGY
UNIVERSITY OF STIRLING
STIRLING
SCOTLAND

JIM MEADOR NOAA, NATIONAL MARINE FISHERIES SCIENCE 2725 MONTLAKE BOULEVARD E SEATTLE WA 98112-2097 USA

DR MOHAMED MENIOUI
UNIVERSITÉ MOHAMED V
DEPT DE ZOOLOGIE ET D'ECOLOGIE ANIMALE
INSTITUT SCIENTIFIQUE
AVENUE IBN BATOTA B.P. 703
RABAT - AGDAL
MOROCCO

GIUSEPPE MESSANA CENTRO SFET CNR VIA ROMANA 17 50125 FIRENZE ITALY

MOHAMMED MESSOULI UNIV. CADI AYYAD FACULTÉ DES SCIENCES LAB. D'HYDROBIOLOGIE - ECOLOGIE DEPT. SCIENCES DE LA VIE BP S 15 MARRAKECH MOROCCO

DR. JEAN-JACQUES MEUSY LABORATOIRE DE SEXUALITE DES INVERTEBRES BATIMENT A 4 PLACE JUSSIEU 75243 PARIS CEDEX 05 FRANCE

GABRIELE H. MEYER 1543 A. WILKES AVE BILOXI MS 39530

PROF. DR. M.P.D. MEYERING GESAMTHOCHSCHULE KASSEL FACHBEREICH LANDWIRTSCHAFT FACHGEBIET FLIESZGEWÄSSERKUNDE NORDBAHNHOFSTRASZE 1 A W-3430 WITZENHAUSEN 1 GERMANY

DR. D. A. MILLS
DEPARTMENT OF ZOOLOGY
UNIVERSITY COLLEGE OF WALES
PENGLAIS
ABERYSTWYTH
WALES UK

DR. ERIC MILLS INSTITUTE OF OCEANOGRAPHY DALHOUSIE UNIVERSITY HALIFAX, NOVA SCOTIA B3H 4J1 CANADA

MR. HISASHI MIYAMOTO MARUOKA KASUMI, SAKAI FUKUI PREFECTURE 910 JAPAN

ALI MOHAMMED
DEPT OF FISHERIES AND OCEANS
ARCTIC BIOLOGICAL STATION
555 ST. PIERRE BLVD
STE ANNE-DE-BELLEVUE QUEBEC H9X 3R4
CANADA

DR. J. L. MOHR 3819 CHANSON DRIVE LOS ANGELES CA 90043-1601 USA

DR. TH. MONOD MUSEUM NATIONAL D'HISTORIE NATURELLE 43 RUE CUVIER 75231 PARIS CEDEX 05 FRANCE

DR. P. G. MOORE
UNIVERSITY MARINE BIOLOGICAL STATION
MILLPORT
ISLE OF CUMBRAE KA 28 OEG
SCOTLAND, UK

DR. M. A. MORGAN LOUISIANA UNIVERSITIES MAR. CONS. MARINE RESEARCH AND EDUCATION CTR. STAR ROUTE BOX 541 CHAUVIN LA 70344 USA

ATSUSHI MORI SETO MARINE BIOLOGICAL LABORATORY FACULTY OF SCIENCE, KYOTO UNIVERSITY SHIRAMA, WAKAYAMA 649-22 JAPAN

DR. HIROSHI MORINO DEPT. OF BIOLOGY IBARAKI UNIVERSITY MITO 310 JAPAN

YASUHIRO MORIOKA NONSEI REGIONAL FISHERIES KOHUBUN 49 NAGASAKI 850 JAPAN

DR DAVID MORRITT
UNIV. MARINE BIOLOGICAL STATION
MILLPORT
ISLE OF CUMBRAE KA 28 OEG
SCOTLAND
UK

DR. HIROSHI MUKAI OCEAN RESEARCH INSTITUTE UNIVERSITY OF TOKYO MINAMIDAI, NAKANO TOKYO 164 JAPAN

ALFONSO MUNOZ-COBO MUSEO NACIONAL DE CIENCIAS NATURALE LABORATORIA DE ZOOLOGIA CASTELLANA 80 MADRID (60) SPAIN MATT MURPHY
SHERKIN ISLAND MARINE STA.
SHERKIN ISLAND
CO. CORK
IRELAND

DR. ILONA MUSKO
TIHANY BIOLOGICAL STATION
MAGYAR TUDOMANYAS AKADEMIA
TIHANY PR 35
HUNGARY

DR. A.A. MYERS
DEPT. OF ZOOLOGY
UNIVERSITY COLLEGE
LEE MALTINGS
PROSPECT ROW
CORK, IRELAND

DR. KIZO NAGATA NAKATEBARU, MINATO KITA YOKOHAMA 222 JAPAN

DR. K.K.C. NAIR SCIENTIST, NATIONAL INSTITUTE OF OCEANOGRAPHY REGIONAL CENTRE, PB NO 1913 KOCHI - 682 018 KERALA INDIA

KIYONORI NAKAJIMA PORT OF NAGOYA PUBLIC AQUARIUM MINATO-MACHI 1-3, MINATO-KU NAGOYA 455 JAPAN

ACQUISITIONS SECTION
DEPARTMENT OF LIBRARY SERVICES
THE NATURAL HISTORY MUSEUM
CROMWELL ROAD
LONDON SW7 5BD
ENGLAND

DR. WALTER NELSON
DEPT. OF OCEANOGRAPHY AND OCEAN
ENGINEERING
FLORIDA INSTITUTE OF TECHNOLOGY
MELBOURNE FL 32901
USA

DR ARTEMIS NICOLAIDOU ZOOLOGICAL LABORATORY UNIVERSITY OF ATHENS PANEPISTIMIOPOLIS GR - 15784 ATHENS GREECE

KIYOSHI NISHI INSTITUTE OF MARINE ECOLOGY CO. LTD 7-8-5 NISHINAKAJIMA YODOGAWA - KU OSAKA 532 JAPAN DR. A. M. NOCENTINI INSTITUTO ITALIANO DE IDROBIOLOGIA 28048 PALLANZA ITALY

LIBRARY
NORTHWEST & ALASKA FISHERIES CENTER
NOAA, NATIONAL MARINE FISHERIES SERVICE
2725 MONTLAKE BLVD, E
SEATTLE WA 98112
USA

DR JOS NOTENBOOM RIVM/ECO LABORATORY OF ECOTOXICOLOGY POSTBUS 1 3720 BA BILTHOVEN NETHERLANDS

CHARLES E. O'CLAIR AUKE BAY LABORATORY P.O. BOX 210155 AUKE BAY AK 99821 USA

BRENDAN O'CONNOR AQUA-FACT INTERNATIONAL SERVICES LTD 7 INNOVATION CENTRE NEWCASTLE GALWAY IRELAND

DR. MICHIO OMORI FACULTY OF AGRICULTURE TOHOKU UNIVERSITY AOBAKU, SENDAI, MIYAGI 981 JAPAN

DR MANUEL ORTIZ
CENTRO DE INVESTIGACIONES MARINAS
AVENIDA 1RA. NO. 2808 MIRAMAR PLAYA
CIUDAD DE LA HABANA
CUBA

P.E. OSHEL
PARMLY HEARING INST.
LOYOLA UNIVERSITY
6525 NORTH SHERIDAN ROAD
CHICAGO, ILLINOIS 60626
USA

DR. HENRY M. PAGE 85 TECOLOTE AVENUE GOLETA CA 93017 USA

RUNE PALERUD INSTITUTT FOR FISKERI- OG MARINBIOLOGI UNIV. I BERGEN HOGTEKNOLOGISENTERET N- 5020 BERGEN NORWAY DR. JUDITH PEDERSON DEPT. OF BIOLOGY UNIVERSITY OF MASSACHUSETTS BOSTON MA 02125 USA

PELL MARINE SCIENCES LIBRARY UNIVERSITY OF RHODE ISLAND NARRAGANSETT BAY CAMPUS NARRAGANSETT R.I. 02882 USA

JONATHAN A. PERCY INST. MAURICE LAMONTAGNE C.P.-1000 850, ROUTE DE LA MER MONT-JOLI, QUEBEC S5H 3Z4 CANADA

IORGU PETRESCU
"GRIGORE ANTIPA" MUSEUM OF NATURAL
HISTORY
KISELEFF 1
BUCHAREST 79744
ROMANIA

MR. STEPHEN PETRICH 1837 BRITTON DRIVE LONG BEACH CA 90815 USA

GARY PETTIT
DEPT. OF BIOLOGY
GEORGE WASHINGTON UNIVERSITY
WASHINGTON DC
USA

PHYSICAL SCIENCE LIBRARY 3450 UNIVERSITY STREET MONTREAL H3C 3G0 CANADA

DOC. DR HABIL. ANDRZEJ PIECHOCKI INSTYTUT BIOLOGII SRODOWISKOWEJ UNIWERSYTETU LODZKIEGO UL. STEFANA BANACHA 12/16 90 - 237 LODZ POLAND

DR. H. G. PIEPER LIMNOLOGISCHE FLUSZSTATION W-6407 SCHLITZ GERMANY

DR. SJOUK PINKSTER (CURATOR OF CRUSTACEA) INSTITUUT VOOR TAXONOMISCHE ZOOLOGIE ZOOLOGISCH MUSEUM P.O. BOX 4766 1009 AT AMSTERDAM NEDERLAND DIRK PLATVOET WESTEINDE 10 1474 HA OOSTHUIZEN NETHERLANDS

DR. M. PLJAKIC
INSTITUT ZA ZOOLOGIJU
PRIRODNO-MATEMATICKI FACULTET
STUDENTSKI TRG 31 II
1100 BEOGRAD
YUGOSLAVIA

DR. GARY C. B. POORE CURATOR OF CRUSTACEA MUSEUM OF VICTORIA 71 VICTORIA CRESCENT ABBOTSFORD VIC 3067 AUSTRALIA

SHELDON D. PRATT URI GRADUATE SCHOOL OF OCEANOGRAPHY NARRAGANSETT RI 02881-1197 USA

DR. G.S. PREECE LANCING COLLEGE SUSSEX ENGLAND UK

DR. C. S. PURUSHOTHANAN DEPT. OF AQUATIC BIOLOGY AND FISHERIES UNIVERSITY OF KERALA TRIVANDRUM 695 007 INDIA

PROF. N. RABINDRANATH
COLLEGE OF FISHERIES
KERALA AGRICULTURAL UNIVERSITY
PANANGAD P.O.
PIN 682 506
ERNAKULAM DISTRICT, KERALA
INDIA

DR S. RAKUSA-SUSZCZEWSKI
DEPT. OF BIOENERGETICS AND
BIOPRODUCTIVITY
NENCKI INSTITUTE OF EXPERIMENTAL
BIOLOGY
PASTEURA 3
WARSZAWA
POLAND

DR. MONTECINO ZABALA RAMIRO NICOLAS 4 COSTA 559 LA PAZ BOLIVIA

DR. MARTIN RAUSCHERT BRUNO - H - BURGEL - ALLEE 31 W-1603 EICHWALD TYSKLAND MICHELE REDMOND
SCIENCE APPLICATIONS INTERNATIONAL
CORPORATION C/O U.S. EPA
2111 S.E. MARINE SCIENCE DRIVE
NEWPORT OR 97365-5260
USA

DR. L. J. REES
UNIVERSITY COLLEGE OF NORTH WALES
MARINE SCIENCE LABORATORIES
MENAI BRIDGE
ANGLESEY
WALES UK

DR. R. REPELIN CENTRE O.R.S.T.O.M. NOUMEA NEW CALEDONIA

LIBRARY RESEARCH INSTITUTE OF FISHERIES P.O. BOX 72 9000 VARNA BULGARIA

DR. J. L. REYGROBELLET UNIVERSITE CLAUDE BERNARD LYON-I DEPARTEMENT DE BIOLOGIE ANIMALE 43 BOULEVARD DU 11 NOVEMBER 1918 F-69622 VILLEURBANNE CEDEX FRANCE

DR. M.A.B. RIBEIRO
UNIVERSIDADE DE SAO PAULO
INSTITUTO OCEANOGRAFICO
CIUDADE UNIVERSITARIA
BUTANTA SAO PAULO
BRAZIL

DR. ALISTAIR RICHARDSON DEPT OF ZOOLOGY UNIVERSITY OF TASMANIA BOX 252, GPO HOBART TAS 7001 AUSTRALIA

DR. PHILIP ROBERTSON DEPT. OF BIOLOGY LAMAR UNIVERSITY P. O. BOX 10037 BEAUMONT TX 77710 USA

DR. C. ROUX
UNIVERSITE CLAUDE BERNARD LYON-I
DEPARTEMENT DE BIOLOGIE ANIMALE
43 BOULEVARD DU 11 NOVEMBER 1918
F-69622 VILLEURBANNE CEDEX
FRANCE

DR. A.-L. ROUX UNIVERSITE CLAUDE BERNARD LYON-I DEPARTMENT DE BIOLOGIE ANIMALE 43 BOULEVARD DU 11 NOVEMBER 1918 F-69622 VILLEURBANNE CEDEX FRANCE

LIBRARY
ROYAL BRITISH COLUMBIA MUSEUM
675 BELLEVILLE STREET
VICTORIA BC V8V 1X4
CANADA

DR. SANDRO RUFFO MUSEO CIVICO DE STORIA NATURALE LUNGADIGE PORTO VITTORIA 9 I 37100 VERONA ITALY

MS CLARE E. RUGG ICI GROUP ENVIRONMENTAL LAB FRESHWATER QUARRY BRIXHAM, DEVON TQ 5 8BA ENGLAND UK

DR. B. RYGG N.I.V.A. GAUSTADALLEN 25 BLINDERN OSLO 3 NORWAY

BERNARD SAINTE-MARIE INST. MAURICE-LAMONTAGNE CP 1000 MONT JOLI QUEBEC G5H 3Z4 CANADA

DR. NOBUHIRO SAITO DEPT OF MARINE SCIENCE TECHNOLOGY TOKAI UNIVERSITY 3-20-1 ORIDO, SHIMIZU SHIZUOKA PREFECTURE 424 JAPAN

DOC. HEIKKI SALEMAA HYDROBIOLOGICAL LABORATORY UNIV. OF HELSINKI FABIANINKATU 24 A 00100 HELSINKI FINLAND

DR. ELIAS SANCHEZ
DEPT DE ZOOLOGIA
UNIV. DE LA LAGUNA
LA LAGUNA, TENERIFE, CANARY ISLANDS
SPAIN

DR. H. O. SANDERS FISH-PESTICIDE RESEARCH LAB. BUREAU OF SPORT FISHERIES AND WILDLIFE COLUMBIA MO 65201 USA DR. Y. SAUDRAY LABORATOIRE D'ECOLOGIE MARINE ET DE LA BIOLOGIE MARINE 44 NANTES FRANCE

DR. FELICITA SCAPINI DIPARTIMENTO DI BIOLOGIA ANIMAL E GENETICA VIA ROMANA 17 50125 FIRENZE ITALY

MS. LINDA SCHAFFNER
VIRGINIA INSTITUTE OF MARINE SCIENCE
GLOUCESTER POINT VA 23062
USA

DR. ULRICH SCHIECKE GESELLSCHAFT F. STRAHLEN-U UMWELTFORSCHUNG INGOLSTADTER LANDSTR. 1 D-8042 NEUHERBERG GERMANY

H. KURT SCHMINKE FACHBEREICH IV UNIVERSITAT OLDENBURG POSTFACH 2503 W-2900 OLDENBURG GERMANY

FREDERIK R. SCHRAM
INSTITUTE OF ANIMAL TAXONOMY
ZOOLOGICAL MUSEUM
PL. MIDDENLAAN 53
AMSTERDAM
NETHERLANDS

MARIA BEATRICE SCIPIONE STAZIONE ZOOLOGICA DI NAPOLI LABORATORIO DI ECOLOGIA BENTHOS PUNTA S. PIETRO I- 80077 ISCHIA PORTO ITALY

DR. JOHN K. SCOTT U.S.E.P.A ENVIRONMENTAL RESEARCH LAB. NARRAGANSETT RI 02882 USA

DR ADO SEIRE
INSTITUTE OF ZOOLOGY AND BOTANY
ESTONIAN ACADEMY OF SCIENCES
21 VENEMUISE ST
EE 2400 TARTU
ESTONIA

DR. HITOSHI SEMURA KASHIMA BRANCH SHIMANE PREF FISHERIES EXP STN ETOMO, KASHIMA SHIMANE PREFECTURE 690-03 JAPAN

DR. N. SERBAN
INSTITUT ZA ZOOLOGIJU
PRIRODNO-MATEMATICKI FAKULTET
STUDENTSKI TRG 3 II
11000 BEOGRAD
YUGOSLAVIA

PATRICK SHAW
ENVIRONMENT CANADA
WATER QUALITY BRANCH
2365 ALBERT STREET
REGINA, SASKATCHEWAN S4P 4K1
CANADA

DR. MARTIN SHEADER
DEPT. OF OCEANOGRAPHY
UNIVERSITY OF SOUTHAMPTON
HIGHFIELD, SOUTHAMPTON S09 5NH
ENGLAND UK

DR. CHANG-TAI SHIH
ZOOLOGY DIVISION
CANADIAN MUSEUM OF NATURE
P. O. BOX 3443, STATION "D"
OTTAWA, ONTARIO K1P 6P4
CANADA

DR. R. SHILLAKER
UNIVERSITY MARINE BIOLOGICAL STATION
MILLPORT
ISLE OF CUMBRAE KA 28 OEG
SCOTLAND UK

PAUL SHIN DEPT. OF ZOOLOGY UNIVERSITY COLLEGE GALWAY IRELAND

DR. ISAMU SHISHIDO BIOLOGICAL LABORATORY SENDEI UNIVERSITY FUNAOKA MINAMI 2-2-18, SHIBATA MIYAGI PREFECTURE 989-16 JAPAN

DR. K. SHYAMASUNDARI DEPT. OF ZOOLOGY ANDHRA UNIVERSITY WALTAIR INDIA ARNFINN SKADSHEIM NINA, OSLO UNIVERSITY OF OSLO POSTBOKS 1037, BLINDERN 0315 OSLO 3 NORWAY

DR. A. SKALSKI MUSEUM W CZESTOCHOWIE CZESTOCHOWA POLAND

PROF. B. SKET UNIVERZA V LJUBLJANI TRG OSVOBODITVE 11 61000 LJUBLJANA SLOVENIA

MR. P. N. SLATTERY 47 VISTA DRIVE SALINAS, CA 93907 USA

DR. SIDNEY SLOCUM 807 JAMES DRIVE RICHARDSON TX 75080 USA

DR. ALESSANDRA SOMASCHINI
DIPARTIMENTO DI BIOLOGIA ANIMALE E
DELL'UOMO
UNIVERSITA 'LA SAPIENSIA'
VIALE DELL'UNIVERSITA, 32
00185 ROMA
ITALY

DR. J.-CL. SORBE INST. DE BIOLOGIE MARINE 2 RUE DU PROFESSEUR JOLYET F 33120 ARCACHON FRANCE

DR. CRAIG P. STAUDE FRIDAY HARBOR LABORATORIES 620 UNIVERSITY RD FRIDAY HARBOR WA 98250 USA

DR. D. H. STEELE
DEPT. OF BIOLOGY
MEMORIAL UNIVERSITY OF NEWFOUNDLAND
ST. JOHN'S NFLD A1B 3X9
CANADA

DR. V. J. STEELE
DEPT. OF BIOLOGY
MEMORIAL UNIVERSITY OF NEWFOUNDLAND
ST. JOHN'S NFLD A1B 3X9
CANADA

DR. BARBARA STEWART SOUTH AFRICAN MUSEUM PO BOX 61 CAPE TOWN 8000 SOUTH AFRICA

DR. J. H. STOCK RIDDERWEG 2 4327 SK SEROOSKERKE NETHERLANDS

MS H.E. STODDART DIVISION OF INVERTEBRATE ZOOLOGY THE AUSTRALIAN MUSEUM P.O. BOX A285 SYDNEY SOUTH NSW 2000 AUSTRALIA

ALLAN W. STONER HARBOR BRANCH INSTITUTION RR 1 BOX 196-A FT. PIERCE FL 33450 USA

GWYNNE STONER-RIFE 6868 SENECA CO. ROAD 25 FOSTORIA OHIO 48830 USA

DR. M. STRASKRABA BIOMATHEMATICAL LABORATORY CZECHOSLOVAK ACADEMY OF SCIENCES BRANISOVSKA 31 370 05 CESKÉ BUDEJOVICE CZECHOSLOVAKIA

DR. S. SUDARA
DEPT. OF MARINE SCIENCES
CHULALONGKORN UNIVERSITY
BANGKOK
THAILAND

HIROYUKI SUDO NANSEI REGIONAL FISHERIES RES. LAB KOKUBUN 49 NAGASAKI 850 JAPAN

HIROYA SUGISAKI OCEAN RESEARCH INSTITUTE UNIVERSITY OF TOKYO 1-15-1 MINAMIDAI NAKANO TOKYO 164 JAPAN

DR. D. W. SUTCLIFFE
FRESHWATER BIOLOGICAL ASSOCIATION
THE FERRY HOUSE
FAR SAWRY
AMBLESIDE WESTMORLAND
ENGLAND UK

JORUNDUR SVAVARSSON INSTITUTE OF BIOLOGY UNIVERSITY OF ICELAND GRENSASVEGUR 12 REYKJAVIK ICELAND

PROF V.A. SVESHNIKOV
SEVERTSEV INST. OF EVOLUTIONARY
MORPHOLOGY
AND ECOLOGY OF ANIMALS
RUSSIAN ACADEMY OF SCIENCES
LABORATORY OF ECOLOGY AND
MORPHOLOGY OF SEA INVERTEBRATES
LENINSKII PROSPEKT 33
MOSKVA 17071
RUSSIA

RICHARD C. SWARTZ ENVIRONMENTAL PROTECTION AGENCY HATFIELD MARINE SCIENCE CENTER NEWPORT OR 97365 USA

DR. A.M. TAKEDA
UNIVERSIDADE ESTADUAL DE MARINGÁ
DEPTO DE BIOLOGIA = NUPELIA
AV. COLOMBO
3690 MARINGA PR
BRAZIL

DR. ICHIRO TAKEUCHI
OTSUCHI MARINE RESEARCH CENTER
OCEAN RESEARCH INSTITUTE
THE UNIVERSITY OF TOKYO
AKAHAMA, OTSUCHI
IWATE PREFECTURE 028-11
JAPAN

DR. HIROSHI TAMURA DEPT. OF BIOLOGY IBARAKI UNIVERSITY MITO 310 JAPAN

DR. AKIRA TANIGUCHI FACULTY OF AGRICULTURE TOHOKU UNIVERSITY ABOBA-KU SENDAI MIYAGI 98 JAPAN

DR. A. S. TARARAM INSTITUTO OCEANOGRAFICO DA U.S.P. PRACA DO OCEANOGRAFICO, 191 BUTANTA 05508 SAO PAULO BRAZIL

QAISER TARIQ DEPT. OF ZOOLOGY UNIVERSITY OF KUWAIT KUWAIT KUWAIT P. M. TAYLOR
DEPT. OF ZOOLOGY
UNIVERSITY OF LEICESTER
UNIVERSITY ROAD
LEICESTER LEI 7RH
ENGLAND UK

DR. DANG NGOC THANH
CHAIRE DE ZOOLOGIE INVERTEBRÉE
FACULTE DE BIOLOGIE
UNIVERSITE DE HANOI
HANOI
VIETNAM

THE LIBRARY KRISTINEBERG ZOOLOGISKA STATION S-45034 FISKEBACKSKIL SWEDEN

THE LIBRARY GULF COAST RESEARCH LAB. P.O. BOX 7000 OCEAN SPRINGS MS 39564 USA

RSMAS LIBRARY UNIVERSITY OF MIAMI 4600 RICKENBACKER CAUSEWAY MIAMI FL 33149 USA

THE LIBRARY
MOSS LANDING MARINE LAB.
P.O. BOX 450
MOSS LANDING CA 95039
USA

KRIS W. THOEMKE ROOBERY BAY NAT'L ESTUARINE SANCTUARY 10 SHELL ISLAND ROAD NAPLES FL 33942 USA

DR. J.D. THOMAS
DIVISION OF CRUSTACEA
NHB-163
SMITHSONIAN INSTITUTION
WASHINGTON DC 20560
USA

DR. MICHAEL THURSTON
INSTITUTE OF OCEANOGRAPHIC SCIENCES
DEACON LABORATORY
BROOK ROAD
WORMLEY, GODALMING
SURREY GU8 5UB
ENGLAND UK

DR. E. TIBALDI LABORATORIA DI ZOOLOGIA DELL'UNIVERSITA VIA CELORIA 26 I 20133 MILANO ITALY

GUNNAR TEIGSMARK INSTITUT FOR FISKERIBIOLOGI NORGES FISKERIHÖYSKOLE NORDNESPARKEN 2A N-5000 BERGEN NORWAY

DR. SERGEJ R. TIMOFEEV MARINE BIOLOGICAL INSTITUTE VLADIMIRSKAYA STR. 17 183023 MURMANSK RUSSIA

OLEG TIMOSCHKIN LIMNOLOGICAL INSTITUTE ACADEMY OF SCIENCES IRKUTSK RUSSIA

JAMIE TRAUTMAN SCHOOL OF OCEANOGRAPHY OREGON STATE UNIVERSITY CORVALLIS OR 97330 USA

DR. MARIE-JOSE TURQUIN UNIVERSITE CLAUDE BERNARD LYON-I DEPARTEMENT DE BIOLOGIE ANIMALE 43 BOULEVARD DU 11 NOVEMBER 1918 F-69622 VILLEURBANNE CEDEX FRANCE

DR. N. TZVETKOVA ZOOLOGICAL INSTITUTE ACADEMY OF SCIENCES USSR V-164 ST PETERSBURG RUSSIA

WIM VADER ZOOLOGISK AVDELING TROMSØ MUSEUM N-9006 TROMSØ NORWAY

RISTO VÄINÖLÄ DEPT OF GENETICS UNIV. OF HELSINKI ARKADIANKATU 00100 HELSINKI FINLAND

DR. CARLOS S. VARELA
INSTITUTO DE ZOOLOGIA
UNIVERSIDAD AUSTRAL DE CHILE
VALDIVIA
CHILE

S. V. VASSILENKO ZOOLOGICAL INSTITUTE ACADEMY OF SCIENCES USSR V-164 ST PETERSBURG RUSSIA

DR. A. VIGNA-TAGLIANTI INSTITUTO DI ZOOLOGIA DELL'UNIVERSITA 00100 ROMA ITALY

MARIA DELIA VI AS INIDEP CC 17S 7600 MAR DEL PLATA ARGENTINA

DR. M. VINCENT
LABORATOIRE DE BIOLOGIE ANIMALE
FACULTE DES SCIENCES
LIMOGES
FRANCE

GEORGYI M. VINOGRADOV LAB. OF MORPHOLOGY & ECOLOGY OF WATER INVERTEBRATES A.N. SEVERTZOV INSTITUTE OF ANIMAL EVOLUTIONARY MORPHOLOGY & ECOLOGY LENIN AV. 33 MOSKVA 117071 RUSSIA

BARBARA VISKUP UNIVERSITY OF SOUTHERN MISSISSIPPI DEPT OF BIOLOGICAL SCIENCES HATTISBURG MS 39406 USA

DR. YOKA WAKABARA
INSTITUTO OCEANOGRAFICO DA U.S.P.
PRACA DO OCEANOGRAFICO, 191
BUTANTA 05508 SAO PAULO
BRAZIL

DR. JAMES V. WARD
DEPT. OF ZOOLOGY AND ENTOMOLOGY
COLORADO STATE UNIVERSITY
FORT COLLINS CO 80523
USA

DR. LES WATLING IRA C. DARLING CENTER UNIVERSITY OF MAINE WALPOLE ME 04573 USA

DR JASON WEEKS
INST. OF TERRESTRIAL ECOLOGY
MONKSWOOD,
ABBOTS RIPTON, HUNTINGDON
CAMBRIDGESHIRE PE17 2LS
ENGLAND, UK

DR. D. J. WILDISH
FISHERIES AND OCEANS
BIOLOGICAL SCIENCES BRANCH
BIOLOGICAL STATION
ST. ANDREWS NEW BRUNSWICK E0G 2X0
CANADA

DR. ADELE WILLIAMS
DEPT. OF ZOOLOGY
UNIVERSITY OF BRISTOL
WOODLAND ROAD
BRISTOL AVON
ENGLAND UK

DR J.A. WILLIAMS
DEPT OF OCEANOGRAPHY
THE UNIVERSITY
SOUTHAMPTON HAMPSHIRE S09 5NH
ENGLAND UK

DR. W.D. WILLIAMS DEPT. OF ZOOLOGY THE UNIVERSITY OF ADELAIDE G.P.O. BOX 498 ADELAIDE SA 5001 AUSTRALIA

DR. BRUCE L. WING NOAA, NFMS AUKE BAY LABORATORY AUKE BAY AK 99821-0155 USA

CLAUDIA WINKLER LIMNOLOGISCHE FLUSZSTATION MAX - PLANCK INSTITUT FUR LIMNOLOGI POSTFACH 260 W-6407 SCHLITZ GERMANY

DR. TORBEN WOLFF ZOOLOGISK MUSEUM UNIVERSITETSPARKEN 15 DK-2100 KOBENHAVN Ø DANMARK HIROSHI YAMAGUCHI LAB. OF MARICULTURE, FACULTY OF FISHERIES HOKKAIDO UNIV MINATO 3-1-1 HAKODATE 041 JAPAN

SHIGEYUKI YAMATO SETO MARINE BIOLOGICAL LABORATORY KYOTO UNIVERSITY SHIRAHAMA, WAKAYAMA PREFECTURE 649-22 JAPAN

KWANG IL YOO DEPT. OCEANOGRAPHY SEOUL NATIONAL UNIVERSITY SEOUL SOUTH KOREA

WOLFGANG ZEIDLER SOUTH AUSTRALIAN MUSEUM NORTH TERRACE ADELAIDE SA 5000 AUSTRALIA

DR. C. ZERBIB
LABORATOIRE DE SEXUALITE DES
INVERTEBRES
BATIMENT C
UNIVERSITE DE PARIS VI
75230 PARIS CEDEX 05
FRANCE

JUN ZHANG
DEPT OF BIOLOGICAL SCIENCES
OLD DOMINION UNIV.
NORFOLK VA 23529-0266
USA